



TO: Mayor Lagergren and City Council
FROM: Mark Streich, Public Service Director
DATE: May 28, 2024
SUBJECT: Plow Truck Purchase Authorization

We are needing to replace one of our other plow trucks this year. The truck, T7 is a 2007 Sterling that has a 30-year-old plow. This truck was up for replacement and on the 2024 CIP list. This money was included in the 2024 CIP budget. The existing truck is costing us more money each year we use it. Last year the front wing support needed to be replaced because it was so rusty it failed. This is basically the same situation as we had last year when we replaced T7. The difference however this year is we can get a chassis by December and the rest of it can be built by March, which we are okay with. I have included 4 chassis bids that are all state contract pricing and one bid which is state contract pricing for the rest of the truck including all the plow equipment and lighting. The bid for the equipment is from the same company that built the truck we purchased last year. We feel it will be best to stay with them to keep the trucks the same, which will make it easier for our operators to move around from route to route if needed.

CHASSIS QUOTES

1. NUSS TRUCK & EQUIPMENT - 2025 MACK GRANITE 42FR \$145,582.56
 2. NUSS TRUCK & EQUIPMENT - 2025 VOLVO VHD 42F300 \$144,482.00
 3. BOYER TRUCKS - 2025 WESTERN STAR 47X \$131,634.00
 4. BOYER TRUCKS - 2025 FREIGHTLINER 114SD \$113,322.00
 5. NORTH CENTRAL INTERNATIONAL - 2025 HV507 SFA \$ 108,513.65
- Lead time for the Mack is 24 months. Lead time for all other chassis is 7 months.

BOX/HOIST & SNOWPLOW EQUIPMENT QUOTE

1. TOWMASTER TRUCK EQUIPMENT - \$199,942.00
- Lead time to build equipment is 3 months.

RECOMMENDATION:

Motion to approve the quote from North Central International for \$108,513.65 and Towmaster Truck equipment for \$199,942.00. for a total of \$308455.65

Norwood Young America

SINGLE AXLE CAB/CHASSIS

Exhibit D: Price Schedule

VENDOR NAME

Nuss Truck and Equipment

MAKE AND MODEL 2025 Volvo VHD 42F300 SA

| | | | |
|-------------|------------------------------------|--------------------------------------|----------------------|
| WB | This section for use when ordering | | |
| CA | 185" | | |
| AF | 99" (Bodybuilder to verify) | | |
| Rear Ratio | 63" | | |
| Cab Color | 4.56 | | |
| Wheel Color | Omaha Orange (P9215) | | |
| Notes | White Steel | | |
| | City of Norwood Young America, | Updated 5.10.24(NUSS20240000455634D) | |
| | | Grand Total | \$ 144,842.00 |

| Code | Spec # | Description | Qty | 2025 Price | Subtotal |
|-----------|--------|----------------------|-----|---------------|---------------|
| VHD64F300 | 1.0 | Price for Base Unit: | 1 | \$ 115,726.00 | \$ 115,726.00 |

FRAME OPTIONS

| | | | | | |
|--------|-----|---|---|------------|------------|
| x4XB1X | 2.0 | Front frame extension | 1 | \$ 143.00 | \$ 143.00 |
| x2345 | 2.1 | Custom hole punching in frame | | \$ 110.00 | \$ - |
| 994DX | 2.2 | Deduct for no front bumper | 1 | \$ (60.00) | \$ (60.00) |
| 403003 | 2.3 | Frame fastener option (bolt or huck spun) | 1 | STD | |
| | 2.4 | Frame, R.B.M., S.M., PSI, CT | | \$ - | \$ - |
| 403005 | 2.5 | 11.81"x3.54"x.31", R.B.M. 2,112,000, S.M. 17.6, PSI, 120,000 CT | | STD | |
| 403006 | 2.6 | 11.81"x3.54"x.38", R.B.M. 2,460,000, S.M. 20.5, PSI, 120,000 CT | | \$ 343.00 | \$ - |
| 403010 | 2.7 | 11.81"x3.54"x.44", R.B.M. 2,820,000, S.M. 23.5, PSI, 120,000 CT | | \$ 562.00 | \$ - |
| 403011 | 2.8 | 11.81"x4.13"x.44", R.B.M. 3,156,000, S.M. 26.3, PSI, 120,000 CT | 1 | \$ 720.00 | \$ 720.00 |

FRONT AXLE/SUSPENSION/BRAKE/OPTION

| | | | | | |
|--------|-----|---|---|-----------|------|
| MC | 3.0 | Set Forward Front Axle Option | 1 | STD | |
| 370403 | 3.1 | 14,600 front axle and matching suspension | | STD | |
| 370405 | 3.2 | 16,500 front axle and matching suspension | | \$ 875.00 | \$ - |

| | | | | | | | |
|---------|------|---|---|----|----------|----|----------|
| 370406 | 3.4 | 18,800 front axle & matching suspension | | \$ | 978.00 | \$ | - |
| 370407 | 3.5 | 20,800 front axle and matching suspension | 1 | \$ | 1,079.00 | \$ | 1,079.00 |
| 370408 | 3.6 | 22,800 front axle and matching suspension Volvo F22 | | \$ | 1,154.00 | \$ | - |
| 371071 | 3.7 | Heavy duty front axle shocks | 1 | \$ | 50.00 | \$ | 50.00 |
| 782014 | 3.8 | Front Brake Dimension 16.5x6 | 1 | \$ | 67.00 | \$ | 67.00 |
| 0KXG1X | 3.9 | Hubs Front axle iron unitized front axle hubs | 1 | \$ | 25.00 | \$ | 25.00 |
| NA | 3.10 | Right hand air bag suspension per Spec 3.7, Driver controlled | | | No Bid | | |
| NA | 3.11 | Left air bag suspension per Spec 3.7, Driver controlled | | | No Bid | | |
| ZGXE1X | 3.12 | Front axle lubrication cap with slotted venthole | | | No Bid | | |
| UDXA1X | 3.13 | Front brake dust shields | 1 | | STD | | |
| XEXB1X | 3.14 | Dual front auxiliary steering gear | 1 | \$ | 1,464.00 | \$ | 1,464.00 |
| 0371074 | 3.15 | Multi Leaf Front Susp (RH Stiffner) | | \$ | 91.00 | \$ | - |
| XEXA1X | 3.16 | Right Hand Ram Assist | | \$ | 1,230.00 | \$ | - |

4.0 TANDEM REAR AXLE/SUSPENSION/BRAKE/OPTIONS

| | | | | | | | |
|--------|------|---|---|----|----------|----|----------|
| N/A | 4.0 | 17,500# driver differential locking rear axle and matching suspension | | | No Bid | | |
| N/A | 4.1 | 19,000# rear axle & matching suspension | | | No Bid | | |
| N/A | 4.2 | 19,000# driver differential locking rear axle and matching suspension | | | No Bid | | |
| N/A | 4.3 | 21,000# rear axle and matching suspension | | | No Bid | | |
| N/A | 4.4 | 21,000# driver differential locking rear axle and matching suspension | | | No Bid | | |
| N/A | 4.5 | 22,000# rear axle and matching suspension | | | No Bid | | |
| N/A | 4.6 | 22,000# driver differential locking rear axle and matching suspension | | | No Bid | | |
| N/A | 4.7 | 23,000# rear axle and matching suspension | | | No Bid | | |
| TUXA1X | 4.8 | Mertior RS23-160 Rear Axle & 23,000 Multi-Leaf Rear Suspension | | | STD | | |
| TUXA2X | 4.9 | 23,000# driver differential locking rear axle and matching suspension | | \$ | 406.00 | \$ | - |
| TUXA3X | 4.10 | Mertior RS23-160 Rear Axle & 23,000 Multi-Leaf Rear Suspension | | \$ | 3,607.00 | \$ | - |
| TUXA4X | 4.11 | 26,000# driver differential locking rear axle and matching suspension | 1 | \$ | 4,013.00 | \$ | 4,013.00 |
| 330328 | 4.12 | Mertior RS26-160 Rear Axle & 26,000 Multi-Leaf Rear Suspension | | \$ | 838.00 | \$ | - |
| N/A | 4.13 | Meritor RS23160 rear axle and 26,000# rear suspension, driver diff. lock. | | | No Bid | | |
| N/A | 4.14 | 17,500# air suspension in lieu of springs | | | No Bid | | |
| N/A | 4.15 | 19,000# air suspension in lieu of springs | | | No Bid | | |
| N/A | 4.15 | 21,000# air suspension in lieu of springs | | | No Bid | | |

| | | | | No Bid | |
|------|--------|---|---|-------------|-----------|
| 4.16 | N/A | 22,000# air suspension in lieu of springs | | | |
| 4.17 | 350315 | 23,000# air suspension in lieu of springs | | \$ 896.00 | \$ - |
| 4.18 | 3ZZ316 | 26,000# air suspension in lieu of springs | | \$ 2,450.00 | \$ - |
| 4.19 | ZAX99X | Dash mounted air dump system | | \$ 14.00 | \$ - |
| 4.20 | 76AB1X | ½ round universal joints | 1 | STD | |
| 4.21 | THXC2X | Spicer 1810 HD drive line with half round universal joints | | \$ 230.00 | \$ - |
| 4.22 | YVXZ1X | Rear axle heavy duty shocks | | \$ 310.00 | \$ - |
| 4.23 | 350006 | Rear auxiliary spring, 4500# | | \$ 349.00 | \$ - |
| 4.24 | N/A | Rear stabilizer bar | | No Bid | |
| 4.25 | UEXA1X | Rear brake dust shield | 1 | \$ 22.00 | \$ 22.00 |
| 4.27 | 784013 | Meritor Brake Adjuster Front and Rear | | \$ 11.00 | \$ - |
| 4.28 | UKXB1X | Extended length brake stroke | | \$ 54.00 | \$ - |
| 4.29 | 781104 | Four Cam type haldex life seal plus | | \$ 107.00 | \$ - |
| 4.30 | 7WXB1X | Synthetic Rear Axle Lubricant | 1 | \$ 117.00 | \$ 117.00 |
| 4.31 | yVXA1X | Rear Shock Absorbers | | \$ 176.00 | \$ - |
| 4.31 | MC | Meritor RS-23-160 rear axle and 30,000# rear suspension, driver diff. lock. | | \$ 1,087.00 | \$ - |
| 4.27 | 252AB1 | Meritor RS-30-185 30,000 lbs rear axle | | \$ 3,973.00 | \$ - |
| 4.12 | 330328 | 30,000# multileaf rear suspension | | \$ 838.00 | \$ - |

5.0 FIFTH WHEEL OPTIONS

| | | | | | |
|------|--------|---|--|-------------|------|
| 5.1 | X6XA2X | Frame end tapered and open | | \$ 12.00 | \$ - |
| 5.2 | X6XB2X | Frame end tapered and closed | | \$ 30.00 | \$ - |
| 5.3 | 330AB7 | Fixed fifth wheel - Holland FW-35 | | \$ 684.00 | \$ - |
| 5.4 | 330AE7 | Mechanical slide fifth wheel - Holland FW35, Travel - 24" slide | | \$ 562.00 | \$ - |
| 5.5 | 330AH4 | Air slide fifth wheel - Holland FW35, Travel - 24" slide | | \$ 986.00 | \$ - |
| 5.6 | 464AA5 | Stainless 1/4 fenders, mounted front of tandems | | \$ 127.00 | \$ - |
| 5.7 | 464AA2 | Plastic 1/4 fenders, mounted front of tandems | | \$ 110.00 | \$ - |
| 5.8 | WHX01X | Tractor package hookup | | \$ 297.00 | \$ - |
| 5.9 | 7KXA3X | Behind cab deck plate | | \$ 681.00 | \$ - |
| 5.10 | 330AB8 | Holland fixed with non-tilt 5th wheel | | \$ 1,385.00 | \$ - |
| 5.11 | 330AEF | Holland manual slide 5th wheel | | \$ 537.00 | \$ - |
| 5.12 | 69XD3X | Mud flaps with brackets | | \$ 115.00 | \$ - |
| 5.13 | 69XC3X | Betts B60 stainless steel angled mud flap brackets | | \$ 161.00 | \$ - |
| 5.14 | 51XD1X | Hose tender & towel bar assembly | | \$ 58.00 | \$ - |
| 5.15 | 5ZXB1X | Coiled trailer air hose | | \$ 39.00 | \$ - |

| | | | | | | | |
|------|--------|------------------------------------|--|----|----------|----|---|
| 5.16 | 2UAB1X | Coiled trailer electrical hose | | \$ | 44.00 | \$ | - |
| 5.17 | OBS04S | Air Weight AW5800 onboard scales | | \$ | 1,118.00 | \$ | - |
| 5.18 | 6HXBRX | Medium height 5th wheel ramp guide | | \$ | 228.00 | \$ | - |
| 5.19 | 322022 | Trailer hook up light | | \$ | 74.00 | \$ | - |

TIRES/RIMS OPTIONS:

| | | | | | | | |
|------|--------|---|---|-----|----------|----|-------|
| 6.0 | NA | Nylon wafers or wheel guards on all wheels (10 ea) | 1 | \$ | 44.00 | \$ | 44.00 |
| 6.1 | NA | Heavier 7500 lb 22.5 x 8.25 Steel rims in lieu of standard 7300# rims (10 ea) | 1 | STD | | | |
| 6.2 | 084441 | 22.5 12.5 Black Powder quoted wheels front and back | | \$ | 482.00 | \$ | - |
| 6.3 | NA | Heavier 7500 lb 22.5 x 8.25 Steel rims in lieu of standard 7300# rims (8 ea) in rear only | | \$ | (16.00) | \$ | - |
| 6.4 | | Front Tire Package | | | | | |
| 6.5 | 093760 | 11R22.5H GOODYEAR G731 MSA (13220 LBS. GAWR) MULTI USAGE | | \$ | 288.00 | \$ | - |
| 6.6 | 093762 | 11R22.5H GOODYEAR G751 MSA (13220 LBS. GAWR) MULTI USAGE | | \$ | 258.00 | \$ | - |
| 6.7 | 093299 | 11R24.5H BRIDGESTONE M863 (14320 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 2,240.00 | \$ | - |
| 6.8 | 093562 | 11R24.5H BRIDGESTONE R250ED (14320 LBS. GAWR) REGIONAL / URBAN USAGE | | \$ | (85.00) | \$ | - |
| 6.9 | 093741 | 11R24.5H BRIDGESTONE R268 (14320 LBS. GAWR) REGIONAL / URBAN USAGE | | \$ | (75.00) | \$ | - |
| 6.10 | 093796 | 11R24.5H BRIDGESTONE R283A ECOPIA (14320 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | (85.00) | \$ | - |
| 6.11 | 093761 | 11R24.5H GOODYEAR G731 MSA (14320 LBS. GAWR) MULTI USAGE | | \$ | 380.00 | \$ | - |
| 6.12 | 093763 | 11R24.5H GOODYEAR G751 MSA (14320 LBS. GAWR) MULTI USAGE | | \$ | 335.00 | \$ | - |
| 6.13 | 093591 | 11R24.5H MICHELIN XZE2 (14320 LBS. GAWR) REGIONAL / URBAN USAGE | | \$ | 1,648.00 | \$ | - |
| 6.14 | 093804 | 11R24.5H MICHELIN X WORKS Z (14320 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 100.00 | \$ | - |
| 6.15 | 093764 | 12R22.5H GOODYEAR G751 MSA (14780 LBS. GAWR) MULTI USAGE | | \$ | 468.00 | \$ | - |
| 6.16 | 093805 | 12R24.5H MICHELIN X WORKS Z (15660 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 210.00 | \$ | - |
| 6.17 | 093790 | 275/80R22.5H MICHELIN X LINE ENERGY Z (14320 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | (40.00) | \$ | - |

| | | | | | | | |
|--------|------|--|---|----|----------|----|--------|
| 093758 | 6.18 | 315/80R22.5L GOODYEAR G751 MSA (18180 LBS. GAWR) MULTI USAGE | | \$ | 675.00 | \$ | - |
| 093828 | 6.19 | 315/80R22.5L MICHELIN X LINE ENERGY Z (18180 LBS. GAWR) LONG HAUL | | \$ | 95.00 | \$ | - |
| 093806 | 6.20 | 315/80R22.5L MICHELIN X WORKS Z (18180 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 235.00 | \$ | - |
| 093672 | 6.21 | 315/80R22.5L MICHELIN XZUS2 (20000 LBS. GAWR) URBAN USAGE | | \$ | 245.00 | \$ | - |
| 093823 | 6.22 | 315/80R22.5L CONTINENTAL CITY SERVICE HA3 (20000 LBS. GAWR) URBAN USAGE | | \$ | 450.00 | \$ | - |
| 093747 | 6.23 | 385/65R22.5J BRIDGESTONE M854 (18740 LBS. GAWR) ON/OFF ROAD USAGE | 1 | \$ | 200.00 | \$ | 200.00 |
| 093495 | 6.24 | 385/65R22.5J MICHELIN XZY3 (18740 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 265.00 | \$ | - |
| 093567 | 6.25 | 385/65R22.5L MICHELIN XFE (19840 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 335.00 | \$ | - |
| | | Rear Tire Package | | | | | |
| 094673 | 6.26 | 11R22.5G BRIDGESTONE M770 (23360 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | 225.00 | \$ | - |
| 094810 | 6.27 | 11R22.5G BRIDGESTONE M726 EL A (21660 LBS. GAWR) LONG / REGIONAL HAUL | 1 | \$ | 135.00 | \$ | 135.00 |
| 094297 | 6.28 | 11R22.5G BRIDGESTONE M843 (23360 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 690.00 | \$ | - |
| 094736 | 6.29 | 11R22.5G BRIDGESTONE R268 (23360 LBS. GAWR) REGIONAL HAUL | | | STD | | |
| 094821 | 6.30 | 11R22.5G CONTINENTAL HDL2 (22700 LBS. GAWR) LONG HAUL | | \$ | 595.00 | \$ | - |
| 094701 | 6.31 | 11R22.5G MICHELIN X LINE ENERGY D (23360 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | 1,085.00 | \$ | - |
| 094350 | 6.32 | 11R22.5G MICHELIN XDN2 (23360 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | 930.00 | \$ | - |
| 094788 | 6.33 | 11R22.5G MICHELIN X LINE ENERGY Z (23360 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | 835.00 | \$ | - |
| 094588 | 6.34 | 11R22.5G MICHELIN XZE2 (23360 LBS. GAWR) REGIONAL / URBAN USAGE | | \$ | 635.00 | \$ | - |
| 094692 | 6.35 | 11R22.5G MICHELIN X MULTI ENERGY D (23360 LBS. GAWR) REGIONAL HAUL | | \$ | 965.00 | \$ | - |
| 094674 | 6.36 | 11R22.5H BRIDGESTONE M770 (24020 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | 465.00 | \$ | - |

| | | | | | |
|--------|------|--|-------------|----|---|
| 094559 | 6.37 | 11R22.5H BRIDGESTONE M775 (24020 LBS. GAWR) ON/OFF ROAD USAGE | \$ 889.00 | \$ | - |
| 094311 | 6.38 | 11R22.5H BRIDGESTONE M843 (24020 LBS. GAWR) ON/OFF ROAD USAGE | \$ 915.00 | \$ | - |
| 094738 | 6.39 | 11R22.5H BRIDGESTONE R268 (24020 LBS. GAWR) REGIONAL / URBAN USAGE | \$ 465.00 | \$ | - |
| 094688 | 6.40 | 11R22.5H BRIDGESTONE M799 (24020 LBS. GAWR) ON/OFF ROAD USAGE | \$ 565.00 | \$ | - |
| 094760 | 6.41 | 11R22.5H GOODYEAR G731 MSA (24020 LBS. GAWR) MULTI USAGE | \$ 2,470.00 | \$ | - |
| 094762 | 6.42 | 11R22.5H GOODYEAR G751 MSA (24020 LBS. GAWR) MULTI USAGE | \$ 2,355.00 | \$ | - |
| 094351 | 6.43 | 11R22.5H MICHELIN XDN2 (24020 LBS. GAWR) LONG / REGIONAL HAUL | \$ 1,015.00 | \$ | - |
| 094652 | 6.44 | 11R22.5H MICHELIN XDS2 (24020 LBS. GAWR) LONG / REGIONAL HAUL | \$ 1,485.00 | \$ | - |
| 094789 | 6.45 | 11R22.5H MICHELIN X LINE ENERGY Z (24020 LBS. GAWR) LONG / REGIONAL HAUL | \$ 955.00 | \$ | - |
| 094801 | 6.46 | 11R22.5H MICHELIN X WORKS Z (24020 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,345.00 | \$ | - |
| 094686 | 6.47 | 11R22.5H MICHELIN X WORKS XDY (24020 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,485.00 | \$ | - |
| 094677 | 6.48 | 11R24.5G BRIDGESTONE M770 (24020 LBS. GAWR) LONG / REGIONAL HAUL | \$ 500.00 | \$ | - |
| 094811 | 6.49 | 11R24.5G BRIDGESTONE M726 EL A (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 250.00 | \$ | - |
| 094739 | 6.50 | 11R24.5G BRIDGESTONE R268 (24020 LBS. GAWR) REGIONAL / URBAN USAGE | \$ 400.00 | \$ | - |
| 094361 | 6.51 | 11R24.5G MICHELIN XDN2 (24020 LBS. GAWR) LONG / REGIONAL HAUL | \$ 1,185.00 | \$ | - |
| 094557 | 6.52 | 11R24.5H BRIDGESTONE L320 (26440 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,315.00 | \$ | - |
| 094558 | 6.53 | 11R24.5H BRIDGESTONE M775 (26440 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,525.00 | \$ | - |
| 094299 | 6.54 | 11R24.5H BRIDGESTONE M843 (26440 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,185.00 | \$ | - |
| 094741 | 6.55 | 11R24.5H BRIDGESTONE R268 (26440 LBS. GAWR) REGIONAL / URBAN USAGE | \$ 685.00 | \$ | - |
| 094689 | 6.56 | 11R24.5H BRIDGESTONE M799 (26440 LBS. GAWR) ON/OFF ROAD USAGE | \$ 685.00 | \$ | - |

| | | | | | |
|--------|------|--|-------------|----|---|
| 094761 | 6.57 | 11R24.5H GOODYEAR G731 MSA (26440 LBS. GAWR) MULTI USAGE | \$ 2,845.00 | \$ | - |
| 094763 | 6.58 | 11R24.5H GOODYEAR G751 MSA (26440 LBS. GAWR) MULTI USAGE | \$ 2,655.00 | \$ | - |
| 094659 | 6.59 | 11R24.5H MICHELIN XDS2 (26440 LBS. GAWR) LONG / REGIONAL HAUL | \$ 1,460.00 | \$ | - |
| 094804 | 6.60 | 11R24.5H MICHELIN X WORKS Z (26440 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,680.00 | \$ | - |
| 094671 | 6.61 | 11R24.5H MICHELIN X WORKS XDY (26440 LBS. GAWR) LIGHT CONSTRUCTION | \$ 1,795.00 | \$ | - |
| 094560 | 6.62 | 12R22.5H BRIDGESTONE M775 (27120 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,690.00 | \$ | - |
| 094690 | 6.63 | 12R22.5H BRIDGESTONE M799 (27120 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,825.00 | \$ | - |
| 094764 | 6.64 | 12R22.5H GOODYEAR G751 MSA (27120 LBS. GAWR) MULTI USAGE | \$ 3,195.00 | \$ | - |
| 094314 | 6.65 | 12R24.5H BRIDGESTONE M843 (28640 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,465.00 | \$ | - |
| 094330 | 6.66 | 275/80R22.5G MICHELIN XDA ENERGY (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 895.00 | \$ | - |
| 094700 | 6.67 | 275/80R22.5G MICHELIN X LINE ENERGY D (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 855.00 | \$ | - |
| 094698 | 6.68 | 275/80R22.5G MICHELIN XDA5+ (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 665.00 | \$ | - |
| 094354 | 6.69 | 275/80R22.5G MICHELIN XDN2 (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 750.00 | \$ | - |
| 094787 | 6.70 | 275/80R22.5G MICHELIN X LINE ENERGY Z (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 715.00 | \$ | - |
| 094694 | 6.71 | 275/80R22.5G MICHELIN X MULTI ENERGY D (22700 LBS. GAWR) REGIONAL HAUL | \$ 1,050.00 | \$ | - |
| 094592 | 6.72 | 275/80R22.5G MICHELIN XZE2 (22700 LBS. GAWR) REGIONAL / URBAN USAGE | \$ 545.00 | \$ | - |
| 094790 | 6.73 | 275/80R22.5H MICHELIN X LINE ENERGY Z (26440 LBS. GAWR) LONG / REGIONAL HAUL | \$ 875.00 | \$ | - |
| 094699 | 6.74 | 275/80R24.5G MICHELIN XDA5+ (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 600.00 | \$ | - |
| 094490 | 6.75 | 275/80R24.5G MICHELIN XDN2 (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 800.00 | \$ | - |
| 094791 | 6.76 | 275/80R24.5G MICHELIN X LINE ENERGY Z (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 750.00 | \$ | - |

| | | | | | | |
|--------|------|--|----|--------|----|---|
| 094809 | 6.77 | 285/75R24.5G BRIDGESTONE M726 EL A (20820 LBS. GAWR) LONG / REGIONAL HAUL | \$ | 230.00 | \$ | - |
| 094676 | 6.78 | 285/75R24.5G BRIDGESTONE M770 (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ | 285.00 | \$ | - |
| 094808 | 6.79 | 295/75R22.5G BRIDGESTONE M726 EL A (20280 LBS. GAWR) LONG / REGIONAL HAUL | \$ | 75.00 | \$ | - |
| 094725 | 6.80 | 295/75R22.5G BRIDGESTONE R268 (22700 LBS. GAWR) REGIONAL HAUL | \$ | 95.00 | \$ | - |
| 094767 | 6.81 | 295/75R22.5G CONTINENTAL HDR2 (22700 LBS. GAWR) REGIONAL HAUL | \$ | 155.00 | \$ | - |
| NUS225 | 6.82 | Steel spare rim, size | | No Bid | | |
| NUS245 | 6.83 | Steel spare rim, size | | No Bid | | |

7.0 BRAKE SYSTEM OPTIONS:

| | | | | | | |
|--------|-----|---|---|-----|--------|----|
| VHXBVX | 7.0 | Wabco System Saver 1200 Plus heated air dryer | 1 | STD | | |
| UWXB1X | 7.1 | Manual cable drain valves on air tanks | | \$ | 27.00 | \$ |
| N/A | 7.2 | Heated air tank | | | No Bid | |
| UWXE3X | 7.3 | Auto drain valves on air tanks, heated | | \$ | 48.00 | \$ |
| 300AD0 | 7.4 | MGM type TR-T rear brake chambers | | \$ | 48.00 | \$ |
| N/A | 7.5 | S.S. pins on slack adjuster yoke (2 ea. per yoke) For all air brake chambers | | | No Bid | |
| N5FAJX | 7.6 | Inverted rear brake chamber mounting in lieu of regular mounting | | | No Bid | |
| MC | 7.7 | Relocate air dryer | | \$ | 272.00 | \$ |

**8.0 ENGINE/EXHAUST AND FUEL TANKS OPTIONS:
(List Make & Model, H.P., torque of engine and exhaust and fuel
tank options)**

| | | | | | | |
|--------|-----|--|---|-----|----------|----|
| 1017V0 | 8.0 | VOLVO D11 325HP 2100RPM 1250 LBFT | | STD | | |
| 1017V1 | 8.1 | VOLVO D11 355HP 2100RPM 1250 LBFT | | \$ | 1,230.00 | \$ |
| 1017V2 | 8.2 | VOLVO D11 365HP 2100RPM 1350 LBFT | | \$ | 1,675.00 | \$ |
| 1017V3 | 8.3 | VOLVO D11 385HP 2100RPM 1450 LBFT | | \$ | 2,413.00 | \$ |
| 1017V5 | 8.4 | VOLVO D11 425HP 2100RPM 1550 LBFT | 1 | \$ | 3,971.00 | \$ |
| 1017V4 | 8.5 | VOLVO D11 385HP 2100RPM 1450/1250 LBFT ECO-TORQUE PERF | | \$ | 2,413.00 | \$ |
| 1017V6 | 8.6 | VOLVO D11 425HP 2100RPM 1550/1350 LBFT ECO-TORQUE PERF | | \$ | 3,971.00 | \$ |
| 1017W0 | 8.7 | VOLVO D13 375HP 2100RPM 1450 LBFT | | \$ | 2,229.00 | \$ |
| 1017W1 | 8.8 | VOLVO D13 405HP 2100RPM 1450 LBFT | | \$ | 3,283.00 | \$ |

| | | | | | | | |
|----------|------|--|---|----|----------|----|--------|
| 1017W8 | 8.10 | VOLVO D13 425HP 2100RPM 1550 LBFT | | \$ | 4,432.00 | \$ | - |
| 1017X7 | 8.11 | VOLVO D13 435HP 2100RPM 1650 LBFT | | \$ | 4,994.00 | \$ | - |
| 1017X8 | 8.12 | VOLVO D13 455HP 2100RPM 1750 LBFT | | \$ | 5,649.00 | \$ | - |
| 1017Y7 | 8.13 | VOLVO D13 500HP 2100RPM 1850 LBFT | | \$ | 7,129.00 | \$ | - |
| 1017W2 | 8.14 | VOLVO D13 405HP 2100RPM 1450/1650 LBFT DUAL-TORQUE | | \$ | 3,588.00 | \$ | - |
| 1017W9 | 8.15 | VOLVO D13 425HP 2100RPM 1450/1750 LBFT DUAL-TORQUE | | \$ | 4,736.00 | \$ | - |
| 1017X9 | 8.16 | VOLVO D13 455HP 2100RPM 1550/1850 LBFT DUAL-TORQUE | | \$ | 6,000.00 | \$ | - |
| 1017W3 | 8.17 | VOLVO D13 405HP 2100RPM 1650/1450 LBFT ECO-TORQUE PERF. | | \$ | 3,588.00 | \$ | - |
| 1017W4 | 8.18 | VOLVO D13 405HP 2100RPM 1650/1450 LBFT ECO-TORQUE ECON. | | \$ | 3,588.00 | \$ | - |
| 1017X0 | 8.19 | VOLVO D13 425HP 2100RPM 1750/1450 LBFT ECO-TORQUE PERF. | | \$ | 4,736.00 | \$ | - |
| 1017X1 | 8.20 | VOLVO D13 425HP 2100RPM 1750/1450 LBFT ECO-TORQUE ECON | | \$ | 4,736.00 | \$ | - |
| 1017Y0 | 8.21 | VOLVO D13 455HP 2100RPM 1850/1550 LBFT ECO-TORQUE PERFORMANCE | | \$ | 6,000.00 | \$ | - |
| 1017Y1 | 8.22 | VOLVO D13 455HP 2100RPM 1850/1550 LBFT ECO-TORQUE ECON | | \$ | 6,000.00 | \$ | - |
| 1017Y8 | 8.23 | VOLVO D13 500HP 2100RPM 1850/1550 LBFT ECO-TORQUE PERF. | | \$ | 7,129.00 | \$ | - |
| 232088 | 8.24 | 10" 0" ALUMINIZED STAINLESS VERTICAL SINGLE STACK | 1 | | STD | | |
| K0XC1X | 8.25 | STRAIGHT END EXHAUST STACK | | \$ | 45.00 | \$ | - |
| K0XD1X | 8.26 | TURNOED OUT EXHAUST EXTENSION integrated DPF and SCR | | \$ | 979.00 | \$ | - |
| K0XC4X | 8.27 | STRAIGHT STACK, SIDE OUTLET DIFFUSER BOX | 1 | | STD | | |
| K0XC5X | 8.28 | STRAIGHT STACK, TOP OUTLET DIFFUSER BOX | | \$ | 45.00 | \$ | - |
| J8XATX | 8.29 | 50 GALLON LEFT HAND FUEL TANK | | \$ | 132.00 | \$ | - |
| J8BXX | 8.30 | 70 GALLON LEFT HAND FUEL TANK | | \$ | 132.00 | \$ | - |
| J8XB1X | 8.31 | 75 GALLON LEFT HAND FUEL TANK STANDARD | 1 | | STD | | |
| J8XEJX | 8.32 | 90 GALLON LEFT HAND FUEL TANK | | \$ | 560.00 | \$ | - |
| J8XEWX | 8.33 | 100 GALLON LEFT HAND FUEL TANK | | \$ | 137.00 | \$ | - |
| J8XG1X | 8.34 | 125 GALLON LEFT HAND FUEL TANK | | \$ | 301.00 | \$ | - |
| JBZZ1234 | 8.35 | 22" DIA D SHAPED FUEL TANK **Required for CBOC** air tanks needs moved | 1 | \$ | 601.00 | \$ | 601.00 |
| KNXBZX | 8.36 | 26" DIA D SHAPED FUEL TANK | | \$ | 186.00 | \$ | - |

ENGINE RELATED OPTIONS:

| | | | | | | | |
|--------|-----|---|---|----|---------|----|---|
| 26X1XZ | 9.0 | Oil fill and dipstick EZ access | | \$ | 319.00 | \$ | - |
| PJXMGX | 9.1 | Delco 35 SI Brushless Alternator, 135 AMP | | \$ | (44.00) | \$ | - |
| NA | 9.2 | Delco 24 SI Alternator, 130 AMP | 1 | | STD | | |
| PJXMLX | 9.3 | Delco 24 SI Alternator, 145 AMP | | \$ | (50.00) | \$ | - |

| | | | | | |
|--------|------|--|---|-------------|-----------|
| PJXMIX | 9.5 | Leece-Neville Alternator, 145 AMP | | \$ (35.00) | \$ - |
| 810113 | 9.6 | 3 Volvo 760 CCA Maintenance Free 12V Batteries 2280 CCA | | \$ 80.00 | \$ - |
| KWXA3X | 9.7 | Dual element air cleaner | | \$ 66.00 | \$ - |
| KWXA1A | 9.8 | Donaldson Single Stage Air cleaner per spec 12.1 | | \$ 32.00 | \$ - |
| JVXDAX | 9.9 | Davco 382 fuel/water separator, non heated | | \$ 196.00 | \$ - |
| JVXBXX | 9.10 | Non-heated fuel/water separator, ___RACOR 6903E_(Brand) | | \$ 42.00 | \$ - |
| H9XK1X | 9.11 | Coolant spin on filter/conditioner | 1 | \$ 67.00 | \$ 67.00 |
| T1XA1X | 9.12 | Front engine powered take off adapter and radiator cut out | | \$ 540.00 | \$ - |
| 208021 | 9.13 | Air applied fan drive, ___KYSOR_(Brand) | | \$ 329.00 | \$ - |
| 208025 | 9.14 | Viscous fan drive | | \$ 29.00 | \$ - |
| KOXD1X | 9.15 | Curved exhaust pipe end | | \$ 24.00 | \$ - |
| 5NXAVX | 9.16 | Engine block heater | 1 | \$ 60.00 | \$ 60.00 |
| NA | 9.17 | In line fuel heater | | No Bid | |
| JRXA1X | 9.18 | In tank fuel heater | | \$ 388.00 | \$ - |
| NA | 9.19 | Fuel cooler | | No Bid | |
| NA | 9.20 | Radiator bug screen | 1 | STD | |
| LCO01 | 9.21 | Stainless Steel Oil Pan | | \$ 1,900.00 | \$ - |
| HTXA8X | 9.22 | Engine brake system | 1 | \$ 950.00 | \$ 950.00 |
| VHXZZX | 9.23 | Relocate air dryer | | \$ 243.00 | \$ - |
| K9XO9X | 9.24 | Extended life anti-freeze | 1 | \$ 126.00 | \$ 126.00 |
| UBXM1X | 9.25 | ENGINE MOUNTED HYDRAULIC PUMP PARKER F2-42/42 | | \$ 2,724.00 | \$ - |
| UBXD1X | 9.26 | ENGINE MOUNTED HYDRAULIC PUMP PARKER F1-81 | | \$ 1,969.00 | \$ - |
| UBXC1X | 9.27 | ENGINE MOUNTED HYDRAULIC PUMP PARKER F1-61 | | \$ 1,881.00 | \$ - |
| T1XK1X | 9.28 | REAR ENGINE MOUNTED PTO WITH SPLINED SHAFT GROOVE FEMALE DIN 5462 | | \$ 349.00 | \$ - |
| NCXD1X | 9.29 | VOLVO 12 V GEAR REDUCTION STARTER (MODEL 105P55) | | \$ 92.00 | \$ - |
| JWXE1X | 9.30 | HOOD MOUNTED AIR INTAKE WITH INSIDE/OUTSIDE AIR IN CAB CONTROL SNOW DOOR | 1 | \$ 173.00 | \$ 173.00 |
| T1XA1X | 9.31 | REAR ENGINE POWER TAKE OFF WITH FLANGE SAE 1410 | | \$ 540.00 | \$ - |
| NCXA5X | 9.32 | Starter motor options **DELCO REMY 12 39MTHD STARTER | | \$ 98.00 | \$ - |
| H9XK1X | 9.33 | 1240 SQ IN RADIATOR 2 ROW CORE | 1 | \$ 225.00 | \$ 225.00 |

10.0 TRANSMISSION OPTIONS:

(After the first Six listed options, list manual and automatic transmission options. List make and model, # of speeds, type of shifting and whether or not transmission includes PTO gear(s) or not). Example: Allison 3000 HS, 5 speed, push button, no PTO.

| | | | | |
|--------|------|---|---|-------------|
| NA | 10.1 | 2 plate 14" ceramic clutch option for manual transmission | | No Bid |
| 250090 | 10.2 | 2 plate 15½" ceramic clutch option for manual transmission | | No Bid |
| RBXA1A | 10.3 | External grease fitting for throw out bearing | | \$ 103.00 |
| NA | 10.4 | Adjustment free option for 2 plate clutches | | STD |
| NA | 10.5 | Synthetic (Transynd) lubrication for Automatic Transmission | 1 | \$ 145.00 |
| Loc002 | 10.6 | Stainless Steel Transmission cooler lines | 1 | \$ 1,950.00 |
| NA | 10.7 | Synthetic lubrication for Manual Transmission | | STD |

| | | | | |
|---|-------|---|--|-------------|
| ***** VOLVO AUTOMATED MANUAL TRANSMISSIONS | | | | |
| 270707 | 10.8 | VOLVO I-SHIFT FOR SEVERE DUTY, AT2612F DIRECT DRIVE, 12 SPEED | | \$ 2,344.00 |
| 270708 | 110.9 | VOLVO I-SHIFT FOR SEVERE DUTY, ATO2612F, 12 SPEED | | \$ 2,344.00 |
| 270711 | 10.10 | VOLVO I-SHIFT WITH CRAWLER, ATO2612F, 13 SPEED | | \$ 4,566.00 |
| 270714 | 10.11 | VOLVO I-SHIFT WITH ULTRA-LOW CRAWLER, ATO2612F, 14 SPEED | | \$ 4,566.00 |

| | | | | |
|-----------------------------------|-------|--|--|-------------|
| ***** MANUAL TRANSMISSIONS | | | | |
| 270721 | 10.12 | EATON FULLER ADVANTAGE FAO15810C, 10 SPEED | | \$ 989.00 |
| 270722 | 10.13 | EATON FULLER ADVANTAGE FAO16810C, 10 SPEED | | \$ 1,103.00 |
| 270733 | 10.17 | EATON FULLER FRO-15210C, 10 SPEED | | \$ (257.00) |
| 270734 | 10.18 | EATON FULLER FRO-16210C, 10 SPEED | | \$ 561.00 |
| 270735 | 10.19 | EATON FULLER FRO-17210C, 10 SPEED | | \$ 899.00 |
| 270737 | 10.21 | EATON FULLER RTO-14908LL, 10 SPEED | | \$ 1,262.00 |
| 270738 | 10.22 | EATON FULLER RTO-16908LL, 10 SPEED | | \$ 1,358.00 |
| 270739 | 10.23 | EATON FULLER RTO-14909ALL, 11 SPEED | | \$ 1,826.00 |
| 270740 | 10.24 | EATON FULLER RTO-16909ALL, 11 SPEED | | \$ 1,928.00 |
| 270743 | 10.25 | EATON FULLER RTLO-16913A, 13 SPEED | | \$ 1,239.00 |
| 270744 | 10.26 | EATON FULLER RTLO-18913A, 13 SPEED | | \$ 1,755.00 |
| 270747 | 10.27 | EATON FULLER RTLO-16918B, 18 SPEED | | \$ 1,826.00 |
| 270748 | 10.28 | EATON FULLER RTLO-18918B, 18 SPEED | | \$ 1,826.00 |

| | | | | |
|--|-------|---|--|------------|
| ***** FULLY AUTOMATIC TRANSMISSIONS | | | | |
| 270762 | 10.29 | ALLISON 3000 RDS SERIES 5 SPEED WITH PTO PROVISION - SCAAN REQUIRED BEFORE ORDERING | | \$3,113.00 |

| | | | | | |
|--------|-------|--|---|-------------|-------------|
| 270765 | 10.30 | ALLISON 4000 RDS SERIES 6 SPEED WITH PTO PROVISION - SCAAN REQUIRED BEFORE ORDERING | | \$ 7,410.00 | \$ - |
| 270768 | 10.31 | ALLISON 4500 RDS SERIES 5 SPEED WITH PTO PROVISION - SCAAN REQUIRED BEFORE ORDERING | | \$ 7,586.00 | \$ - |
| 270769 | 10.32 | ALLISON 4500 RDS SERIES 6 SPEED WITH PTO PROVISION - SCAAN REQUIRED BEFORE ORDERING | 1 | \$ 8,086.00 | \$ 8,086.00 |
| TKXB1X | 10.34 | UPGRADE DRIVELINE ONE SIZE | | \$ 107.00 | \$ - |
| TKXC1X | 10.35 | UPGRADE DRIVELINE TWO SIZES | | \$ 127.00 | \$ - |
| T4XAKX | 10.36 | REAR TRANSMISSION PTO, SAE 1310 FLANGE LOW SPEED | | \$ 2,513.00 | \$ - |
| T4XDMX | 10.37 | REAR TRANSMISSION PTO, DIN-CONNECTION PUMP MEDIUM SPEED | | \$ 2,108.00 | \$ - |
| T4XF1X | 10.38 | REAR TRANS PTO, HEAVY DUTY, SAE 1350 / 1410 FLANGE HIGH SPEED | | \$ 2,053.00 | \$ - |
| T4XH1X | 10.39 | REAR DOUBLE TRANS PTO, HEAVY DUTY, (1) SAE 1350 / 1410 FLANGE HIGH SPEED + (1) DIN-CONNECTION PUMP HIGH SPEED | | \$ 2,399.00 | \$ - |
| T4XJ1X | 10.40 | REAR TRIPLE TRANS PTO, HEAVY DUTY, (1) SAE 1310 FLANGE LOW SPEED + (1) SAE 1350/1410 FLANGE HIGH SPEED + (1) DIN-CONN. PUMP HIGH SPEED | | \$ 3,184.00 | \$ - |
| T4XG1X | 10.41 | REAR DOUBLE TRANS PTO, HEAVY DUTY, (2) DIN-CONN. PUMPS HIGH SPEED | | \$ 1,864.00 | \$ - |
| T4XD5X | 10.42 | TRANSMISSION PTO PREP ELECTRIC / AIR SOLENOID | | \$ 25.00 | \$ - |
| RVXH5X | 10.43 | GEAR SHIFT LEVER, PREMIUM, I-Shift | | \$ 25.00 | \$ - |
| RVXH4X | 10.44 | GEAR SHIFT LEVER, DASH MOUNTED, PREMIUM, VOLVO I-SHIFT | | \$ 145.00 | \$ - |
| INTER | 10.45 | Local Change to Allison Programming - Performance Mode | | \$ 1,450.00 | \$ - |

ELECTRICAL OPTIONS:

| | | | | | |
|--------|-------|--|---|-----------|----------|
| NA | 11.0 | Resettable circuit breaker electrical protection | | No Bid | |
| NA | 11.1 | Automatic reset circuit breakers | | No Bid | |
| NA | 11.2 | Solid state circuit protection | | No Bid | |
| L1XB1X | 11.3 | Circuit box under hood or end of frame, each | | No Bid | |
| NFXD1X | 11.4 | Battery disconnect off negative side | 1 | \$ 10.00 | \$ 10.00 |
| NZZD1X | 11.5 | Remote jump start terminals | | \$ 345.00 | \$ - |
| 5RXA1X | 11.6 | Back up alarm (Preco Factory Model) | 1 | \$ 23.00 | \$ 23.00 |
| LSXG1X | 11.7 | OEM daytime running lights | 1 | STD | |
| NA | 11.8 | Battery box aft of cab | | \$ 178.00 | \$ - |
| NA | 11.9 | Grote 44710 flasher | | No Bid | |
| NPXB1X | 11.10 | Signal Stat 935 turn signal per Spec 12.6 | 1 | STD | |

| | | | | | |
|--------|-------|---|---|-----------|-----------|
| NZZACZ | 11.14 | Auxiliary customer access circuits | 1 | STD | |
| | | Switch for snowplow lights mounted on instrumental panel. Includes wiring terminated near headlights, for customer mounted auxiliary snowplow lights. | 1 | \$ 78.00 | \$ 78.00 |
| NJXAAX | 11.15 | Power source terminal-2 stud type-mounted on firewall or inside cab with ground to frame rail and to starter, with 6 gauge wire. | | \$ 76.00 | \$ - |
| NZZAAX | 11.16 | 10-position switch panel mounted on instrument panel. Includes 10 lighted switches, ignition control; switches will control relays which will feed stud type junction block mounted inside cab. | 1 | \$ 663.00 | \$ 663.00 |
| EAXABX | 11.17 | Vehicle speed sensor with speed signal at fuse panel for sander ground speed control system. | 1 | \$ 456.00 | \$ 456.00 |
| NZZABZ | 11.18 | | | | |

12.0 CAB EXTERIOR OPTIONS:

| | | | | | |
|--------|-------|---|---|-----------|-----------|
| LZXD1X | 12.2 | Air horns, dual, round, with snow shields | 1 | \$ 165.00 | \$ 165.00 |
| NA | 12.3 | Dual rectangular air horns | | \$ 165.00 | \$ - |
| EDXB1X | 12.4 | Fender mirrors per Spec 12.4 | 1 | \$ 68.00 | \$ 68.00 |
| 3GXB1X | 12.5 | Heated mirrors per Spec 12.5 | 1 | \$ 99.00 | \$ 99.00 |
| NA | 12.6 | Remote control for R.H. mirror | | No Bid | |
| 3GXC1X | 12.7 | Remote control for dual mirrors | 1 | \$ 167.00 | \$ 167.00 |
| NA | 12.8 | Upcharge for cab extension or larger cab | | No Bid | |
| NA | 12.9 | Severe duty aluminum cab option | | No Bid | |
| 9801S0 | 12.10 | Dupont Highway orange paint or equal | | \$ 249.00 | \$ - |
| 955043 | 12.11 | Premium paint color option | | \$ 138.00 | \$ - |
| 955040 | 12.12 | Imron paint option | 1 | STD | |
| 955041 | 12.13 | Imron and clear coat paint option | | \$ 152.00 | \$ - |
| 9811C2 | 12.14 | Top of hood painted flat black | | \$ 467.00 | \$ - |
| 2DX30X | 12.15 | Cab Air Ride Suspension | 1 | STD | |
| 28XC1X | 12.16 | Tilting hood per Spec 12.8 | 1 | \$ 367.00 | \$ 367.00 |
| NA | 12.17 | Butterfly option on hood | | \$ 378.00 | \$ - |
| NA | 12.18 | Transverse hood opening w/setback axle | | No Bid | |
| NA | 12.19 | Front fender mounted turn signals | | No Bid | |
| 4NXZ1X | 12.20 | Cab visor, external, painted to match cab color | 1 | \$ 185.00 | \$ 185.00 |
| 65XA1X | 12.21 | Front fender extensions | 1 | \$ 85.00 | \$ 85.00 |
| NA | 12.22 | Front fender mud flaps | 1 | \$ 22.00 | \$ 22.00 |
| D2XB1X | 12.23 | Arctic winter wiper blades | 1 | \$ 17.00 | \$ 17.00 |
| NA | 12.24 | Optional windshield washer tank | | No Bid | |

| | | | | | | | |
|--------|-------|--|---|--------|--------|----|--------|
| 20XB1X | 12.25 | Per truck charge for all trucks, key identical | | \$ | 25.00 | \$ | - |
| NA | 12.26 | RH observation prism window in door | | No Bid | | | |
| NA | 12.27 | Spotlight LH, RH, or roof mounted each | | No Bid | | | |
| 4EXB1X | 12.28 | Front tow hooks | | \$ | 231.00 | \$ | - |
| 6PXB1X | 12.29 | Rear tow hooks | | \$ | 85.00 | \$ | - |
| 3FX49X | 12.30 | BLACK AERODYNAMIC EXTERIOR MIRRORS | | \$ | 146.00 | \$ | - |
| EDXB7X | 12.31 | Heated fender mirrors | | \$ | 446.00 | \$ | - |
| WTXA1X | 12.32 | HEATED WINDSHIELD | 1 | \$ | 210.00 | \$ | 210.00 |

CAB INTERIOR OPTIONS:

| | | | | | | | |
|--------|-------|---|---|-----|--------|----|--------|
| 540068 | 13.0 | Medium grade interior trim package | | \$ | 110.00 | \$ | - |
| 540070 | 13.2 | Premium grade interior trim package | 1 | \$ | 150.00 | \$ | 150.00 |
| NA | 13.3 | Round universal gauge package | 1 | STD | | | |
| 2XX30X | 13.4 | Power window, passenger side | | \$ | 81.00 | \$ | - |
| 2XX35X | 13.5 | Power window/both passenger and driver window | | \$ | 150.00 | \$ | - |
| MC | 13.6 | O.E.M. factory installed, AM/FM | 1 | STD | | | |
| NA | 13.7 | O.E.M. factory installed, air conditioning **STANDARD | 1 | STD | | | |
| NA | 13.8 | Cab mounted non-resettable hour meter **STANDARD | 1 | STD | | | |
| 571018 | 13.9 | Dash mounted air cleaner air restriction gauge | | \$ | 78.00 | \$ | - |
| CCXB1X | 13.10 | Transmission temp gauges | | \$ | 79.00 | \$ | - |
| NA | 13.11 | Windshield defroster fan w/switch dash mounted | 1 | STD | | | |
| NA | 13.12 | Between seats mounted console | | \$ | 16.00 | \$ | - |
| NA | 13.13 | Transmission oil sensor (check & fill) | 1 | STD | | | |
| 5JXA1X | 13.14 | CB hot jacks dash mounted | 1 | \$ | 26.00 | \$ | 26.00 |
| 2WXA1X | 13.15 | Tilt & telescope steering wheel | 1 | \$ | 190.00 | \$ | 190.00 |
| 2WZZ1X | 13.16 | Tilt steering wheel | 1 | STD | | | |
| 2WXA1X | 13.17 | SRS DRIVER SIDE AIR BAG IN STEERING WHEEL | | \$ | 138.00 | \$ | - |
| WPXA1X | 13.18 | TRACTION CONTROL ADDED TO ABS | 1 | \$ | 138.00 | \$ | 138.00 |
| | 13.19 | Self canceling turn signals | 1 | STD | | | |

List seating options for driver and passenger seats. Use as many options as you need to offer seat variations customers have been buying.

*****INTERIOR TRIM LEVELS

| | | | | | | | |
|--------|-------|----------------------------|---|-----|--|--|--|
| 540066 | 13.22 | X1 WREN VINYL TRIM PACKAGE | 1 | STD | | | |
|--------|-------|----------------------------|---|-----|--|--|--|

| | | | | | | | | | |
|--------|-------|---|--|---|----|----------|--|----|--------|
| 540068 | 13.23 | X2 Raven Cloth TRIM PACKAGE | | | \$ | \$120.00 | | \$ | - |
| 540067 | 13.24 | X3 WREN CLOTH WITH MIGRATION PATTERN | | | \$ | \$120.00 | | \$ | - |
| 540070 | 13.25 | X4 RAVEN MORDURA CLOTH | | | \$ | \$195.00 | | \$ | - |
| 540069 | 13.26 | X5 WREN VINYL / WREN CLOTH | | 1 | \$ | 195.00 | | \$ | 195.00 |
| 540072 | 13.27 | X7 WREN LEATHER | | | \$ | \$345.00 | | \$ | - |
| 540071 | 13.28 | X6 WREN LEATHER / WREN CLOTH WITH ORANGE ACCENT | | | \$ | \$195.00 | | \$ | - |
| | | SEAT MANUFACTURER | | | \$ | | | \$ | - |
| 35XD1X | 13.29 | NATIONAL SEAT | | 1 | | STD | | | |
| 35XB1X | 13.30 | BOSTROM SEAT | | | \$ | 50.00 | | \$ | - |
| 35XH1X | 13.31 | SEARS SEAT | | | \$ | 55.00 | | \$ | - |
| | 13.32 | DRIVER SEAT TYPE | | | \$ | | | \$ | - |
| 3YXF2X | 13.33 | AIR SUSPENSION HIGH BACK | | | \$ | 35.00 | | \$ | - |
| 3YXG8X | 13.34 | COMFORT AIR SUSPENSION HIGH BACK | | 1 | \$ | 69.00 | | \$ | 69.00 |
| 3YXG9X | 13.35 | COMFORT AIR SUSPENSION HIGH BACK, HEATED | | | \$ | 112.00 | | \$ | - |
| 3YXJ1X | 13.36 | COMFORT AIR SUSPENSION HIGH BACK WITH BACK CYCLER | | | \$ | 25.00 | | \$ | - |
| | | PASSENGER SEAT TYPE | | | \$ | | | \$ | - |
| 32X40X | 13.38 | STATIONARY SEAT WITH TOOL BOX | | 1 | \$ | 375.00 | | \$ | 375.00 |
| 32XF3X | 13.39 | AIR SUSPENSION HIGH BACK | | | \$ | 148.00 | | \$ | - |
| 32XG8X | 13.40 | COMFORT AIR SUSPENSION HIGH BACK | | | \$ | 214.00 | | \$ | - |
| 32XG9X | 13.41 | COMFORT AIR SUSPENSION HIGH BACK, HEATED | | | \$ | 228.00 | | \$ | - |
| 32XJ1X | 13.42 | COMFORT AIR SUSPENSION HIGH BACK WITH BACK CYCLER | | | \$ | 368.00 | | \$ | - |
| 32X99X | 13.42 | NO PASSENGER SEAT PROVIDED | | | \$ | (58.00) | | \$ | - |
| | | SEAT ARMREST | | | \$ | | | \$ | - |
| 3PXZ1X | 13.43 | NO SEAT ARMREST PROVIDED | | | \$ | (5.00) | | \$ | - |
| 3PXA1X | 13.43 | INBOARD DRIVER SEAT ARMREST | | | \$ | 19.00 | | \$ | - |
| 3PXA5X | 13.43 | INBOARD / OUTBOARD DRIVER SEAT ARMREST | | 1 | \$ | 38.00 | | \$ | 38.00 |
| 3PXC1X | 13.43 | INBOARD DRIVER AND PASS SEAT ARMREST | | | \$ | 38.00 | | \$ | - |
| | | INBOARD / OUTBOARD DRIVER AND PASSENGER SEAT ARMREST | | | \$ | | | \$ | - |
| 3PXC5X | 13.43 | ARMREST | | | \$ | 76.00 | | \$ | - |
| | | SAFETY BELT LENGTH | | | \$ | | | \$ | - |
| K7AA1X | 13.44 | STANDARD SAFETY BELT LENGTH | | 1 | | STD | | | |
| K7AC1X | 13.45 | EXTENDED SAFETY BELT LENGTH | | | \$ | 50.00 | | \$ | - |
| | | SAFETY BELT DRIVER SEAT | | | \$ | | | \$ | - |
| OUXA1X | 13.46 | SAFETY BELT DRIVER SEAT, BLACK | | 1 | | STD | | | |
| OUXC1X | 13.47 | SAFETY BELT DRIVER SEAT, ORANGE | | | \$ | 8.00 | | \$ | - |

| | | | | | | | |
|--------|-------|--|---|----|-------|----|---|
| OUXD1X | 13.48 | SAFETY BELT DRIVER SEAT, LIME GREEN | | \$ | 10.00 | \$ | - |
| | | SAFETY BELT PASSENGER SEAT | | | | \$ | - |
| OXXA1X | 13.49 | SAFETY BELT PASSENGER SEAT, BLACK | 1 | | STD | | |
| OXXA2X | 13.50 | SAFETY BELT PASSENGER SEAT, ORANGE | | \$ | 8.00 | | |
| OXXA7X | 13.51 | SAFETY BELT PASSENGER SEAT, LIME GREEN | | \$ | 10.00 | | |

MN/DOT OPTIONS:

| | | | | | | | |
|--------|-------|--|--|----|----------|----|---|
| | 14.0 | MN/DOT OPTIONS: | | | | | |
| | 14.1 | Additional warranty coverage per spec 12.9 | | | | | |
| M510Z1 | 14.2 | Engine Plan 2 60 months 250,000 miles | | \$ | 2,910.00 | \$ | - |
| M51131 | 14.3 | Engine Plan 2 72 months 250,000 miles | | \$ | 4,690.00 | \$ | - |
| M51141 | 14.4 | Engine Plan 2 84 months 250,000 miles | | \$ | 6,270.00 | \$ | - |
| M511B1 | 14.5 | Engine Plan 2 60 months 250,000 miles - HP over 460 horses | | \$ | 4,308.00 | \$ | - |
| M511F1 | 14.6 | Engine Plan 2 72 months 250,000 miles - HP over 460 horses | | \$ | 6,961.00 | \$ | - |
| 511G1 | 14.7 | Engine Plan 2 84 months 250,000 miles - HP over 460 horses | | \$ | 9,414.00 | \$ | - |
| M53083 | 14.8 | Engine after-treatment systems (EATS) 60 months 250,000 miles | | \$ | 942.00 | \$ | - |
| M530Y3 | 14.9 | Engine after-treatment systems (EATS) 72 months 250,000 miles | | \$ | 1,708.00 | \$ | - |
| M531O3 | 14.10 | Engine after-treatment systems (EATS) 84 months 250,000 miles | | \$ | 2,274.00 | \$ | - |
| M53083 | 14.11 | Engine after-treatment systems (EATS) 60 months 250,000 miles - HP over 460 horses | | \$ | 1,566.00 | \$ | - |
| M530Y3 | 14.12 | Engine after-treatment systems (EATS) 72 months 250,000 miles - HP over 460 horses | | \$ | 2,087.00 | \$ | - |
| M531O3 | 14.13 | Engine after-treatment systems (EATS) 84 months 250,000 miles - HP over 460 horses | | \$ | 2,408.00 | \$ | - |
| M54174 | 14.14 | iShift HD Transmission 48 months 500,000 miles | | \$ | 2,166.00 | \$ | - |
| M54184 | 14.15 | iShift HD Transmission 60 months 500,000 miles | | \$ | 3,216.00 | \$ | - |
| N/A | 14.15 | Allison 60 month unlimited mileage Extended Warranty | | \$ | 1,312.00 | \$ | - |
| M560A6 | 14.16 | HVAC (Air Conditioning) 60 months | | \$ | 840.00 | \$ | - |
| M59089 | 14.17 | Starter 60 months 300,000 miles | | \$ | 282.00 | \$ | - |
| M60080 | 14.18 | Alternator 60 months 300,000 miles | | \$ | 324.00 | \$ | - |
| M61071 | 14.19 | Starter & Alternator 60 months 300,000 miles | | \$ | 438.00 | \$ | - |
| | 14.20 | Prebuild specification meeting (per person) to be held in St. Paul/Minneapolis area. | | \$ | 1.00 | \$ | - |
| | 14.21 | Pilot inspection meeting (per person). | | \$ | 2,250.00 | \$ | - |

TRAILER TOW OPTIONS:

SINGLE AXLE CAB/CHASSIS

Exhibit D: Price Schedule

VENDOR NAME

Nuss Truck and Equipment

MAKE AND MODEL

2025 Volvo VHD 42F300 SA

| | |
|------------------------------------|---|
| This section for use when ordering | |
| WB | 185" |
| CA | 99" (Bodybuilder to verify) |
| AF | 63" |
| Rear Ratio | 4.56 |
| Cab Color | Omaha Orange (P9215) |
| Wheel Color | White Steel |
| Notes | City of Norwood Young America, Updated 5.10.24(NUSS20240000455634D) |
| Grand Total \$ 144,842.00 | |

| Code | Spec # | Description | Qty | 2025 Price | Subtotal |
|-----------|--------|----------------------|-----|---------------|---------------|
| VHD64F300 | 1.0 | Price for Base Unit: | 1 | \$ 115,726.00 | \$ 115,726.00 |

FRAME OPTIONS

| | | | | | |
|--------|-----|--|---|------------|------------|
| x4XB1X | 2.0 | Front frame extension | 1 | \$ 143.00 | \$ 143.00 |
| x2345 | 2.2 | Custom hole punching in frame | | \$ 110.00 | \$ - |
| 994DX | 2.3 | Deduct for no front bumper | 1 | \$ (60.00) | \$ (60.00) |
| 403003 | 2.4 | Frame fastener option (bolt or huck spun) | 1 | STD | |
| | 2.5 | Frame, R.B.M., S.M., PSI, CT | | \$ - | \$ - |
| 403005 | 2.6 | 11.81"x3.54"x.31", R.B.M. 2,112,000, S.M. 17.6, PSI,120,000 CT | | STD | |
| 403006 | 2.7 | 11.81"x3.54"x.38", R.B.M. 2,460,000, S.M. 20.5, PSI,120,000 CT | | \$ 343.00 | \$ - |
| 403010 | 2.8 | 11.81"x3.54"x.44", R.B.M. 2,820,000, S.M. 23.5, PSI,120,000 CT | | \$ 562.00 | \$ - |
| 403011 | 2.9 | 11.81"x4.13"x.44", R.B.M. 3,156,000, S.M. 26.3, PSI,120,000 CT | 1 | \$ 720.00 | \$ 720.00 |

FRONT AXLE/SUSPENSION/BRAKE/OPTION

| | | | | | |
|--------|-----|---|---|-----------|------|
| MC | 3.0 | Set Forward Front Axle Option | 1 | STD | |
| 370403 | 3.2 | 14,600 front axle and matching suspension | | STD | |
| 370405 | 3.3 | 16,500 front axle and matching suspension | | \$ 875.00 | \$ - |

| | | | | | | | |
|---------|------|---|---|----|----------|----|----------|
| 370406 | 3.4 | 18,800 front axle & matching suspension | | \$ | 978.00 | \$ | - |
| 370407 | 3.5 | 20,800 front axle and matching suspension | 1 | \$ | 1,079.00 | \$ | 1,079.00 |
| 370408 | 3.6 | 22,800 front axle and matching suspension Volvo F22 | | \$ | 1,154.00 | \$ | - |
| 371071 | 3.7 | Heavy duty front axle shocks | 1 | \$ | 50.00 | \$ | 50.00 |
| 782014 | 3.8 | Front Brake Dimension 16.5x6 | 1 | \$ | 67.00 | \$ | 67.00 |
| 0KXG1X | 3.9 | Hubs Front axle iron unitized front axle hubs | 1 | \$ | 25.00 | \$ | 25.00 |
| NA | 3.10 | Right hand air bag suspension per Spec 3.7, Driver controlled | | | No Bid | | |
| NA | 3.11 | Left air bag suspension per Spec 3.7, Driver controlled | | | No Bid | | |
| ZGXE1X | 3.12 | Front axle lubrication cap with slotted venthole | | | No Bid | | |
| UDXA1X | 3.13 | Front brake dust shields | 1 | | STD | | |
| XEXB1X | 3.14 | Dual front auxiliary steering gear | 1 | \$ | 1,464.00 | \$ | 1,464.00 |
| 0371074 | 3.15 | Multi Leaf Front Susp (RH Stiffner) | | \$ | 91.00 | \$ | - |
| XEXA1X | 3.16 | Right Hand Ram Assist | | \$ | 1,230.00 | \$ | - |

4.0 TANDEM REAR AXLE/SUSPENSION/BRAKE/OPTIONS

| | | | | | | | |
|--------|------|---|---|----|----------|----|----------|
| N/A | 4.0 | 17,500# driver differential locking rear axle and matching suspension | | | No Bid | | |
| N/A | 4.1 | 19,000# rear axle & matching suspension | | | No Bid | | |
| N/A | 4.2 | 19,000# driver differential locking rear axle and matching suspension | | | No Bid | | |
| N/A | 4.3 | 21,000# rear axle and matching suspension | | | No Bid | | |
| N/A | 4.4 | 21,000# driver differential locking rear axle and matching suspension | | | No Bid | | |
| N/A | 4.5 | 22,000# rear axle and matching suspension | | | No Bid | | |
| N/A | 4.6 | 22,000# driver differential locking rear axle and matching suspension | | | No Bid | | |
| N/A | 4.7 | 23,000# rear axle and matching suspension | | | STD | | |
| TUXA1X | 4.8 | Mertior RS23-160 Rear Axle & 23,000 Multi-Leaf Rear Suspension | | \$ | 406.00 | \$ | - |
| TUXA2X | 4.9 | Mertior RS23-160 Rear Axle & 23,000 Multi-Leaf Rear Suspension | | \$ | 3,607.00 | \$ | - |
| TUXA3X | 4.10 | 26,000# driver differential locking rear axle and matching suspension | 1 | \$ | 4,013.00 | \$ | 4,013.00 |
| TUXA4X | 4.11 | Mertior RS26-160 Rear Axle & 26,000 Multi-Leaf Rear Suspension | | \$ | 838.00 | \$ | - |
| 330328 | 4.12 | Meritor RS23160 rear axle and 26,000# rear suspension, driver diff. lock. | | | No Bid | | |
| N/A | 4.13 | 17,500# air suspension in lieu of springs | | | No Bid | | |
| N/A | 4.14 | 19,000# air suspension in lieu of springs | | | No Bid | | |
| N/A | 4.15 | 21,000# air suspension in lieu of springs | | | No Bid | | |

| | | | | | |
|------|--------|---|---|-------------|-----------|
| 4.16 | N/A | 22,000# air suspension in lieu of springs | | No Bid | |
| 4.17 | 350315 | 23,000# air suspension in lieu of springs | | \$ 896.00 | \$ - |
| 4.18 | 3ZZ316 | 26,000# air suspension in lieu of springs | | \$ 2,450.00 | \$ - |
| 4.19 | ZAX99X | Dash mounted air dump system | | \$ 14.00 | \$ - |
| 4.20 | 76AB1X | ½ round universal joints | 1 | STD | |
| 4.21 | THXC2X | Spicer 1810 HD drive line with half round universal joints | | \$ 230.00 | \$ - |
| 4.22 | YVXZ1X | Rear axle heavy duty shocks | | \$ 310.00 | \$ - |
| 4.23 | 350006 | Rear auxiliary spring, 4500# | | \$ 349.00 | \$ - |
| 4.24 | N/A | Rear stabilizer bar | | No Bid | |
| 4.25 | UEXA1X | Rear brake dust shield | 1 | \$ 22.00 | \$ 22.00 |
| 4.27 | 784013 | Meritor Brake Adjuster Front and Rear | | \$ 11.00 | \$ - |
| 4.28 | UKXB1X | Extended length brake stoke | | \$ 54.00 | \$ - |
| 4.29 | 781104 | Four Cam type haldex life seal plus | | \$ 107.00 | \$ - |
| 4.30 | 7WXB1X | Synthetic Rear Axle Lubricant | 1 | \$ 117.00 | \$ 117.00 |
| 4.31 | yXA1X | Rear Shock Absorbers | | \$ 176.00 | \$ - |
| 4.31 | MC | Meritor RS-23-160 rear axle and 30,000# rear suspension, driver diff. lock. | | \$ 1,087.00 | \$ - |
| 4.27 | 252AB1 | Meritor RS-30-185 30,000 lbs rear axle | | \$ 3,973.00 | \$ - |
| 4.12 | 330328 | 30,000# multileaf rear suspension | | \$ 838.00 | \$ - |

5.0 FIFTH WHEEL OPTIONS

| | | | | | |
|------|--------|---|--|-------------|------|
| 5.1 | X6XA2X | Frame end tapered and open | | \$ 12.00 | \$ - |
| 5.2 | X6XB2X | Frame end tapered and closed | | \$ 30.00 | \$ - |
| 5.3 | 330AB7 | Fixed fifth wheel - Holland FW-35 | | \$ 684.00 | \$ - |
| 5.4 | 330AE7 | Mechanical slide fifth wheel - Holland FW35, Travel - 24" slide | | \$ 562.00 | \$ - |
| 5.5 | 330AH4 | Air slide fifth wheel - Holland FW35, Travel - 24" slide | | \$ 986.00 | \$ - |
| 5.6 | 464AA5 | Stainless 1/4 fenders, mounted front of tandems | | \$ 127.00 | \$ - |
| 5.7 | 464AA2 | Plastic 1/4 fenders, mounted front of tandems | | \$ 110.00 | \$ - |
| 5.8 | WHX01X | Tractor package hookup | | \$ 297.00 | \$ - |
| 5.9 | 7KXA3X | Behind cab deck plate | | \$ 681.00 | \$ - |
| 5.10 | 330AB8 | Holland fixed with non-tilt 5th wheel | | \$ 1,385.00 | \$ - |
| 5.11 | 330AEF | Holland manual slide 5th wheel | | \$ 537.00 | \$ - |
| 5.12 | 69XD3X | Mud flaps with brackets | | \$ 115.00 | \$ - |
| 5.13 | 69XC3X | Betts B60 stainless steel angled mud flap brackets | | \$ 161.00 | \$ - |
| 5.14 | 51XD1X | Hose tender & towel bar assembly | | \$ 58.00 | \$ - |
| 5.15 | 5ZXB1X | Coiled trailer air hose | | \$ 39.00 | \$ - |

| | | | | | | | |
|------|---------|------------------------------------|--|----|----------|----|---|
| 5.16 | 2UAB1X | Coiled trailer electrical hose | | \$ | 44.00 | \$ | - |
| 5.17 | OBS04S | Air Weight AW5800 onboard scales | | \$ | 1,118.00 | \$ | - |
| 5.18 | 6-HXBRX | Medium height 5th wheel ramp guide | | \$ | 228.00 | \$ | - |
| 5.19 | 322022 | Trailer hook up light | | \$ | 74.00 | \$ | - |

6.0 TIRES/RIMS OPTIONS:

| | | | | | | | |
|------|--------|---|---|----|----------|----|-------|
| 6.1 | NA | Nylon wafers or wheel guards on all wheels (10 ea) | 1 | \$ | 44.00 | \$ | 44.00 |
| 6.2 | NA | Heavier 7500 lb 22.5 x 8.25 Steel rims in lieu of standard 7300# rims (10 ea) | 1 | | STD | | |
| 6.3 | 084441 | 22.5 12.5 Black Powder quoted wheels front and back | | \$ | 482.00 | \$ | - |
| 6.4 | NA | Heavier 7500 lb 22.5 x 8.25 Steel rims in lieu of standard 7300# rims (8 ea) in rear only | | \$ | (16.00) | \$ | - |
| | | Front Tire Package | | | | \$ | - |
| 6.5 | 093760 | 11R22.5H GOODYEAR G731 MSA (13220 LBS. GAWR) MULTI USAGE | | \$ | 288.00 | \$ | - |
| 6.6 | 093762 | 11R22.5H GOODYEAR G751 MSA (13220 LBS. GAWR) MULTI USAGE | | \$ | 258.00 | \$ | - |
| 6.7 | 093299 | 11R24.5H BRIDGESTONE M863 (14320 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 2,240.00 | \$ | - |
| 6.8 | 093562 | 11R24.5H BRIDGESTONE R250ED (14320 LBS. GAWR) REGIONAL / URBAN USAGE | | \$ | (85.00) | \$ | - |
| 6.9 | 093741 | 11R24.5H BRIDGESTONE R268 (14320 LBS. GAWR) REGIONAL / URBAN USAGE | | \$ | (75.00) | \$ | - |
| 6.10 | 093796 | 11R24.5H BRIDGESTONE R283A ECOPIA (14320 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | (85.00) | \$ | - |
| 6.11 | 093761 | 11R24.5H GOODYEAR G731 MSA (14320 LBS. GAWR) MULTI USAGE | | \$ | 380.00 | \$ | - |
| 6.12 | 093763 | 11R24.5H GOODYEAR G751 MSA (14320 LBS. GAWR) MULTI USAGE | | \$ | 335.00 | \$ | - |
| 6.13 | 093591 | 11R24.5H MICHELIN XZE2 (14320 LBS. GAWR) REGIONAL / URBAN USAGE | | \$ | 1,648.00 | \$ | - |
| 6.14 | 093804 | 11R24.5H MICHELIN X WORKS Z (14320 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 100.00 | \$ | - |
| 6.15 | 093764 | 12R22.5H GOODYEAR G751 MSA (14780 LBS. GAWR) MULTI USAGE | | \$ | 468.00 | \$ | - |
| 6.16 | 093805 | 12R24.5H MICHELIN X WORKS Z (15660 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 210.00 | \$ | - |
| 6.17 | 093790 | 275/80R22.5H MICHELIN X LINE ENERGY Z (14320 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | (40.00) | \$ | - |

| | | | | | | | |
|--------|------|--|---|----|----------|----|--------|
| 093758 | 6.18 | 315/80R22.5L GOODYEAR G751 MSA (18180 LBS. GAWR) MULTI USAGE | | \$ | 675.00 | \$ | - |
| 093828 | 6.19 | 315/80R22.5L MICHELIN X LINE ENERGY Z (18180 LBS. GAWR) LONG HAUL | | \$ | 95.00 | \$ | - |
| 093806 | 6.20 | 315/80R22.5L MICHELIN X WORKS Z (18180 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 235.00 | \$ | - |
| 093672 | 6.21 | 315/80R22.5L MICHELIN XZUS2 (20000 LBS. GAWR) URBAN USAGE | | \$ | 245.00 | \$ | - |
| 093823 | 6.22 | 315/80R22.5L CONTINENTAL CITY SERVICE HA3 (20000 LBS. GAWR) URBAN USAGE | | \$ | 450.00 | \$ | - |
| 093747 | 6.23 | 385/65R22.5J BRIDGESTONE M854 (18740 LBS. GAWR) ON/OFF ROAD USAGE | 1 | \$ | 200.00 | \$ | 200.00 |
| 093495 | 6.24 | 385/65R22.5J MICHELIN XZY3 (18740 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 265.00 | \$ | - |
| 093567 | 6.25 | 385/65R22.5L MICHELIN XFE (19840 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 335.00 | \$ | - |
| | | Rear Tire Package | | | | | |
| 094673 | 6.26 | 11R22.5G BRIDGESTONE M770 (23360 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | 225.00 | \$ | - |
| 094810 | 6.27 | 11R22.5G BRIDGESTONE M726 EL A (21660 LBS. GAWR) LONG / REGIONAL HAUL | 1 | \$ | 135.00 | \$ | 135.00 |
| 094297 | 6.28 | 11R22.5G BRIDGESTONE M843 (23360 LBS. GAWR) ON/OFF ROAD USAGE | | \$ | 690.00 | \$ | - |
| 094736 | 6.29 | 11R22.5G BRIDGESTONE R268 (23360 LBS. GAWR) REGIONAL HAUL | | | STD | | |
| 094821 | 6.30 | 11R22.5G CONTINENTAL HDL2 (22700 LBS. GAWR) LONG HAUL | | \$ | 595.00 | \$ | - |
| 094701 | 6.31 | 11R22.5G MICHELIN X LINE ENERGY D (23360 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | 1,085.00 | \$ | - |
| 094350 | 6.32 | 11R22.5G MICHELIN XDN2 (23360 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | 930.00 | \$ | - |
| 094788 | 6.33 | 11R22.5G MICHELIN X LINE ENERGY Z (23360 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | 835.00 | \$ | - |
| 094588 | 6.34 | 11R22.5G MICHELIN XZE2 (23360 LBS. GAWR) REGIONAL / URBAN USAGE | | \$ | 635.00 | \$ | - |
| 094692 | 6.35 | 11R22.5G MICHELIN X MULTI ENERGY D (23360 LBS. GAWR) REGIONAL HAUL | | \$ | 965.00 | \$ | - |
| 094674 | 6.36 | 11R22.5H BRIDGESTONE M770 (24020 LBS. GAWR) LONG / REGIONAL HAUL | | \$ | 465.00 | \$ | - |

| | | | | | |
|--------|------|--|-------------|----|---|
| 094559 | 6.37 | 11R22.5H BRIDGESTONE M775 (24020 LBS. GAWR) ON/OFF ROAD USAGE | \$ 889.00 | \$ | - |
| 094311 | 6.38 | 11R22.5H BRIDGESTONE M843 (24020 LBS. GAWR) ON/OFF ROAD USAGE | \$ 915.00 | \$ | - |
| 094738 | 6.39 | 11R22.5H BRIDGESTONE R268 (24020 LBS. GAWR) REGIONAL / URBAN USAGE | \$ 465.00 | \$ | - |
| 094688 | 6.40 | 11R22.5H BRIDGESTONE M799 (24020 LBS. GAWR) ON/OFF ROAD USAGE | \$ 565.00 | \$ | - |
| 094760 | 6.41 | 11R22.5H GOODYEAR G731 MSA (24020 LBS. GAWR) MULTI USAGE | \$ 2,470.00 | \$ | - |
| 094762 | 6.42 | 11R22.5H GOODYEAR G751 MSA (24020 LBS. GAWR) MULTI USAGE | \$ 2,355.00 | \$ | - |
| 094351 | 6.43 | 11R22.5H MICHELIN XDN2 (24020 LBS. GAWR) LONG / REGIONAL HAUL | \$ 1,015.00 | \$ | - |
| 094652 | 6.44 | 11R22.5H MICHELIN XDS2 (24020 LBS. GAWR) LONG / REGIONAL HAUL | \$ 1,485.00 | \$ | - |
| 094789 | 6.45 | 11R22.5H MICHELIN X LINE ENERGY Z (24020 LBS. GAWR) LONG / REGIONAL HAUL | \$ 955.00 | \$ | - |
| 094801 | 6.46 | 11R22.5H MICHELIN X WORKS Z (24020 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,345.00 | \$ | - |
| 094686 | 6.47 | 11R22.5H MICHELIN X WORKS XDY (24020 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,485.00 | \$ | - |
| 094677 | 6.48 | 11R24.5G BRIDGESTONE M770 (24020 LBS. GAWR) LONG / REGIONAL HAUL | \$ 500.00 | \$ | - |
| 094811 | 6.49 | 11R24.5G BRIDGESTONE M726 EL A (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 250.00 | \$ | - |
| 094739 | 6.50 | 11R24.5G BRIDGESTONE R268 (24020 LBS. GAWR) REGIONAL / URBAN USAGE | \$ 400.00 | \$ | - |
| 094361 | 6.51 | 11R24.5G MICHELIN XDN2 (24020 LBS. GAWR) LONG / REGIONAL HAUL | \$ 1,185.00 | \$ | - |
| 094557 | 6.52 | 11R24.5H BRIDGESTONE L320 (26440 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,315.00 | \$ | - |
| 094558 | 6.53 | 11R24.5H BRIDGESTONE M775 (26440 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,525.00 | \$ | - |
| 094299 | 6.54 | 11R24.5H BRIDGESTONE M843 (26440 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,185.00 | \$ | - |
| 094741 | 6.55 | 11R24.5H BRIDGESTONE R268 (26440 LBS. GAWR) REGIONAL / URBAN USAGE | \$ 685.00 | \$ | - |
| 094689 | 6.56 | 11R24.5H BRIDGESTONE M799 (26440 LBS. GAWR) ON/OFF ROAD USAGE | \$ 685.00 | \$ | - |

| | | | | | |
|--------|------|--|-------------|----|---|
| 094761 | 6.57 | 11R24.5H GOODYEAR G731 MSA (26440 LBS. GAWR) MULTI USAGE | \$ 2,845.00 | \$ | - |
| 094763 | 6.58 | 11R24.5H GOODYEAR G751 MSA (26440 LBS. GAWR) MULTI USAGE | \$ 2,655.00 | \$ | - |
| 094659 | 6.59 | 11R24.5H MICHELIN XDS2 (26440 LBS. GAWR) LONG / REGIONAL HAUL | \$ 1,460.00 | \$ | - |
| 094804 | 6.60 | 11R24.5H MICHELIN X WORKS Z (26440 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,680.00 | \$ | - |
| 094671 | 6.61 | 11R24.5H MICHELIN X WORKS XDY (26440 LBS. GAWR) LIGHT CONSTRUCTION | \$ 1,795.00 | \$ | - |
| 094560 | 6.62 | 12R22.5H BRIDGESTONE M775 (27120 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,690.00 | \$ | - |
| 094890 | 6.63 | 12R22.5H BRIDGESTONE M799 (27120 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,825.00 | \$ | - |
| 094764 | 6.64 | 12R22.5H GOODYEAR G751 MSA (27120 LBS. GAWR) MULTI USAGE | \$ 3,195.00 | \$ | - |
| 094314 | 6.65 | 12R24.5H BRIDGESTONE M843 (28640 LBS. GAWR) ON/OFF ROAD USAGE | \$ 1,465.00 | \$ | - |
| 094330 | 6.66 | 275/80R22.5G MICHELIN XDA ENERGY (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 895.00 | \$ | - |
| 094700 | 6.67 | 275/80R22.5G MICHELIN X LINE ENERGY D (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 855.00 | \$ | - |
| 094698 | 6.68 | 275/80R22.5G MICHELIN XDA5+ (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 665.00 | \$ | - |
| 094354 | 6.69 | 275/80R22.5G MICHELIN XDN2 (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 750.00 | \$ | - |
| 094787 | 6.70 | 275/80R22.5G MICHELIN X LINE ENERGY Z (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 715.00 | \$ | - |
| 094694 | 6.71 | 275/80R22.5G MICHELIN X MULTI ENERGY D (22700 LBS. GAWR) REGIONAL HAUL | \$ 1,050.00 | \$ | - |
| 094592 | 6.72 | 275/80R22.5G MICHELIN XZE2 (22700 LBS. GAWR) REGIONAL / URBAN USAGE | \$ 545.00 | \$ | - |
| 094790 | 6.73 | 275/80R22.5H MICHELIN X LINE ENERGY Z (26440 LBS. GAWR) LONG / REGIONAL HAUL | \$ 875.00 | \$ | - |
| 094699 | 6.74 | 275/80R24.5G MICHELIN XDA5+ (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 600.00 | \$ | - |
| 094490 | 6.75 | 275/80R24.5G MICHELIN XDN2 (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 800.00 | \$ | - |
| 094791 | 6.76 | 275/80R24.5G MICHELIN X LINE ENERGY Z (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ 750.00 | \$ | - |

| | | | | | |
|--------|--|----|--------|----|---|
| 094809 | 285/75R24.5G BRIDGESTONE M726 EL A (20820 LBS. GAWR) LONG / REGIONAL HAUL | \$ | 230.00 | \$ | - |
| 094676 | 285/75R24.5G BRIDGESTONE M770 (22700 LBS. GAWR) LONG / REGIONAL HAUL | \$ | 285.00 | \$ | - |
| 094808 | 295/75R22.5G BRIDGESTONE M726 EL A (20280 LBS. GAWR) LONG / REGIONAL HAUL | \$ | 75.00 | \$ | - |
| 094725 | 295/75R22.5G BRIDGESTONE R268 (22700 LBS. GAWR) REGIONAL HAUL | \$ | 95.00 | \$ | - |
| 094767 | 295/75R22.5G CONTINENTAL HDR2 (22700 LBS. GAWR) REGIONAL HAUL | \$ | 155.00 | \$ | - |
| NUS225 | Steel spare rim, size | | No Bid | | |
| NUS245 | Steel spare rim, size | | No Bid | | |

7.0 BRAKE SYSTEM OPTIONS:

| | | | | | |
|--------|---|---|-----|--------|----|
| VHXBVX | Wabco System Saver 1200 Plus heated air dryer | 1 | STD | | |
| UWXB1X | Manual cable drain valves on air tanks | | \$ | 27.00 | \$ |
| N/A | Heated air tank | | | No Bid | |
| UWXE3X | Auto drain valves on air tanks, heated | | \$ | 48.00 | \$ |
| 300AD0 | MGM type TR-T rear brake chambers | | \$ | 48.00 | \$ |
| N/A | S.S. pins on slack adjuster yoke (2 ea. per yoke) For all air brake chambers | | | No Bid | |
| N5FAJX | Inverted rear brake chamber mounting in lieu of regular mounting | | | No Bid | |
| MC | Relocate air dryer | | \$ | 272.00 | \$ |

8.0 ENGINE/EXHAUST AND FUEL TANKS OPTIONS:

(List Make & Model, H.P., torque of engine and exhaust and fuel tank options)

| | | | | | |
|--------|--|---|-----|----------|----|
| 1017V0 | VOLVO D11 325HP 2100RPM 1250 LBFT | | STD | | |
| 1017V1 | VOLVO D11 355HP 2100RPM 1250 LBFT | | \$ | 1,230.00 | \$ |
| 1017V2 | VOLVO D11 365HP 2100RPM 1350 LBFT | | \$ | 1,675.00 | \$ |
| 1017V3 | VOLVO D11 385HP 2100RPM 1450 LBFT | | \$ | 2,413.00 | \$ |
| 1017V5 | VOLVO D11 425HP 2100RPM 1550 LBFT | 1 | \$ | 3,971.00 | \$ |
| 1017V4 | VOLVO D11 385HP 2100RPM 1450/1250 LBFT ECO-TORQUE PERF | | \$ | 2,413.00 | \$ |
| 1017V6 | VOLVO D11 425HP 2100RPM 1550/1350 LBFT ECO-TORQUE PERF | | \$ | 3,971.00 | \$ |
| 1017W0 | VOLVO D13 375HP 2100RPM 1450 LBFT | | \$ | 2,229.00 | \$ |
| 1017W1 | VOLVO D13 405HP 2100RPM 1450 LBFT | | \$ | 3,283.00 | \$ |

| | | | | | |
|----------|------|--|---|-------------|-----------|
| 1017W8 | 8.10 | VOLVO D13 425HP 2100RPM 1550 LBFT | | \$ 4,432.00 | \$ - |
| 1017X7 | 8.11 | VOLVO D13 435HP 2100RPM 1650 LBFT | | \$ 4,994.00 | \$ - |
| 1017X8 | 8.12 | VOLVO D13 455HP 2100RPM 1750 LBFT | | \$ 5,649.00 | \$ - |
| 1017Y7 | 8.13 | VOLVO D13 500HP 2100RPM 1850 LBFT | | \$ 7,129.00 | \$ - |
| 1017W2 | 8.14 | VOLVO D13 405HP 2100RPM 1450/1650 LBFT DUAL-TORQUE | | \$ 3,588.00 | \$ - |
| 1017W9 | 8.15 | VOLVO D13 425HP 2100RPM 1450/1750 LBFT DUAL-TORQUE | | \$ 4,736.00 | \$ - |
| 1017X9 | 8.16 | VOLVO D13 455HP 2100RPM 1550/1850 LBFT DUAL-TORQUE | | \$ 6,000.00 | \$ - |
| 1017W3 | 8.17 | VOLVO D13 405HP 2100RPM 1650/1450 LBFT ECO-TORQUE PERF. | | \$ 3,588.00 | \$ - |
| 1017W4 | 8.18 | VOLVO D13 405HP 2100RPM 1650/1450 LBFT ECO-TORQUE ECON. | | \$ 3,588.00 | \$ - |
| 1017X0 | 8.19 | VOLVO D13 425HP 2100RPM 1750/1450 LBFT ECO-TORQUE PERF. | | \$ 4,736.00 | \$ - |
| 1017X1 | 8.20 | VOLVO D13 425HP 2100RPM 1750/1450 LBFT ECO-TORQUE ECON | | \$ 4,736.00 | \$ - |
| 1017Y0 | 8.21 | VOLVO D13 455HP 2100RPM 1850/1550 LBFT ECO-TORQUE PERFORMANCE | | \$ 6,000.00 | \$ - |
| 1017Y1 | 8.22 | VOLVO D13 455HP 2100RPM 1850/1550 LBFT ECO-TORQUE ECON | | \$ 6,000.00 | \$ - |
| 1017Y8 | 8.23 | VOLVO D13 500HP 2100RPM 1850/1550 LBFT ECO-TORQUE PERF. | | \$ 7,129.00 | \$ - |
| 232088 | 8.24 | 10' 0" ALUMINIZED STAINLESS VERTICAL STEEL SINGLE STACK | 1 | STD | |
| K0XC1X | 8.25 | STRAIGHT END EXHAUST STACK | | \$ 45.00 | \$ - |
| K0XD1X | 8.26 | TURNUED OUT EXHAUST EXTENSION integrated DPF and SCR | | \$ 979.00 | \$ - |
| K0XC4X | 8.27 | STRAIGHT STACK, SIDE OUTLET DIFFUSER BOX | 1 | STD | |
| K0XC5X | 8.28 | STRAIGHT STACK, TOP OUTLET DIFFUSER BOX | | \$ 45.00 | \$ - |
| J8XATX | 8.29 | 50 GALLON LEFT HAND FUEL TANK | | \$ 132.00 | \$ - |
| J8XBXX | 8.30 | 70 GALLON LEFT HAND FUEL TANK | | \$ 132.00 | \$ - |
| J8XB1X | 8.31 | 75 GALLON LEFT HAND FUEL TANK STANDARD | 1 | STD | |
| J8XEJX | 8.32 | 90 GALLON LEFT HAND FUEL TANK | | \$ 560.00 | \$ - |
| J8XEWX | 8.33 | 100 GALLON LEFT HAND FUEL TANK | | \$ 137.00 | \$ - |
| J8XG1X | 8.34 | 125 GALLON LEFT HAND FUEL TANK | | \$ 301.00 | \$ - |
| JBZZ1234 | 8.35 | 22" DIA D SHAPED FUEL TANK **Required for CBOC** air tanks needs moved | 1 | \$ 601.00 | \$ 601.00 |
| KNXB2X | 8.36 | 26" DIA D SHAPED FUEL TANK | | \$ 186.00 | \$ - |

ENGINE RELATED OPTIONS:

| | | | | | |
|--------|-----|---|---|------------|------|
| 26X1XZ | 9.0 | Oil fill and dipstick EZ access | | \$ 319.00 | \$ - |
| PJXMGX | 9.1 | Delco 35 SI Brushless Alternator, 135 AMP | | \$ (44.00) | \$ - |
| NA | 9.2 | Delco 24 SI Alternator, 130 AMP | 1 | STD | |
| PJXMLX | 9.3 | Delco 24 SI Alternator, 145 AMP | | \$ (50.00) | \$ - |

| | | | | | | | |
|--------|---|--|--|--------|----------|----|--------|
| PJXMX | | Leece-Neville Alternator, 145 AMP | | \$ | (35.00) | \$ | - |
| 810113 | | 3 Volvo 760 CCA Maintenance Free 12V Batteries 2280 CCA | | \$ | 80.00 | \$ | - |
| KWXA3X | | Dual element air cleaner | | \$ | 66.00 | \$ | - |
| KWXA1A | | Donaldson Single Stage Air cleaner per spec 12.1 | | \$ | 32.00 | \$ | - |
| JVXDAX | | Davco 382 fuel/water separator, non heated | | \$ | 196.00 | \$ | - |
| JVXBBX | | Non-heated fuel/water separator, ____RACOR 6903E_ (Brand) | | \$ | 42.00 | \$ | - |
| H9XK1X | 1 | Coolant spin on filter/conditioner | | \$ | 67.00 | \$ | 67.00 |
| T1XA1X | | Front engine powered take off adapter and radiator cut out | | \$ | 540.00 | \$ | - |
| 208021 | | Air applied fan drive, ____KYSOR_ (Brand) | | \$ | 329.00 | \$ | - |
| 208025 | | Viscous fan drive | | \$ | 29.00 | \$ | - |
| KOXD1X | | Curved exhaust pipe end | | \$ | 24.00 | \$ | - |
| 5NXXVX | 1 | Engine block heater | | \$ | 60.00 | \$ | 60.00 |
| NA | | In line fuel heater | | No Bid | | | |
| JRXX1X | | In tank fuel heater | | \$ | 388.00 | \$ | - |
| NA | | Fuel cooler | | No Bid | | | |
| NA | 1 | Radiator bug screen | | STD | | | |
| LCO01 | | Stainless Steel Oil Pan | | \$ | 1,900.00 | \$ | - |
| HTXA8X | 1 | Engine brake system | | \$ | 950.00 | \$ | 950.00 |
| VHXZZX | | Relocate air dryer | | \$ | 243.00 | \$ | - |
| K9XO9X | 1 | Extended life anti-freeze | | \$ | 126.00 | \$ | 126.00 |
| UBXM1X | | ENGINE MOUNTED HYDRAULIC PUMP PARKER F2-42/42 | | \$ | 2,724.00 | \$ | - |
| UBXD1X | | ENGINE MOUNTED HYDRAULIC PUMP PARKER F1-81 | | \$ | 1,969.00 | \$ | - |
| UBXC1X | | ENGINE MOUNTED HYDRAULIC PUMP PARKER F1-61 | | \$ | 1,881.00 | \$ | - |
| | | REAR ENGINE MOUNTED PTO WITH SPLINED SHAFT GROOVE | | | | | |
| T1XK1X | | FEMALE DIN 5462 | | \$ | 349.00 | \$ | - |
| NCXD1X | | VOLVO 12 V GEAR REDUCTION STARTER (MODEL 105P55) | | \$ | 92.00 | \$ | - |
| | 1 | HOOD MOUNTED AIR INTAKE WITH INSIDE/OUTSIDE AIR IN CAB CONTROL SNOW DOOR | | \$ | 173.00 | \$ | 173.00 |
| JWXE1X | | REAR ENGINE POWER TAKE OFF WITH FLANGE SAE 1410 | | \$ | 540.00 | \$ | - |
| T1XA1X | | Starter motor options **DELCO REMY 12 39MTHD STARTER | | \$ | 98.00 | \$ | - |
| NCXA5X | | 1240 SQ IN RADIATOR 2 ROW CORE | | \$ | 225.00 | \$ | 225.00 |
| H9XK1X | 1 | | | \$ | 225.00 | \$ | 225.00 |

10.0 TRANSMISSION OPTIONS:

10.0

(After the first Six listed options, list manual and automatic transmission options. List make and model, # of speeds, type of shifting and whether or not transmission includes PTO gear(s) or not). Example: Allison 3000 HS, 5 speed, push button, no PTO.

| | | | | | |
|---|--|--|---|-------------|-------------|
| NA | | | | No Bid | |
| 250090 | | | | No Bid | |
| RBXA1A | | | | \$ 103.00 | \$ - |
| NA | | | | STD | |
| NA | | | 1 | \$ 145.00 | \$ 145.00 |
| Loc002 | | | 1 | \$ 1,950.00 | \$ 1,950.00 |
| NA | | | | STD | |
| ***** VOLVO AUTOMATED MANUAL TRANSMISSIONS | | | | | |
| 270707 | | | | \$ 2,344.00 | \$ - |
| 270708 | | | | \$ 2,344.00 | \$ - |
| 270711 | | | | \$ 4,566.00 | \$ - |
| 270714 | | | | \$ 4,566.00 | \$ - |
| ***** MANUAL TRANSMISSIONS | | | | | |
| 270721 | | | | \$ 989.00 | \$ - |
| 270722 | | | | \$ 1,103.00 | \$ - |
| 270733 | | | | \$ (257.00) | \$ - |
| 270734 | | | | \$ 561.00 | \$ - |
| 270735 | | | | \$ 899.00 | \$ - |
| 270737 | | | | \$ 1,262.00 | \$ - |
| 270738 | | | | \$ 1,358.00 | \$ - |
| 270739 | | | | \$ 1,826.00 | \$ - |
| 270740 | | | | \$ 1,928.00 | \$ - |
| 270743 | | | | \$ 1,239.00 | \$ - |
| 270744 | | | | \$ 1,755.00 | \$ - |
| 270747 | | | | \$ 1,826.00 | \$ - |
| 270748 | | | | \$ 1,826.00 | \$ - |
| ***** FULLY AUTOMATIC TRANSMISSIONS | | | | | |
| 270762 | | | | \$3,113.00 | \$ - |

| | | | | | |
|--------|-------|--|---|-------------|-------------|
| 270765 | 10.30 | ALLISON 4000 RDS SERIES 6 SPEED WITH PTO PROVISION - SCAAN REQUIRED BEFORE ORDERING | | \$ 7,410.00 | \$ - |
| 270768 | 10.31 | ALLISON 4500 RDS SERIES 5 SPEED WITH PTO PROVISION - SCAAN REQUIRED BEFORE ORDERING | | \$ 7,586.00 | \$ - |
| 270769 | 10.32 | ALLISON 4500 RDS SERIES 6 SPEED WITH PTO PROVISION - SCAAN REQUIRED BEFORE ORDERING | 1 | \$ 8,086.00 | \$ 8,086.00 |
| TKXB1X | 10.34 | UPGRADE DRIVELINE ONE SIZE | | \$ 107.00 | \$ - |
| TKXC1X | 10.35 | UPGRADE DRIVELINE TWO SIZES | | \$ 127.00 | \$ - |
| T4XAKX | 10.36 | REAR TRANSMISSION PTO, SAE 1310 FLANGE LOW SPEED | | \$ 2,513.00 | \$ - |
| T4XDMX | 10.37 | REAR TRANSMISSION PTO, DIN-CONNECTION PUMP MEDIUM SPEED | | \$ 2,108.00 | \$ - |
| T4XF1X | 10.38 | REAR TRANS PTO, HEAVY DUTY, SAE 1350 / 1410 FLANGE HIGH SPEED | | \$ 2,053.00 | \$ - |
| T4XH1X | 10.39 | REAR DOUBLE TRANS PTO, HEAVY DUTY, (1) SAE 1350 / 1410 FLANGE HIGH SPEED + (1) DIN-CONNECTION PUMP HIGH SPEED | | \$ 2,399.00 | \$ - |
| T4XJ1X | 10.40 | REAR TRIPLE TRANS PTO, HEAVY DUTY, (1) SAE 1310 FLANGE LOW SPEED + (1) SAE 1350/1410 FLANGE HIGH SPEED + (1) DIN-CONN. PUMP HIGH SPEED | | \$ 3,184.00 | \$ - |
| T4XG1X | 10.41 | REAR DOUBLE TRANS PTO, HEAVY DUTY, (2) DIN-CONN. PUMPS HIGH SPEED | | \$ 1,864.00 | \$ - |
| T4XD5X | 10.42 | TRANSMISSION PTO PREP ELECTRIC / AIR SOLENOID | | \$ 25.00 | \$ - |
| RVXH5X | 10.43 | GEAR SHIFT LEVER, PREMIUM, I-Shift | | \$ 25.00 | \$ - |
| RVXH4X | 10.44 | GEAR SHIFT LEVER, DASH MOUNTED, PREMIUM, VOLVO I-SHIFT | | \$ 145.00 | \$ - |
| INTER | 10.45 | Local Change to Allison Programming - Performance Mode | | \$ 1,450.00 | \$ - |

11.0 ELECTRICAL OPTIONS:

| | | | | | |
|--------|-------|--|---|-----------|----------|
| NA | 11.1 | Resettable circuit breaker electrical protection | | No Bid | |
| NA | 11.2 | Automatic reset circuit breakers | | No Bid | |
| NA | 11.3 | Solid state circuit protection | | No Bid | |
| L1XB1X | 11.4 | Circuit box under hood or end of frame, each | | No Bid | |
| NFXD1X | 11.5 | Battery disconnect off negative side | 1 | \$ 10.00 | \$ 10.00 |
| NZZD1X | 11.6 | Remote jump start terminals | | \$ 345.00 | \$ - |
| 5RXA1X | 11.7 | Back up alarm (Preco Factory Model) | 1 | \$ 23.00 | \$ 23.00 |
| LSXG1X | 11.8 | OEM daytime running lights | 1 | STD | |
| NA | 11.11 | Battery box aft of cab | | \$ 178.00 | \$ - |
| NA | 11.12 | Grote 44710 flasher | | No Bid | |
| NPXB1X | 11.13 | Signal Stat 935 turn signal per Spec 12.6 | 1 | STD | |

| | | | | | |
|--------|-------|---|---|-----------|-----------|
| NZZACZ | 11.14 | Auxiliary customer access circuits | 1 | STD | |
| | | Switch for snowplow lights mounted on instrumental panel. Includes wiring terminated near headlights, for customer mounted auxiliary snowplow lights. | 1 | \$ 78.00 | \$ 78.00 |
| NJXAAX | 11.15 | Power source terminal-2 stud type-mounted on firewall or inside cab with ground to frame rail and to starter, with 6 gauge wire. | | \$ 76.00 | \$ - |
| NZZAAX | 11.16 | 10-position switch panel mounted on instrument panel. Includes 10 lighted switches, ignition control; switches will control relays which will feed stud type junction block mounted inside cab. | 1 | \$ 663.00 | \$ 663.00 |
| EAXABX | 11.17 | Vehicle speed sensor with speed signal at fuse panel for sander ground speed control system. | 1 | \$ 456.00 | \$ 456.00 |
| NZZABZ | 11.18 | | | | |

CAB EXTERIOR OPTIONS:

| | | | | | |
|--------|-------|---|---|-----------|-----------|
| LZXD1X | 12.0 | Air horns, dual, round, with snow shields | 1 | \$ 165.00 | \$ 165.00 |
| NA | 12.3 | Dual rectangular air horns | | \$ 165.00 | \$ - |
| EDXB1X | 12.4 | Fender mirrors per Spec 12.4 | 1 | \$ 68.00 | \$ 68.00 |
| 3GXB1X | 12.5 | Heated mirrors per Spec 12.5 | 1 | \$ 99.00 | \$ 99.00 |
| NA | 12.6 | Remote control for R. H. mirror | | No Bid | |
| 3GXC1X | 12.7 | Remote control for dual mirrors | 1 | \$ 167.00 | \$ 167.00 |
| NA | 12.8 | Upcharge for cab extension or larger cab | | No Bid | |
| NA | 12.9 | Severe duty aluminum cab option | | No Bid | |
| 9801S0 | 12.10 | Dupont Highway orange paint or equal | | \$ 249.00 | \$ - |
| 955043 | 12.11 | Premium paint color option | | \$ 138.00 | \$ - |
| 955040 | 12.12 | Imron paint option | 1 | STD | |
| 955041 | 12.13 | Imron and clear coat paint option | | \$ 152.00 | \$ - |
| 9811C2 | 12.14 | Top of hood painted flat black | | \$ 467.00 | \$ - |
| 2DX30X | 12.15 | Cab Air Ride Suspension | 1 | STD | |
| 28XC1X | 12.16 | Tilting hood per Spec 12.8 | 1 | \$ 367.00 | \$ 367.00 |
| NA | 12.17 | Butterfly option on hood | | \$ 378.00 | \$ - |
| NA | 12.18 | Transverse hood opening w/setback axle | | No Bid | |
| NA | 12.19 | Front fender mounted turn signals | | No Bid | |
| 4NXZ1X | 12.20 | Cab visor, external, painted to match cab color | 1 | \$ 185.00 | \$ 185.00 |
| 65XA1X | 12.21 | Front fender extensions | 1 | \$ 85.00 | \$ 85.00 |
| NA | 12.22 | Front fender mud flaps | 1 | \$ 22.00 | \$ 22.00 |
| D2XB1X | 12.23 | Arctic winter wiper blades | 1 | \$ 17.00 | \$ 17.00 |
| NA | 12.24 | Optional windshield washer tank | | No Bid | |

| | | | | | | |
|--------|-------|--|----|-----------|----|--------|
| 20XB1X | 12.25 | Per truck charge for all trucks, key identical | \$ | 25.00 | \$ | - |
| NA | 12.26 | RH observation prism window in door | | No Bid | | |
| NA | 12.27 | Spotlight LH, RH, or roof mounted each | | No Bid | | |
| 4EXB1X | 12.28 | Front tow hooks | \$ | 231.00 | \$ | - |
| 6PXB1X | 12.29 | Rear tow hooks | \$ | 85.00 | \$ | - |
| 3FX49X | 12.30 | BLACK AERODYNAMIC EXTERIOR MIRRORS | \$ | 146.00 | \$ | - |
| EDXB7X | 12.31 | Heated fender mirrors | \$ | 446.00 | \$ | - |
| WTXA1X | 12.32 | HEATED WINDSHIELD | 1 | \$ 210.00 | \$ | 210.00 |

CAB INTERIOR OPTIONS:

| | | | | | | |
|--------|-------|--|----|-----------|----|--------|
| 540068 | 13.1 | Medium grade interior trim package | \$ | 110.00 | \$ | - |
| 540070 | 13.2 | Premium grade interior trim package | 1 | \$ 150.00 | \$ | 150.00 |
| NA | 13.3 | Round universal gauge package | 1 | STD | | |
| 2XX30X | 13.4 | Power window, passenger side | \$ | 81.00 | \$ | - |
| 2XX35X | 13.5 | Power window/both passenger and driver window | \$ | 150.00 | \$ | - |
| MC | 13.6 | O.E.M factory installed, AM/FM | 1 | STD | | |
| NA | 13.7 | O.E.M factory installed, air conditioning **STANDARD | 1 | STD | | |
| NA | 13.8 | Cab mounted non-resettable hour meter **STANDARD | 1 | STD | | |
| 571018 | 13.9 | Dash mounted air cleaner air restriction gauge | \$ | 78.00 | \$ | - |
| CCXB1X | 13.10 | Transmission temp gauges | \$ | 79.00 | \$ | - |
| NA | 13.11 | Windshield defroster fan w/switch dash mounted | 1 | STD | | |
| NA | 13.12 | Between seats mounted console | \$ | 16.00 | \$ | - |
| NA | 13.13 | Transmission oil sensor (check & fill) | 1 | STD | | |
| 5JXA1X | 13.14 | CB hot jacks dash mounted | 1 | \$ 26.00 | \$ | 26.00 |
| 2WXA1X | 13.15 | Tilt & telescope steering wheel | 1 | \$ 190.00 | \$ | 190.00 |
| 2WZZ1X | 13.16 | Tilt steering wheel | 1 | STD | | |
| 2WXA1X | 13.17 | SRS DRIVER SIDE AIR BAG IN STEERING WHEEL | | \$ 138.00 | \$ | - |
| WPXA1X | 13.18 | TRACTION CONTROL ADDED TO ABS | 1 | \$ 138.00 | \$ | 138.00 |
| | 13.19 | Self canceling turn signals | 1 | STD | | |

List seating options for driver and passenger seats. Use as many options as you need to offer seat variations customers have been buying.

*****INTERIOR TRIM LEVELS

| | | | | | | |
|--------|-------|----------------------------|---|-----|--|--|
| 540066 | 13.22 | X1 WREN VINYL TRIM PACKAGE | 1 | STD | | |
|--------|-------|----------------------------|---|-----|--|--|

| | | | | | | | | |
|--------|-------|--|--|---|----|----------|----|--------|
| 540068 | 13.23 | X2 Raven Cloth TRIM PACKAGE | | | \$ | \$120.00 | \$ | - |
| 540067 | 13.24 | X3 WREN CLOTH WITH MIGRATION PATTERN | | | \$ | \$120.00 | \$ | - |
| 540070 | 13.25 | X4 RAVEN MORDURA CLOTH | | | \$ | \$195.00 | \$ | - |
| 540069 | 13.26 | X5 WREN VINYL / WREN CLOTH | | 1 | \$ | 195.00 | \$ | 195.00 |
| 540072 | 13.27 | X7 WREN LEATHER | | | \$ | \$345.00 | \$ | - |
| 540071 | 13.28 | X6 WREN LEATHER / WREN CLOTH WITH ORANGE ACCENT | | | \$ | \$195.00 | \$ | - |
| | | SEAT MANUFACTURER | | | \$ | | \$ | - |
| 35XD1X | 13.29 | NATIONAL SEAT | | 1 | | STD | | |
| 35XB1X | 13.30 | BOSTROM SEAT | | | \$ | 50.00 | \$ | - |
| 35XH1X | 13.31 | SEARS SEAT | | | \$ | 55.00 | \$ | - |
| | 13.32 | DRIVER SEAT TYPE | | | \$ | | \$ | - |
| 3YXF2X | 13.33 | AIR SUSPENSION HIGH BACK | | | \$ | 35.00 | \$ | - |
| 3YXG8X | 13.34 | COMFORT AIR SUSPENSION HIGH BACK | | 1 | \$ | 69.00 | \$ | 69.00 |
| 3YXG9X | 13.35 | COMFORT AIR SUSPENSION HIGH BACK, HEATED | | | \$ | 112.00 | \$ | - |
| 3YXJ1X | 13.36 | COMFORT AIR SUSPENSION HIGH BACK WITH BACK CYCLER | | | \$ | 25.00 | \$ | - |
| | | PASSENGER SEAT TYPE | | | \$ | | \$ | - |
| 32X40X | 13.38 | STATIONARY SEAT WITH TOOL BOX | | 1 | \$ | 375.00 | \$ | 375.00 |
| 32XF3X | 13.39 | AIR SUSPENSION HIGH BACK | | | \$ | 148.00 | \$ | - |
| 32XG8X | 13.40 | COMFORT AIR SUSPENSION HIGH BACK | | | \$ | 214.00 | \$ | - |
| 32XG9X | 13.41 | COMFORT AIR SUSPENSION HIGH BACK, HEATED | | | \$ | 228.00 | \$ | - |
| 32XJ1X | 13.42 | COMFORT AIR SUSPENSION HIGH BACK WITH BACK CYCLER | | | \$ | 368.00 | \$ | - |
| 32X99X | 13.42 | NO PASSENGER SEAT PROVIDED | | | \$ | (58.00) | \$ | - |
| | | SEAT ARMREST | | | \$ | | \$ | - |
| 3PXZ1X | 13.43 | NO SEAT ARMREST PROVIDED | | | \$ | (5.00) | \$ | - |
| 3PXA1X | 13.43 | INBOARD DRIVER SEAT ARMREST | | | \$ | 19.00 | \$ | - |
| 3PXA5X | 13.43 | INBOARD / OUTBOARD DRIVER SEAT ARMREST | | 1 | \$ | 38.00 | \$ | 38.00 |
| 3PXC1X | 13.43 | INBOARD DRIVER AND PASS SEAT ARMREST | | | \$ | 38.00 | \$ | - |
| | | INBOARD / OUTBOARD DRIVER AND PASSENGER SEAT ARMREST | | | \$ | 76.00 | \$ | - |
| 3PXC5X | 13.43 | SAFETY BELT LENGTH | | | \$ | | \$ | - |
| | | STANDARD SAFETY BELT LENGTH | | 1 | | STD | | |
| K7AA1X | 13.44 | EXTENDED SAFETY BELT LENGTH | | | \$ | 50.00 | \$ | - |
| K7AC1X | 13.45 | SAFETY BELT DRIVER SEAT | | | \$ | | \$ | - |
| OUXA1X | 13.46 | SAFETY BELT DRIVER SEAT, BLACK | | 1 | | STD | | |
| OUXC1X | 13.47 | SAFETY BELT DRIVER SEAT, ORANGE | | | \$ | 8.00 | \$ | - |

| | | | | | |
|--------|-------|--|---|----------|------|
| OUXD1X | 13.48 | SAFETY BELT DRIVER SEAT, LIME GREEN | | \$ 10.00 | \$ - |
| | | SAFETY BELT PASSENGER SEAT | | | \$ - |
| OXXA1X | 13.49 | SAFETY BELT PASSENGER SEAT, BLACK | 1 | STD | |
| OXXA2X | 13.50 | SAFETY BELT PASSENGER SEAT, ORANGE | | \$ 8.00 | |
| OXXA7X | 13.51 | SAFETY BELT PASSENGER SEAT, LIME GREEN | | \$ 10.00 | |

MN/DOT OPTIONS:

| | | | | | |
|--------|-------|--|--|-------------|------|
| | 14.0 | MN/DOT OPTIONS: | | | |
| | 14.1 | Additional warranty coverage per spec 12.9 | | | |
| M510Z1 | 14.2 | Engine Plan 2 60 months 250,000 miles | | \$ 2,910.00 | \$ - |
| M51131 | 14.3 | Engine Plan 2 72 months 250,000 miles | | \$ 4,690.00 | \$ - |
| M51141 | 14.4 | Engine Plan 2 84 months 250,000 miles | | \$ 6,270.00 | \$ - |
| M511B1 | 14.5 | Engine Plan 2 60 months 250,000 miles - HP over 460 horses | | \$ 4,308.00 | \$ - |
| M511F1 | 14.6 | Engine Plan 2 72 months 250,000 miles - HP over 460 horses | | \$ 6,961.00 | \$ - |
| 511G1 | 14.7 | Engine Plan 2 84 months 250,000 miles - HP over 460 horses | | \$ 9,414.00 | \$ - |
| M53083 | 14.8 | Engine after-treatment systems (EATS) 60 months 250,000 miles | | \$ 942.00 | \$ - |
| M530Y3 | 14.9 | Engine after-treatment systems (EATS) 72 months 250,000 miles | | \$ 1,708.00 | \$ - |
| M531O3 | 14.10 | Engine after-treatment systems (EATS) 84 months 250,000 miles | | \$ 2,274.00 | \$ - |
| M53083 | 14.11 | Engine after-treatment systems (EATS) 60 months 250,000 miles - HP over 460 horses | | \$ 1,566.00 | \$ - |
| M530Y3 | 14.12 | Engine after-treatment systems (EATS) 72 months 250,000 miles - HP over 460 horses | | \$ 2,087.00 | \$ - |
| M531O3 | 14.13 | Engine after-treatment systems (EATS) 84 months 250,000 miles - HP over 460 horses | | \$ 2,408.00 | \$ - |
| M54174 | 14.14 | iShift HD Transmission 48 months 500,000 miles | | \$ 2,166.00 | \$ - |
| M54184 | 14.15 | iShift HD Transmission 60 months 500,000 miles | | \$ 3,216.00 | \$ - |
| N/A | 14.15 | Allison 60 month unlimited mileage Extended Warranty | | \$ 1,312.00 | \$ - |
| M560A6 | 14.16 | HVAC (Air Conditioning) 60 months | | \$ 840.00 | \$ - |
| M59089 | 14.17 | Starter 60 months 300,000 miles | | \$ 282.00 | \$ - |
| M60080 | 14.18 | Alternator 60 months 300,000 miles | | \$ 324.00 | \$ - |
| M61071 | 14.19 | Starter & Alternator 60 months 300,000 miles | | \$ 438.00 | \$ - |
| | 14.20 | Prebuild specification meeting (per person) to be held in St. Paul/Minneapolis area. | | \$ 1.00 | \$ - |
| | 14.21 | Pilot inspection meeting (per person). | | \$ 2,250.00 | \$ - |

TRAILER TOW OPTIONS:

| | | | | | | | |
|----|------|--|---|----|--------|----|--------|
| MC | 15.1 | Trailer tow package extended to rear of frame | | \$ | 636.00 | \$ | - |
| MC | 15.2 | Trailer package extend to rear of frame per Spec 12.12 | 1 | \$ | 947.00 | \$ | 947.00 |

MANUALS / INTEREST FEE:

| | | | | | | | |
|--|------|---|--|----|----------|----|---|
| | 16.0 | Percent interest per month (non-compounding) on unpaid cab & chassis balance. Applies only to CPV Members. (Payable after trade-in is delivered to vendor). Percentage/per month. | | | | | |
| | 16.1 | SEE Exhibit C : Specifications re interest to State agencies. | | | | | |
| | 16.2 | Premium Tech Tool | | \$ | 4,000.00 | \$ | - |

Delivery Charges:

| | | | | | | | |
|--|-------|--------------------------------------|--|----|------|----|---|
| | 17.0 | Price per loaded mile Starting Point | | | | | |
| | 17.1. | Roseville | | \$ | 2.50 | \$ | - |

Maintenance/ Body Shop Labor rates

| | | | | | | | |
|--|------|--|--|----|--------|----|---|
| | 18.0 | Rate for Initial Inspection/Diagnostic | | \$ | 195.00 | \$ | - |
| | 18.1 | Rate for Mechanical Work | | \$ | 195.00 | \$ | - |
| | 18.2 | Rate for Body Work | | \$ | 195.00 | \$ | - |

Quantity Discounts:

| | | | | | | | |
|--|------|---|--|--|--|--|--|
| | 19.0 | Enter the number of units that must be purchased and the corresponding discount offered to the purchaser. More than one quantity discount may be entered. | | | | | |
|--|------|---|--|--|--|--|--|

Next Model Year Upcharges

| | | | | | | | |
|--|------|--|--|----|--|----|---|
| | 20.0 | Enter the following Production Model Year here >>>>>>>>>> | | | | | |
| | 20.1 | Percentage Upcharge for the following Model Year Base Unit | | \$ | | \$ | - |
| | 20.1 | Percentage Upcharge for the following Model Year Options | | \$ | | \$ | - |

Total \$ 144,842.00

Single Axle Cab & Chassis

Exhibit D: Price Schedule

VENDOR NAME Boyer Trucks

MAKE AND MODEL Freightliner 114 SD+

| | | |
|-------------|------------------------------------|---------------------------|
| WB | This section for use when ordering | |
| CA | 181" | |
| AF | 97" | Grand Total \$ 113,322.00 |
| Rear Ratio | 63" | |
| | 5.86 | |
| Cab Color | Orange | |
| Wheel Color | Aluminum | |
| Notes | City of Norwood Young America | |

| Code | Spec # | Description | Qty | 2024 Price | Subtotal |
|-----------------|--------|--|-----|-------------|-------------|
| | 1.0 | Price for base unit: | 1 | \$ | \$ |
| | 2.3 | | | 84,487.00 | 84,487.00 |
| MC | 2.20 | Deduct for no front bumper | 1 | \$ | \$ |
| 547-034 | 2.71 | 2,592,000 / 21.6 / 120,000 / up to 119" CA | | (163.00) | (163.00) |
| 549-002 | 2.73 | PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION | 1 | \$ 384.00 | \$ 384.00 |
| 002-003 | 3.1 | 24 INCH INTEGRAL FRONT FRAME EXTENSION | | \$ | \$ |
| 410-001 | 3.8 | Set back/ forward front axle option | 1 | 483.00 | 483.00 |
| 427-001 | 3.13 | Heavy duty front axle shocks | 1 | \$ 417.00 | \$ 417.00 |
| 536-055 | 3.14 | Front brake dust shields | | | |
| 400-1BB | 3.28 | Dual front auxiliary steering gear | 1 | \$ 1,348.00 | \$ 1,348.00 |
| 402-030 | 3.39 | DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE | 1 | \$ - | \$ - |
| 408-016 | 3.58 | MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES | 1 | \$ 28.00 | \$ 28.00 |
| 405-031 | 3.63 | STEMCO SERIES 340/343/346 TRADITIONAL ALUMINUM FRONT HUB CAPS WITH WINDOW AND RED VENT PLUGS - OIL | 1 | \$ 689.00 | \$ 689.00 |
| 534-003 | 3.72 | | 1 | \$ 2,085.00 | \$ 2,085.00 |
| 40T-003 | 3.76 | HALDEX AUTOMATIC FRONT SLACK ADJUSTERS WITH STAINLESS STEEL CLEVIS PINS | | \$ | \$ |
| 620-006 619-004 | 3.85 | 4 QUART POWER STEERING RESERVOIR | 1 | 5.00 | 5.00 |
| 425-002 | 3.91 | SYNTHETIC 40/50W FRONT AXLE LUBE | | \$ | \$ |
| 420-022 452-001 | 4.25 | 20,000# FLAT LEAF FRONT SUSPENSION | 1 | 4.00 | 4.00 |
| | 4.33 | GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION | | \$ | \$ |
| | 4.54 | Rear brake dust shield | 1 | 36.00 | 36.00 |
| 423-033 | 4.57 | RS-26-185 26,000# T-SERIES SINGLE REAR AXLE DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE | 1 | \$ 29.00 | \$ 29.00 |
| 434-012 | 4.69 | MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES | 1 | \$ 5.00 | \$ 5.00 |
| 451-030 | 4.79 | | 1 | \$ 492.00 | \$ 492.00 |
| 426-1B2 | 4.86 | | | \$ | \$ |
| 428-031 | 4.93 | | 1 | 167.00 | 167.00 |

| | | | |
|--|---|-------------|-------------|
| BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S) | 1 | \$ 39.00 | \$ 39.00 |
| WEBB HEAVY WEIGHT CAST IRON REAR BRAKE DRUMS | 1 | \$ 3,201.00 | \$ 3,201.00 |
| BENDIX EVERSURE LONGSTROKE 1-DRIVE AXLE SPRING | | \$ | \$ |
| PARKING CHAMBERS | 1 | 443.00 | 443.00 |
| HALDEX AUTOMATIC REAR SLACK ADJUSTERS WITH STAINLESS STEEL CLEVIS PINS | | \$ | \$ |
| | 1 | 84.00 | 84.00 |
| | | \$ | \$ |
| | 1 | 5.00 | 5.00 |
| | | \$ | \$ |
| | 1 | 160.00 | 160.00 |
| | | \$ | \$ |
| | 1 | 15.00 | 15.00 |
| | | \$ | \$ |
| | 1 | 32.00 | 32.00 |

| Code | Spec # | Description | Qty | 2024 Price | Subtotal |
|--------------|--------|---|-----|-------------|-------------|
| 622-1DC | 4.112 | 26,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD | 1 | \$ 853.00 | \$ 853.00 |
| 439-004 | 4.135 | REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION) | 1 | \$ 5.00 | \$ 5.00 |
| 498-011 | 6.1 | Nylon wafers or wheel guards on all wheels (6 ea.) | 1 | \$ 35.00 | \$ 35.00 |
| | 6.21 | FRONT TIRE SURCHARGE | 1 | \$ 140.00 | \$ 140.00 |
| 093-0TA | 6.61 | MICHELIN XZY-3 385/65R22.5 18 PLY RADIAL FRONT TIRES | 1 | \$ 557.00 | \$ 557.00 |
| | 6.71 | REAR TIRE SURCHARGE | 1 | \$ 280.00 | \$ 280.00 |
| 094-2E4 | 6.86 | CONTINENTAL HDW2 11R22.5 16 PLY RADIAL REAR TIRES | 1 | \$ 5.00 | \$ 5.00 |
| 450-060 | 6.129 | CONMET PRESET PLUS PREMIUM IRON REAR HUBS | 1 | \$ 5.00 | \$ 5.00 |
| 502-1H5 | 6.146 | ALCOA LVL ONE 82462X 22.5X12.25 10-HUB PILOT 4.68 INSET 10-HAND ALUMINUM DISC FRONT WHEELS | 1 | \$ 5.00 | \$ 5.00 |
| 505-766 | 6.173 | ALCOA ULA18X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS | 1 | \$ 418.00 | \$ 418.00 |
| 490-100 483- | 7.9 | WABCO 4S/4M ABS | 1 | \$ 391.00 | \$ 391.00 |
| 004 460-008 | 7.23 | WABCO OIL COALESCING FILTER FOR AIR DRYER | 1 | \$ - | \$ - |
| 477-008 | 7.30 | STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL | 1 | \$ 7.00 | \$ 7.00 |
| | 7.47 | BW DV-2 AUTO DRAIN VALVE WITH HEATER - WET TANK, PETCOCKS ALL OTHERS | 1 | \$ 57.00 | \$ 57.00 |
| 101-3BU | 8.37 | | 1 | \$ 54.00 | \$ 54.00 |
| 016-1C2 | 8.78 | | 1 | \$ 4,690.00 | \$ 4,690.00 |
| 239-032 | 8.96 | CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM | 1 | \$ 492.00 | \$ 492.00 |
| 204-154 | 8.143 | RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE | 1 | \$ 5.00 | \$ 5.00 |
| 122-1H8 | 8.227 | 11 FOOT 00 INCH (132 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT | 1 | \$ 130.00 | \$ 130.00 |
| 221-001 014- | 8.251 | 80 GALLON/302 LITER ALUMINUM FUEL TANK - LH | 1 | \$ 189.00 | \$ 189.00 |
| 108 221-001 | 9.7 | DAVCO 245 FUEL/WATER SEPARATOR WITH 12 VOLT HEAT AND WATER IN FUEL SENSOR | 1 | \$ 152.00 | \$ 152.00 |
| 648-002 103- | 9.23 | | 1 | \$ 339.00 | \$ 339.00 |
| 039 128-032 | 9.24 | FUEL COOLER | 1 | \$ 152.00 | \$ 152.00 |
| 273-018 138- | 9.26 | | 1 | \$ 152.00 | \$ 152.00 |
| 011 | 9.58 | Donaldson Single Stage Air cleaner per spec 12.1 | 1 | \$ 152.00 | \$ 152.00 |
| 35T-001 | | Fuel cooler | 1 | \$ 152.00 | \$ 152.00 |

| | | | | | |
|---------|-------|--|---|-------------|-------------|
| 342-582 | 9.65 | Radiator bug screen | 1 | | \$ - |
| | 9.87 | Extended life anti-freeze | | | |
| 345-003 | 10.5 | | 1 | | \$ - |
| | 10.53 | | | | |
| 370-015 | | C-BRAKE BY JACOBS WITH LOW/OFF/HIGH BRAKING DASH SWITCH | 1 | \$ 1,539.00 | \$ 1,539.00 |
| 292-213 | 10.86 | HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE | 1 | \$ 5.00 | \$ 5.00 |
| | 10.87 | PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER | 1 | \$ 56.00 | \$ 56.00 |
| 290-1CD | | Synthetic (TranSynd) lubrication for Automatic Transmission | 1 | | \$ - |
| 282-042 | 11.20 | ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION | | | |
| | 11.31 | PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED | 1 | \$ 3,330.00 | \$ 3,330.00 |
| 293-060 | | WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK | 1 | \$ 153.00 | \$ 153.00 |
| 295-003 | 11.47 | (3) DTNA GENUINE, FLOODED STARTING AND CYCLING. MIN 2100CCA, 570RC, THREADED STUD BATTERIES | 1 | \$ 166.00 | \$ 166.00 |
| | 11.49 | BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL | 1 | \$ 92.00 | \$ 92.00 |
| | | LH BATTERY BOX MOUNTED AS FAR AFT AS POSSIBLE, NO GREATER THAN 60 INCHES BACK OF CAB | 1 | \$ 150.00 | \$ 150.00 |
| | | POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH WITH LOCKING PROVISION MOUNTED OUTBOARD DRIVER SEAT | 1 | \$ 155.00 | \$ 155.00 |
| | | POSITIVE AND NEGATIVE POSTS FOR JUMPSTART CHASSIS MOUNTED LH BACK OF CAB | 1 | \$ 118.00 | \$ 118.00 |
| | | | 1 | \$ 63.00 | \$ 63.00 |

| Code | Spec # | Description | Qty | 2024 Price | Subtotal |
|-----------------|--------|--|-----|------------|-----------|
| 353-074 | 11.50 | QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS | 1 | \$ 5.00 | \$ 5.00 |
| 4CH-006 | 11.60 | 6 EXTRA PROGRAMMABLE SWITCHES/INDICATORS | 1 | \$ 81.00 | \$ 81.00 |
| 838-001 198-025 | 11.78 | (1) PNEUMATIC SINGLE BRAKE APPLICATION AIR GAUGE | 1 | \$ 40.00 | \$ 40.00 |
| | 11.80 | INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS | 1 | \$ 9.00 | \$ 9.00 |
| 721-001 | 11.86 | 97 DB BACKUP ALARM | 1 | \$ 28.00 | \$ 28.00 |
| 48C-002 | 11.126 | QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH BLUNTCUTS | 1 | \$ 24.00 | \$ 24.00 |
| 864-001 372-123 | 11.138 | 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE | 1 | \$ 24.00 | \$ 24.00 |
| | 11.145 | PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE | 1 | \$ 24.00 | \$ 24.00 |
| 679-020 746-137 | 11.172 | LEFTHAND OVERHEAD INSTRUMENT PANEL BLANK | 1 | \$ 24.00 | \$ 24.00 |
| | 11.197 | AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939 | 1 | \$ 43.00 | \$ 43.00 |
| 753-001 329-129 | 11.202 | AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF | 1 | \$ 91.00 | \$ 91.00 |
| | 11.225 | FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, BLUNTCUT | 1 | \$ 14.00 | \$ 14.00 |
| 4C1-025 | 11.260 | HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS IGNITION POWER | 1 | \$ 100.00 | \$ 100.00 |
| 4C2-026 | 11.274 | HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER | 1 | \$ 9.00 | \$ 9.00 |
| 4C3-018 | 11.280 | HARDWIRE SWITCH #3, ON/OFF LATCHING, 20 AMPS BATTERY POWER | 1 | \$ 5.00 | \$ 5.00 |

| | | | | | |
|-----------------|--------|--|---|-----------|-----------|
| 4C4-017 | 11.284 | HARDWIRE SWITCH #4, ON/OFF LATCHING, 10 AMPS BATTERY POWER | 1 | \$ 9.00 | \$ 9.00 |
| 882-021 | 11.355 | TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR | 1 | \$ 5.00 | \$ 5.00 |
| 650-008 | 12.15 | Cab Air Ride Suspension | | | |
| MC | 12.16 | Tilting hood per Spec 12.8 | 1 | \$ 8.00 | \$ 8.00 |
| 660-001 769- | 12.23 | Arctic winter wiper blades | 1 | \$ - | \$ - |
| 002 667-037 | 12.26 | RH observation prism window in door | 1 | \$ - | \$ - |
| 754-002 645- | 12.38 | SHORT FENDER WITH MUDFLAP | 1 | \$ 10.00 | \$ 10.00 |
| 002 646-042 | 12.39 | 3-1/2 INCH FENDER EXTENSIONS | 1 | \$ 124.00 | \$ 124.00 |
| 65X-003 | 12.44 | BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL | 1 | \$ 85.00 | \$ 85.00 |
| 690-017 | 12.45 | STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS | 1 | \$ 102.00 | \$ 102.00 |
| | 12.46 | CHROME HOOD MOUNTED AIR INTAKE GRILLE | 1 | \$ 153.00 | \$ 153.00 |
| 727-1AH | 12.51 | HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION | 1 | \$ 53.00 | \$ 53.00 |
| 311-011 | 12.52 | SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED | 1 | \$ 9.00 | \$ 9.00 |
| 744-103 | 12.81 | DAYTIME RUNNING LIGHTS TO ACTIVATE MARKER, CLEARANCE AND TAIL LIGHTS | 1 | \$ 129.00 | \$ 129.00 |
| 74B-080 | 12.110 | DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LED LIGHTS AND LH AND RH REMOTE | 1 | \$ 57.00 | \$ 57.00 |
| 677-054 | 12.118 | RH AND LH 8 INCH STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS | 1 | \$ 25.00 | \$ 25.00 |
| 661-004 | 12.126 | RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER | 1 | \$ 217.00 | \$ 217.00 |
| 663-029 | 12.139 | TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS | 1 | \$ 121.00 | \$ 121.00 |
| 659-007 | 12.145 | 1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD | 1 | \$ 52.00 | \$ 52.00 |
| 647-001 055-019 | 12.146 | 8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR | 1 | \$ 71.00 | \$ 71.00 |
| | 12.154 | WHITE WINTERFRONT | 1 | \$ 255.00 | \$ 255.00 |
| | 13.1 | Medium grade interior trim package | 1 | \$ 48.00 | \$ 48.00 |
| | | | 1 | \$ 36.00 | \$ 36.00 |
| | | | 1 | \$ 136.00 | \$ 136.00 |

| Code | Spec # | Description | Qty | 2024 Price | Subtotal |
|-----------------|--------|---|-----|------------|-----------|
| 654-011 785-026 | 13.5 | Power window/both passenger and driver window | 1 | \$ 132.00 | \$ 132.00 |
| | 13.27 | (1)DASH MOUNTED 12V POWER OUTLET, (1)DASH MOUNTED DUAL USB-C OUTLET | 1 | \$ 29.00 | \$ 29.00 |
| 693-036 720- | 13.34 | LH DOOR STORAGE POCKET | 1 | \$ 74.00 | \$ 74.00 |
| 003 701-008 | 13.38 | 5 LB. FIRE EXTINGUISHER | 1 | \$ 36.00 | \$ 36.00 |
| | 13.44 | STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE | 1 | \$ 19.00 | \$ 19.00 |
| 739-034 | 13.50 | PREMIUM INSULATION | 1 | \$ 87.00 | \$ 87.00 |
| 324-1B2 | 13.51 | PREMIUM LED CAB LIGHTING | 1 | \$ 34.00 | \$ 34.00 |
| 655-005 756-339 | 13.55 | LH AND RH ELECTRIC DOOR LOCKS | 1 | \$ 60.00 | \$ 60.00 |
| | 13.64 | PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK | 1 | \$ 250.00 | \$ 250.00 |
| 760-336 | | BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT | 1 | | |

| | | | | | | | |
|-----------------------------|--------|--|---|----|--------|----|--------|
| 759-007 | 13.74 | WITH FORE AND AFT ADJUSTMENT DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT | 1 | \$ | 24.00 | \$ | 24.00 |
| 758-022 761- 023 763-102 | 13.104 | ARMRESTS BLACK MORDURA CLOTH DRIVER SEAT COVER | 1 | \$ | 42.00 | \$ | 42.00 |
| 532-002 019- 006 914-025 | 13.109 | BLACK MORDURA CLOTH PASSENGER SEAT COVER | 1 | \$ | 15.00 | \$ | 15.00 |
| | 13.118 | HIGH VISIBILITY ORANGE SEAT BELTS | 1 | \$ | 13.00 | \$ | 13.00 |
| | 13.128 | ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN | 1 | \$ | 16.00 | \$ | 16.00 |
| 296-027 | 13.132 | Trailer tow package extended to rear of frame | 1 | \$ | 16.00 | \$ | 16.00 |
| | 15.1 | AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS | 1 | \$ | 288.00 | \$ | 288.00 |
| | 15.20 | FOR TRUCK AND DUST COVERS | 1 | \$ | 618.00 | \$ | 618.00 |
| 303-025 | 15.46 | PRIMARY CONNECTOR/RECEPTACLE WIRED FOR COMBINATION STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE | 1 | \$ | 84.00 | \$ | 84.00 |
| | 15.56 | SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME | 1 | \$ | 36.00 | \$ | 36.00 |
| | | | 1 | \$ | 5.00 | \$ | 5.00 |

Single Axle Cab & Chassis Exhibit D: Price Schedule

VENDOR NAME BOYER TRUCKS

MAKE AND MODEL WESTERN STAR 47X

| | |
|------------------------------------|-------------------------------|
| This section for use when ordering | |
| WB | 179" |
| CA | 97" |
| AF | 64" |
| Rear Ratio | 5.86 |
| Cab Color | Orange |
| Wheel Color | Aluminum |
| Notes | City of Norwood Young America |

Grand Total \$ 131,634.00

Plus tax, title, & license fees

| Code | Spec # | Description | Qty | 2024 Price | Subtotal |
|------|--------|-----------------------------|-----|--------------|--------------|
| | 1.0 | Price for base unit: | 1 | \$ 98,594.00 | \$ 98,594.00 |

| | | | | | | | |
|---------|-------|---|---|----|--------|----|--------|
| 431-001 | 4.54 | STANDARD AXLE SEATS IN AXLE CLAMP GROUP | 1 | \$ | 5.00 | \$ | 5.00 |
| 623-005 | 4.75 | FORE/AFT CONTROL RODS | 1 | \$ | 5.00 | \$ | 5.00 |
| 386-073 | 4.83 | MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES | 1 | \$ | 6.00 | \$ | 6.00 |
| 452-001 | 4.96 | DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE | 1 | \$ | 431.00 | \$ | 431.00 |
| 878-018 | 4.97 | DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE | 1 | \$ | 5.00 | \$ | 5.00 |
| 87B-008 | 4.98 | INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH | 1 | \$ | 5.00 | \$ | 5.00 |
| 423-039 | 4.107 | MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR HEAVY DUTY BRAKE AND SHOES | 1 | \$ | 184.00 | \$ | 184.00 |
| 434-011 | 4.117 | BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) | 1 | \$ | 15.00 | \$ | 15.00 |
| 451-018 | 4.125 | WEBB CAST IRON REAR BRAKE DRUMS | 1 | \$ | 191.00 | \$ | 191.00 |
| 428-031 | 4.132 | HALDEX AUTOMATIC REAR SLACK ADJUSTERS WITH STAINLESS STEEL CLEVIS PINS | 1 | \$ | 33.00 | \$ | 33.00 |

6.0 TIRES/RIMS OPTIONS:

| | | | | | | | | |
|-------------|-------|--|---|----|--------|----|--------|-----------------------------|
| 498-011 | 6.1 | Nylon wafers or wheel guards on all wheels (6 ea.) | 1 | \$ | 19.00 | \$ | 19.00 | 093-07A 6.63 MICHELIN XZY-3 |
| 385/65R22.5 | 18 | PLY RADIAL FRONT TIRES | 1 | \$ | 536.00 | \$ | 536.00 | |
| 502-1H5 | 6.101 | ALCOA LVL ONE 82462X 22.5X12.25 10-HUB PILOT 4.68 INSET 10-HAND ALUMINUM DISC FRONT WHEELS | 1 | \$ | 409.00 | \$ | 409.00 | |
| 524-022 | 6.106 | POLISHED DISC SIDE FRONT WHEELS WITH DURA-BRIGHT FINISH | 1 | \$ | 100.00 | \$ | 100.00 | |
| MC | 6.117 | FRONT TIRE SURCHARGE - MICHELIN | 1 | \$ | 130.00 | \$ | 130.00 | |
| 094-0GP | 6.135 | MICHELIN XDN2 11R22.5 16 PLY RADIAL REAR TIRES | 1 | \$ | 486.00 | \$ | 486.00 | MC 6.182 REAR TIRE |
| | | SURCHARGE - MICHELIN | 1 | \$ | 260.00 | \$ | 260.00 | |
| 505-1M9 | 6.216 | ALCOA LVL ONE 88565X 22.5X8.25 10-HUB PILOT HD 10-HAND ALUMINUM DISC REAR WHEELS | 1 | \$ | 590.00 | \$ | 590.00 | |

7.0 BRAKE SYSTEM OPTIONS:

| | | | | | | | |
|---------|------|---|---|----|-------|----|-------|
| 490-1AU | 7.9 | WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH | 1 | \$ | 5.00 | \$ | 5.00 |
| 480-088 | 7.11 | WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER | 1 | \$ | 5.00 | \$ | 5.00 |
| 460-007 | 7.14 | ALUMINUM AIR BRAKE RESERVOIRS | 1 | \$ | 96.00 | \$ | 96.00 |
| 477-001 | 7.27 | PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS | 1 | \$ | 5.00 | \$ | 5.00 |

8.0 ENGINE/EXHAUST AND FUEL TANKS OPTIONS:

| | | | | | | | |
|---------|--------|---|-----|----|------------|----|----------|
| 101-3BU | 8.51 | CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM | 1 | \$ | 5,600.00 | \$ | 5,600.00 |
| Code | Spec # | Description | Qty | | 2024 Price | | Subtotal |
| 99D-027 | 8.68 | EPA EMISSIONS CERTIFICATION FOR REGISTRATION OUTSIDE CARB STATES - EPA CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR) | 1 | \$ | 5.00 | \$ | 5.00 |
| 016-1C2 | 8.72 | RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE | 1 | \$ | 488.00 | \$ | 488.00 |
| 239-038 | 8.78 | 11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT | 1 | \$ | 5.00 | \$ | 5.00 |

| | | | | | |
|---------|------------|--|---|-------------|-------------|
| 233-017 | 8.87 | STANDARD CURVE BRIGHT UPPER STACK(S), PER STACK | 1 | \$ 72.00 | \$ 72.00 |
| 237-1CR | 8.91 | RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED | | | |
| | | ROUTED FROM STEP | 1 | \$ 5.00 | \$ 5.00 |
| 242-001 | 8.112 | STAINLESS STEEL AFTERTREATMENT | | | |
| | | DEVICE/MUFFLER/TAILOPIPE SHIELD | 1 | \$ 5.00 | \$ 5.00 |
| 204-195 | 8.147 | 60 GALLON/227 LITER RECTANGULAR ALUMINUM FUEL TANK - | | | |
| | | LH | 1 | \$ 171.00 | \$ 171.00 |
| 218-005 | 8.186 | RECTANGULAR FUEL TANK(S) | 1 | \$ 5.00 | \$ 5.00 |
| 212-011 | 8.191 | FUEL TANK(S) FORWARD - RAISED MOUNTING | 1 | \$ 123.00 | \$ 123.00 |
| | 9.0 | ENGINE RELATED OPTIONS: | | | |
| 103-039 | 9.26 | Extended life anti-freeze | 1 | \$ 2.00 | \$ 2.00 |
| 155-055 | 9.27 | Starter motor options | 1 | \$ 5.00 | \$ 5.00 |
| 014-112 | 9.40 | SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED HIGH | | | |
| | | CAPACITY AIR CLEANER, PASSIVE PRECLEANER, WITH | | | |
| | | INSIDE/OUTSIDE AIR AND SNOW DOOR | 1 | \$ 544.00 | \$ 544.00 |
| 124-1DJ | 9.46 | DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD | | | |
| | | ALTERNATOR WITH REMOTE BATTERY VOLT SENSE | 1 | \$ 72.00 | \$ 72.00 |
| 292-222 | 9.53 | 3 DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, | | | |
| | | MIN 2775CCA, 570RC, THREADED STUD BATTERIES | 1 | \$ 509.00 | \$ 509.00 |
| 290-1AC | 9.65 | PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF | | | |
| | | CAB | 1 | \$ 5.00 | \$ 5.00 |
| 282-013 | 9.70 | BATTERY BOX MOUNTED UNDER PASSENGER SEAT | 1 | \$ 5.00 | \$ 5.00 |
| 289-006 | 9.79 | PLASTIC BATTERY BOX COVER | 1 | \$ 2.00 | \$ 2.00 |
| 128-032 | 9.96 | C-BRAKE BY JACOBS WITH LOW/OFF/HIGH BRAKING DASH | | | |
| | | SWITCH | 1 | \$ 1,354.00 | \$ 1,354.00 |
| 273-059 | 9.99 | ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCOUS | | | |
| | | FAN DRIVE | 1 | \$ 144.00 | \$ 144.00 |
| 122-129 | 9.108 | DAVCO 385 FUEL/WATER SEPARATOR WITH WATER IN FUEL | | | |
| | | SENSOR AND ESOC | 1 | \$ 235.00 | \$ 235.00 |
| 266-109 | 9.115 | 1400 SQUARE INCH VOCATIONAL RADIATOR WITH | | | |
| | | PROTECTION PACKAGE | 1 | \$ 198.00 | \$ 198.00 |
| 360-013 | 9.126 | 1350 ADAPTER FLANGE FOR FRONT PTO PROVISION 1 \$ 786.00 \$ | | | |
| | | TEMRO 1000 WATT/115 VOLT BLOCK HEATER 1 \$ 12.00 \$ 12.00 | | | |
| | | | 1 | \$ 786.00 | \$ 786.00 |
| 166-002 | 9.141 | PHILLIPS-TEMRO 150 WATT/115 VOLT OIL PREHEATER | 1 | \$ 18.00 | \$ 18.00 |
| 140-022 | 9.143 | CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER | | | |
| | | LH DOOR | 1 | \$ 47.00 | \$ 47.00 |

10.0 TRANSMISSION OPTIONS:

| | | | | | |
|---------|--------|---|---|-------------|-------------|
| 35T-001 | 10.5 | Synthetic (TranSynd) lubrication for Automatic Transmission | 1 | \$ - | \$ - |
| 342-582 | 10.8 | ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO | | | |
| | | PROVISION | 1 | \$ 4,049.00 | \$ 4,049.00 |
| 362-823 | 10.68 | CUSTOMER INSTALLED CHELSEA 280 SERIES PTO | 1 | \$ 20.00 | \$ 20.00 |
| 363-001 | 10.170 | PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON | 1 | \$ 56.00 | \$ 56.00 |
| 345-078 | 10.182 | HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, | | | |
| | | COLUMN MOUNTED | 1 | \$ 5.00 | \$ 5.00 |
| 370-006 | 10.188 | WATER TO OIL TRANSMISSION COOLER | 1 | \$ 5.00 | \$ 5.00 |

11.0 ELECTRICAL OPTIONS:

| Code | Spec # | Description | Qty | 2024 Price | Subtotal |
|------|--------|-------------|-----|------------|----------|
| | 11.6 | | 1 | \$ 69.00 | \$ 69.00 |

| | | | | | |
|-----------------|--------|---|---|-----------|-----------|
| 295-029 311- | 11.8 | Remote jump start terminals | 1 | \$ - | \$ - |
| 001 314-824 | 11.15 | OEM daytime running lights | | | |
| | | Switch for snowplow lights mounted on instrumental panel. Includes wiring terminated near headlights, for customer mounted auxiliary snowplow lights. | 1 | \$ 95.00 | \$ 95.00 |
| 721-021 339-005 | 11.19 | 87 DB TO 112 DB SELF-ADJUSTING BACKUP ALARM | 1 | \$ 35.00 | \$ 35.00 |
| 148-072 | 11.22 | AUXILIARY POWER DISTRIBUTION MODULE FOR TEM USE, AUXILIARY EVAUULT MOUNTED, FUSE PROTECTED | 1 | \$ 114.00 | \$ 114.00 |
| 35M-011 | 11.25 | ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS | 1 | \$ 79.00 | \$ 79.00 |
| 6TS-005 | 11.32 | QUICKFIT PROGRAMMABLE INTERFACE MODULE + (4) 20 AMP FUSED RELAYS | 1 | \$ 102.00 | \$ 102.00 |
| 329-129 | 11.35 | TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL | 1 | \$ 5.00 | \$ 5.00 |
| 4C1-025 | 11.67 | FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, BLUNTCUT | 1 | \$ 97.00 | \$ 97.00 |
| 4C2-026 | 11.79 | HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS IGNITION POWER | 1 | \$ 9.00 | \$ 9.00 |
| 4C3-017 | 11.93 | HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER | 1 | \$ 9.00 | \$ 9.00 |
| 4C4-017 | 11.98 | HARDWIRE SWITCH #3,ON/OFF LATCHING, 10 AMPS BATTERY POWER | 1 | \$ 9.00 | \$ 9.00 |
| 48H-002 | 11.103 | HARDWIRE SWITCH #4,ON/OFF LATCHING, 10 AMPS BATTERY POWER | 1 | \$ 9.00 | \$ 9.00 |
| 4CH-006 | 11.107 | QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS | 1 | \$ 9.00 | \$ 9.00 |
| 48C-002 | 11.130 | 6 EXTRA PROGRAMMABLE SWITCHES/INDICATORS | 1 | \$ 56.00 | \$ 56.00 |
| 33M-001 | 11.135 | QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH BLUNTCUTS | 1 | \$ 79.00 | \$ 79.00 |
| 293-058 | 11.190 | AUXILIARY POWER NET DISTRIBUTION BLOCK FOR BODY BUILDER USE | 1 | \$ 23.00 | \$ 23.00 |
| 306-015 | 11.191 | POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT | 1 | \$ 208.00 | \$ 208.00 |
| 353-074 | 11.193 | PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS | 1 | \$ 153.00 | \$ 153.00 |
| 34C-011 | 11.195 | QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS | 1 | \$ 5.00 | \$ 5.00 |
| | 11.198 | ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR | 1 | \$ 73.00 | \$ 73.00 |
| | | | 1 | \$ 49.00 | \$ 49.00 |

12.0 **CAB EXTERIOR OPTIONS:**

| 727-012 | 12.3 | Dual rectangular air horns | 1 | \$ 140.00 | \$ 140.00 |
|-----------------|-------------|--|-----|------------|-----------|
| 74B-114 | 12.4 | Fender mirrors per Spec 12.4 | 1 | \$ 156.00 | \$ 156.00 |
| 754-017 | 12.21 | Front fender extensions | 1 | \$ 68.00 | \$ 68.00 |
| 82A-028 | 12.36 | STAINLESS STEEL CAB ACCENT MOLDING | 1 | \$ 97.00 | \$ 97.00 |
| 678-066 | 12.42 | INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES AND LH AND RH EXTERIOR NON-SLIP GRAB HANDLES | | | |
| 327-028 | 12.59 | SWITCH, INDICATOR LIGHT, WIRING AND 6 FEET OF ADDITIONAL CABLE BACK OF CAB/SLEEPER FOR (2) CUSTOMER FURNISHED BEACONS, FOR ROOF LH/RH BACK OF CAB MOUNTING | 1 | \$ 107.00 | \$ 107.00 |
| 302-073 | 12.73 | VISOR MOUNTED LED MARKER LIGHTS | 1 | \$ 42.00 | \$ 42.00 |
| 294-1AY | 12.87 | INTEGRAL LED STOP/TAIL/BACKUP LIGHTS | 1 | \$ 5.00 | \$ 5.00 |
| 300-061 | 12.101 | LED REAR FACING TURN SIGNAL LAMPS IN CONVEX MIRROR LENS IN ADDITION TO STANDARD | 1 | \$ 16.00 | \$ 16.00 |
| | | | 1 | \$ 5.00 | \$ 5.00 |
| Code | Spec # | Description | Qty | 2024 Price | Subtotal |
| 744-104 | 12.124 | C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, TURN SIGNAL, STAINLESS STEEL BACK COVER, AND BRIGHT C-BAR | 1 | \$ 103.00 | \$ 103.00 |
| 764-020 | 12.156 | STAINLESS STEEL EXTERIOR SUN VISOR WITH INTEGRAL MARKER LIGHTS | 1 | \$ 316.00 | \$ 316.00 |
| 663-038 659-006 | 12.165 | 1-PIECE ROPED-IN TUFGLASS HEATED WINDSHIELD | 1 | \$ 825.00 | \$ 825.00 |
| | 12.166 | 8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR | 1 | \$ 9.00 | \$ 9.00 |
| | 13.0 | CAB INTERIOR OPTIONS: | | | |
| 198-003 864- | 13.9 | Dash mounted air cleaner air restriction gauge | 1 | \$ 15.00 | \$ 15.00 |
| 001 346-003 | 13.11 | Transmission temp gauges | 1 | \$ 56.00 | \$ 56.00 |
| 532-002 | 13.14 | Transmission oil sensor (check & fill) | 1 | \$ 5.00 | \$ 5.00 |
| 707-1C4 | 13.16 | Tilt & telescope steering wheel | 1 | \$ - | \$ - |
| 70K-017 | 13.22 | CHARCOAL BLACK VINYL UP LEVEL INTERIOR | 1 | \$ 109.00 | \$ 109.00 |
| 772-035 | 13.24 | CARBON WITH PREMIUM TEAK ACCENT | 1 | \$ 51.00 | \$ 51.00 |
| 785-032 | 13.26 | BLACK MATS WITH ADDED FLOOR HEAT AND NOISE INSULATION | | | |
| 720-025 | 13.32 | 1 DASH MOUNTED POWER OUTLETS AND (1) DUAL USB CHARGING OUTPUT | 1 | \$ 74.00 | \$ 74.00 |
| 170-045 | 13.53 | 5 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT | 1 | \$ 14.00 | \$ 14.00 |
| 739-034 | 13.65 | STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY | 1 | \$ 35.00 | \$ 35.00 |
| 324-1B2 | 13.69 | PREMIUM INSULATION | | | |
| 64C-002 | 13.72 | PREMIUM LED CAB LIGHTING | 1 | \$ 11.00 | \$ 11.00 |
| 722-028 | 13.80 | BRIGHT DOOR HANDLES | 1 | \$ 425.00 | \$ 425.00 |
| 540-070 | 13.97 | TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB | 1 | \$ 76.00 | \$ 76.00 |
| 765-021 | 13.99 | 4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS | 1 | \$ 14.00 | \$ 14.00 |
| 870-002 160-045 | 13.100 | DRIVER AND PASSENGER INTERIOR SUN VISORS WITH ILLUMINATED VANITY MIRRORS | 1 | \$ 76.00 | \$ 76.00 |
| | 13.109 | BRIGHT ARGENT FINISH GAUGE BEZELS | | | |
| 372-123 | 13.128 | HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH | 1 | \$ 16.00 | \$ 16.00 |
| | | | 1 | \$ 17.00 | \$ 17.00 |

| | | | | | |
|-----------------------------|--------|---|---|-------------|-------------|
| 746-135 | 13.139 | PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE | 1 | \$ 2.00 | \$ 2.00 |
| 75W-001 | 13.183 | AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939 | 1 | \$ 11.00 | \$ 11.00 |
| 78C-003 81Y-005 | 13.203 | HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS | 1 | \$ 5.00 | \$ 5.00 |
| | 13.205 | INTEROPERABLE SDAR ANTENNA | | | |
| 482-001 883- 001 882-021 | 13.217 | PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY | 1 | \$ 44.00 | \$ 44.00 |
| | 13.219 | BW TRACTOR PROTECTION VALVE | 1 | \$ 53.00 | \$ 53.00 |
| 756-319 | 13.224 | TRAILER HAND CONTROL BRAKE VALVE | | | |
| | 13.231 | TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR | 1 | \$ 7.00 | \$ 7.00 |
| | 13.231 | TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR | 1 | \$ 70.00 | \$ 70.00 |
| 760-294 | 13.244 | SEARS ATLAS II DELUXE SERIES HIGH BACK AIR DRIVERS SEAT W/ACTIVE VIBRATION REDUCTION SYSTEM, 4 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND TILT | 1 | \$ 21.00 | \$ 21.00 |
| 757-001 | 13.245 | BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT | 1 | \$ 35.00 | \$ 35.00 |
| | 13.255 | BLACK SUSPENSION COVER FOR AIR DRIVER SEAT | 1 | \$ 1,143.00 | \$ 1,143.00 |
| | | | 1 | \$ 402.00 | \$ 402.00 |
| | | | 1 | \$ 29.00 | \$ 29.00 |

| Code | Spec # | Description | Qty | 2024 Price | Subtotal |
|------|--------|-------------|-----|------------|----------|
| | | | | | \$ 38.00 |
| | | | | | \$ 41.00 |
| | | | | | \$ 5.00 |
| | | | | | \$ 12.00 |

| | | | | | |
|--|--|--|--|--|-----------|
| | | | | | \$ 250.00 |
| | | | | | \$ 41.00 |
| | | | | | \$ 25.00 |
| | | | | | \$ 28.00 |
| | | | | | \$ 76.00 |

\$

131,634.00

| | | | | |
|---------|--------|---|---|----------|
| 759-007 | 13.257 | DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS | 1 | \$ 38.00 |
| 758-138 | 13.268 | BLACK MORDURA CLOTH DRIVER SEAT COVER WITH NO LOGO | 1 | \$ 41.00 |
| 761-138 | 13.275 | BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO | 1 | \$ 5.00 |
| 763-1AA | 13.286 | 3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS | 1 | \$ 12.00 |

14.0 MN/DOT OPTIONS:**15.0 TRAILER TOW OPTIONS:**

| | | | | |
|---------|-------|---|---|-----------|
| 019-006 | 15.1 | Trailer tow package extended to rear of frame | 1 | \$ 250.00 |
| 914-001 | 15.6 | AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS | 1 | \$ 41.00 |
| 296-010 | 15.10 | PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION | 1 | \$ 25.00 |
| 308-024 | 15.15 | SUPPLEMENTAL RECEPTACLE WIRING WITH SWITCHED BATTERY AT CENTER PIN LABELED 'TRLR AUX' | 1 | \$ 28.00 |
| 303-025 | 15.16 | SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME | 1 | \$ 76.00 |

16.0 MANUALS / INTEREST FEE:**17.0 Delivery Charges:****18.0 Maintenance /Body Shop Repair Rate****19.0 Quantity Discounts:****20.0 Next Model Year Upcharges**

Total Cost:



HV507 SFA

Sales Proposal For:

City of Norwood Young America

Presented By:

NORTH CENTRAL INTERNATIONAL, INC.

Prepared For:

City of Norwood Young America
Mark Streich
310 Elm St. W
Norwood Young America, MN 55368-9701
(952)467 - 1800
Reference ID: SA Plow Truck

Presented By:

NORTH CENTRAL INTERNATIONAL, INC.
Tim Lepel
2825 11TH STREET EAST
GLENCOE MN 55336 -
(320)864-8288

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2025 HV507 SFA (HV507)

| | |
|----------------------------------|--|
| AXLE CONFIG: | 4X2 |
| APPLICATION: | Front Plow and Wing with Spreader |
| MISSION: | Requested GVWR: 41000. Calc. GVWR: 41000. Calc. GCWR: 80000 Calc. Start / Grade Ability: 29.72% / 3.31% @ 55 MPH Calc. Geared Speed: 73.5 MPH |
| DIMENSION: | Wheelbase: 171.00, CA: 96.00, Axle to Frame: 53.00 |
| ENGINE, DIESEL: | {Cummins L9 350} EPA 2024, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max) |
| TRANSMISSION, AUTOMATIC: | {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway |
| CLUTCH: | Omit Item (Clutch & Control) |
| AXLE, FRONT NON-DRIVING: | {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity |
| AXLE, REAR, SINGLE: | {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends Gear Ratio: 5.63 |
| CAB: | Conventional, Day Cab |
| TIRE, FRONT: | (2) 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position |
| TIRE, REAR: | (4) 11R22.5 Load Range G HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive |
| SUSPENSION, REAR, SINGLE: | 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs |
| PAINT: | Cab schematic 100WK Location 1: 0311, Omaha Orange (Std) Chassis schematic N/A |

| <u>Code</u> | <u>Description</u> | <u>F/R Wt</u> (lbs) | <u>Tot Wt</u> (lbs) |
|-------------|---|------------------------|------------------------|
| HV50700 | Base Chassis, Model HV507 SFA with 171.00 Wheelbase, 96.00 CA, and 53.00 Axle to Frame. | 5783/3857 | 9640 |
| 1572 | TOW HOOK, REAR (2) | 0/10 | 10 |
| 1ANA | AXLE CONFIGURATION {Navistar} 4x2 | 60/-119 | -59 |
| | <u>Notes</u> : Pricing may change if axle configuration is changed. | | |
| 1CAJ | FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL | 153/258 | 411 |
| 1LLA | BUMPER, FRONT Swept Back, Steel, Heavy Duty | 0/0 | 0 |
| 1MEJ | FRAME DIMPLE Dimple on Left and Right Top Flange of Frame Rail to Reference Rear Axle Centerline | 0/0 | 0 |
| 1WDS | FRAME EXTENSION, FRONT Integral; 20" In Front of Grille | 142/-37 | 105 |
| 1WEV | WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm) | 217/-217 | 0 |
| 2ARZ | AXLE, FRONT NON-DRIVING {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity | 186/0 | 186 |
| 3770 | SPRINGS, FRONT AUXILIARY Rubber | 10/0 | 10 |
| 3ADG | SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 18,000-lb Capacity, with Shock Absorbers | 44/0 | 44 |
| 4091 | BRAKE SYSTEM, AIR Dual System for Straight Truck Applications | 0/0 | 0 |
| | <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6 | | |
| 4732 | DRAIN VALVE {Berg} with Pull Chain, for Air Tank | 0/0 | 0 |
| 4AZA | AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System | 0/0 | 0 |
| 4EBS | AIR DRYER {Bendix AD-9} with Heater | 16/12 | 28 |
| 4EXU | BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake | 0/7 | 7 |
| 4EXV | BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn | 4/0 | 4 |
| 4GBM | BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake | 1/0 | 1 |
| 4LAA | SLACK ADJUSTERS, FRONT {Haldex} Automatic | 14/0 | 14 |
| 4LGA | SLACK ADJUSTERS, REAR {Haldex} Automatic | 0/16 | 16 |
| 4LGR | SLACK ADJUSTER PINS Stainless Steel Slack Adjuster Pins/Cotter Pins on Front and Rear | 0/0 | 0 |
| 4SPA | AIR COMPRESSOR {Cummins} 18.7 CFM | 0/0 | 0 |

| <u>Code</u> | <u>Description</u> | <u>F/R Wt</u> (lbs) | <u>Tot Wt</u> (lbs) |
|-------------|---|------------------------|------------------------|
| 4VKC | AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab | 13/8 | 21 |
| 4VKJ | AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail | -18/26 | 8 |
| 4WBX | DUST SHIELDS, FRONT BRAKE for Air Cam Brakes | 10/0 | 10 |
| 4WDM | DUST SHIELDS, REAR BRAKE for Air Cam Brakes | 0/10 | 10 |
| 4XDR | BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle | 0/52 | 52 |
| 4XDT | BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity | 33/0 | 33 |
| 5708 | STEERING COLUMN Tilting | 13/2 | 15 |
| 5CAW | STEERING WHEEL 4-Spoke; 18" Dia., Black | 0/0 | 0 |
| 5PTB | STEERING GEAR (2) {Sheppard M100/M80} Dual Power | 102/-6 | 96 |
| 6DGC | DRIVELINE SYSTEM {Dana Spicer} SPL170, for 4x2/6x2 | 8/30 | 38 |
| 7BEU | AFTERTREATMENT COVER Aluminum | 8/3 | 11 |
| 7BLW | EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab | 125/51 | 176 |
| 7SCP | ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger | 0/0 | 0 |
| 7WAZ | TAIL PIPE (1) Turnback Type | 5/5 | 10 |
| 7WDM | EXHAUST HEIGHT 10' | 15/12 | 27 |
| 7WDN | MUFFLER/TAIL PIPE GUARD (1) Aluminum | 9/7 | 16 |
| 8000 | ELECTRICAL SYSTEM 12-Volt, Standard Equipment | 0/0 | 0 |
| | <u>Includes</u> | | |
| | : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab | | |
| | : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel | | |
| | : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever | | |
| | : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light | | |
| | : STARTER SWITCH Electric, Key Operated | | |
| | : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector | | |
| | : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature | | |
| | : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever | | |
| | : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted | | |
| | : WIRING, CHASSIS Color Coded and Continuously Numbered | | |
| 8518 | CIGAR LIGHTER Includes Ash Cup | 1/0 | 1 |
| 8GXD | ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense | 0/0 | 0 |
| 8HAB | BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn | 2/0 | 2 |

| <u>Code</u> | <u>Description</u> | <u>F/R Wt</u> (lbs) | <u>Tot Wt</u> (lbs) |
|-------------|---|------------------------|------------------------|
| 8HAG | ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Separate Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket | 0/2 | 2 |
| 8MSG | BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud | 23/30 | 53 |
| 8RGA | 2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab | 2/0 | 2 |
| 8RMZ | SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars | 5/3 | 8 |
| 8RPP | ANTENNA Shark Fin, Roof Mounted | 1/0 | 1 |
| 8RPS | RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input | 3/0 | 3 |
| 8THB | BACK-UP ALARM Electric, 102 dBA | 0/3 | 3 |
| 8THJ | AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications | 2/0 | 2 |
| 8TKK | TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/ Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch | 1/0 | 1 |
| 8VAY | HORN, ELECTRIC Disc Style | 0/0 | 0 |
| 8VUL | BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab | -35/12 | -23 |
| 8WPH | CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade | 0/0 | 0 |
| 8WPZ | TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights | 0/0 | 0 |
| 8WTK | STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection | 8/1 | 9 |
| 8WWJ | INDICATOR, LOW COOLANT LEVEL with Audible Alarm | 0/0 | 0 |
| 8XAH | CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses | 0/0 | 0 |
| 8XGT | TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender | 0/0 | 0 |
| 8XHD | BATTERY DISCONNECT SWITCH 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Cab Mounted | 2/0 | 2 |
| 8XHN | HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord | 3/0 | 3 |
| 8XNY | HEADLIGHTS Halogen | 0/0 | 0 |
| 8XPN | USB PORT One USB-A Port and One USB-C Port, Located in Instrument Panel | 0/0 | 0 |
| 9585 | FENDER EXTENSIONS Rubber | 6/0 | 6 |
| 9AAB | LOGOS EXTERIOR Model Badges | 0/0 | 0 |
| 9AAE | LOGOS EXTERIOR, ENGINE Badges | 0/0 | 0 |
| 9ANG | HOOD, HATCH (01) for Servicing | 5/0 | 5 |
| 9HAN | INSULATION, UNDER HOOD for Sound Abatement | 10/0 | 10 |

| <u>Code</u> | <u>Description</u> | <u>F/R Wt</u> (lbs) | <u>Tot Wt</u> (lbs) |
|-------------|---|------------------------|------------------------|
| 9HBM | GRILLE Stationary, Chrome | 0/0 | 0 |
| 9HBN | INSULATION, SPLASH PANELS for Sound Abatement | 2/0 | 2 |
| 9WAC | BUG SCREEN Mounted Behind Grille | 5/0 | 5 |
| 9WBC | FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV | 0/0 | 0 |
| 10021 | CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails | 0/0 | 0 |
| 10060 | PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WK" | 0/0 | 0 |
| 10761 | PAINT TYPE Base Coat/Clear Coat, 1-2 Tone | 0/0 | 0 |
| 10AGB | COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360 | 1/0 | 1 |
| 10SLV | PROMOTIONAL PACKAGE Government Silver Package | 0/0 | 0 |
| 11001 | CLUTCH Omit Item (Clutch & Control) | 0/0 | 0 |
| 12703 | ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection | 0/0 | 0 |
| 12849 | BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door | 3/0 | 3 |
| 12851 | PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted | 10/0 | 10 |
| 12EYY | ENGINE, DIESEL {Cummins L9 350} EPA 2024, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max) | 559/5 | 564 |
| 12THT | FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon | 0/0 | 0 |
| 12UWY | RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber | 0/0 | 0 |
| 12VAG | AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control | 2/0 | 2 |
| 12VJS | EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2024 | 0/0 | 0 |
| 12VXV | THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel | 2/0 | 2 |
| 12VYL | ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use | 0/0 | 0 |

| <u>Code</u> | <u>Description</u> | <u>F/R Wt</u> (lbs) | <u>Tot Wt</u> (lbs) |
|-------------|--|------------------------|------------------------|
| 12WVH | EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Door | 0/0 | 0 |
| 12WZE | CARB IDLE COMPLIANCE Does Not Comply with California Clean Air Idle Regulations | 0/0 | 0 |
| 12XBM | ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines | 0/0 | 0 |
| 12XCS | CARB EMISSION WARR COMPLIANCE Does Not Comply with CARB Emission Warranty | 0/0 | 0 |
| 13BCS | TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway | 203/80 | 283 |
| 13WAW | OIL COOLER, TRANSMISSION {Modine} Water to Oil Type | 25/0 | 25 |
| 13WET | TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission | 1/0 | 1 |
| 13WLP | TRANSMISSION OIL Synthetic; 29 thru 42 Pints | 0/0 | 0 |
| 13WUA | AUTOMATIC NEUTRAL Allison Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged, with On/Off Switch | 0/0 | 0 |
| 13WUS | ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Package Number 223, Modified for Single Input Auto Neutral | 0/0 | 0 |
| 13WVV | NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released | 0/0 | 0 |
| 13WYH | TRANSMISSION TCM LOCATION Located Inside Cab | 0/0 | 0 |
| 13WYU | SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming | 0/0 | 0 |
| 13XAL | PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission | 0/0 | 0 |
| 14ARB | AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends . Gear Ratio: 5.63 | 0/228 | 228 |
| 14VAJ | SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs | 0/132 | 132 |
| 15LNS | FUEL/WATER SEPARATOR {Racor 400 Series} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine | 0/-5 | -5 |
| 15SGG | FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L), Mounted Left Side, Under Cab | 7/10 | 17 |
| 15WDG | DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab | 0/0 | 0 |
| 16030 | CAB Conventional, Day Cab | 0/0 | 0 |
| 16ATC | AUTOMATIC CLIMATE CONTROL Automatically Maintains Cabin Comfort Based on Selected Temperature | 0/0 | 0 |
| 16BAM | AIR CONDITIONER with Integral Heater and Defroster | 0/0 | 0 |
| 16GED | GAUGE CLUSTER Base Level; English with English Electronic Speedometer | 0/0 | 0 |

| <u>Code</u> | <u>Description</u> | <u>F/R Wt</u> (lbs) | <u>Tot Wt</u> (lbs) |
|-------------|---|------------------------|------------------------|
| | <u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/ Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary) | | |
| 16HGH | GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission | 1/0 | 1 |
| 16HKT | IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster | 0/0 | 0 |
| 16JNV | SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust | 0/0 | 0 |
| 16SDZ | MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Side, Bright, 7.5" Sq. | 11/0 | 11 |
| 16SEE | GRAB HANDLE, EXTERIOR Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar | 3/0 | 3 |
| 16SMM | SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth | 14/9 | 23 |
| 16SNT | MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Turn Signals, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width | 0/0 | 0 |
| | <u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5" | | |
| 16VKK | CAB INTERIOR TRIM Diamond, for Day Cab | 6/1 | 7 |
| | <u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted : SUN VISOR (3) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side | | |
| 16VLV | MONITOR, TIRE PRESSURE Omit | -9/-2 | -11 |
| 16WBY | ARM REST, RIGHT, DRIVER SEAT | 3/0 | 3 |
| 16WJU | WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature | 0/0 | 0 |
| 16WLS | FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood | 0/0 | 0 |
| 16WSK | CAB REAR SUSPENSION Air Bag Type | 0/0 | 0 |
| 16XJN | INSTRUMENT PANEL Flat Panel | 0/0 | 0 |
| 16XWJ | WINDSHIELD WIPER BLADES Winter Type | 2/0 | 2 |

| <u>Code</u> | <u>Description</u> | <u>F/R Wt</u> (lbs) | <u>Tot Wt</u> (lbs) |
|--------------------------------|---|---------------------------|------------------------|
| 16XXC | COWL TRAY LID | 7/4 | 11 |
| 16ZBT | ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab | 0/0 | 0 |
| 27DUL | WHEELS, FRONT {Accuride 29300} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs | 72/0 | 72 |
| 28DTT | WHEELS, REAR {Accuride 28828} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs | 0/28 | 28 |
| 29WAP | WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel | 0/0 | 0 |
| 29WAR | WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels | 0/0 | 0 |
| 60AAG | BDY INTG, REMOTE POWER MODULE Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches | 0/0 | 0 |
| 7372135444 | (4) TIRE, REAR 11R22.5 Load Range G HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive | 0/20 | 20 |
| 7792545437 | (2) TIRE, FRONT 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position | 62/0 | 62 |
| Services Section: | | | |
| 40128 | WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A | 0/0 | 0 |
| Total Component Weight: | | 7984/4548 (lbs) | 12532 (lbs) |
| Winterfront | | 0/0 | 0 |
| Total Goods Purchased: | | 0/0 | 0 |

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

| <u>Description</u> | <u>(US DOLLAR)</u> | <u>Price</u> |
|--|--------------------|--------------|
| Net Sales Price: | | \$108,513.65 |
| Memo Item(s): | | |
| Total Federal Excise Tax | \$0.00 | |
| Note: Memo item(s) shown here are included in the above Net Sales Price. | | |

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

NORTH CENTRAL INTERNATIONAL, INC.
2825 11TH STREET EAST
GLENCOE MN 55336 -
(320)864-8288

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.



TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355
 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517
 TOWMASTERTRUCK.COM

Reference No.
 QT 77610

**** QUOTATION ****

| | | | | |
|--|----------------------|--|--|--|
| Ship To: NORWOOD YOUNG AMERICA, CITY OF 24 - 3RD AVE SE | Cust: 2934 | Phone: NORWOOD YOUNG AMERICA, CITY OF P.O. BOX 59 310 ELM STREET W | Bill To: NORWOOD YOUNG AMERICA, CITY OF P.O. BOX 59 310 ELM STREET W | Phone: NORWOOD YOUNG AMERICA, CITY OF P.O. BOX 59 310 ELM STREET W |
| NORWOOD YOUNG AMERICA | MN 55368 | USA | NORWOOD YOUNG AMERICA | MN 55368 |

ATTN: Randy Clay

| PO# | Salesman | Terms | Created | Last Revised | Appx Comp |
|-----|--------------|-------------|---------|--------------|-----------|
| | JOSH PAULSON | NET 30 DAYS | 2/09/23 | 3/22/24 | 0/00/00 |

Serial No. [REDACTED]

Order Comments: STATE OF MN CONTRACT # 222949 AMENDED Build Instructions
 VALID THRU 02/28/25 Other Instructions F.O.B. LITCHFIELD, MN -OR- CURSTOMERS W/FUEL CHARGES ONLY

| Qty | Part No. | Description | Price Ea. | Net Amt. |
|-----|----------|---|-------------|-------------|
| 1 | 9900120 | Body 11'0" EDGE-RS/SCIS-46-36-36 - - 46" 7 ga Stainless Front, 36" 7 ga Stainless radius sides (No Pockets), 36" 7 ga St ainless Tailgate w/Hardox-450 Face, 1/4" Hardox-450 Floor, 8" I-Beam Longsills, Air-trip ready linkage, Underside Black | \$23,143.00 | \$23,143.00 |
| 1 | 9901701 | Installation of Dump Body to hoist | \$2,262.00 | \$2,262.00 |
| 1 | 9900145 | Body acc'y TMFE Air trip kit, w/solenoid valve, | \$399.00 | \$399.00 |
| 1 | 9901702 | Installation of air operated tailgate latch kit, with solenoid valve in hydraulic valve enclosure. | \$425.00 | \$425.00 |
| 1 | 9900147 | Body acc Box Vibrator - Cougar model DC3200 | \$796.00 | \$796.00 |
| 1 | 9901703 | Installation of Box Vibrator, with solenoid located in hydraulic valve enclosure. | \$496.00 | \$496.00 |
| 1 | 9906172 | Cabshield, 1/2 type Stationary Free-Standing style, for VERTICAL VALVE w/plain STAINLESS STEEL canopy, Hot-Dipped Galvanized Modular Channel support stand, Slotted Center Viewing Window, (2) shovel holders, & reservior mounts, Installed. | \$4,805.00 | \$4,805.00 |

Price: Total

Discounts:

Net Cost:

Freight

Total:

Accepted by

Date



TOWMASTER. 61381 US HWY 12, LITCHFIELD, MN 55355
 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517
 TOWMASTERTRUCK.COM

Reference No.
 QT 77610

**** QUOTATION ****

Ship To: Cust: 2934 Phone:
 NORWOOD YOUNG AMERICA, CITY OF
 24 - 3RD AVE SE

Bill To: Phone:
 NORWOOD YOUNG AMERICA, CITY OF
 P.O. BOX 59
 310 ELM STREET W

| | | |
|--|----------|----------|
| 1 9900207 - Ladder Flip-A-Way Access ladder (STAINLESS STEEL) Including Grab Handle above, and Interior Step, ea, Installed | \$827.00 | \$827.00 |
|--|----------|----------|

SPECIFY LOCATION HERE:

| | | |
|--|----------|----------|
| 1 9900211 - Body acc'y Dual "split" sander manifolds in rear corner posts | \$534.00 | \$534.00 |
|--|----------|----------|

--- Continued ---

| | | |
|--|----------|----------|
| 1 9900214 - Body acc'y Tailgate LEVER TOP PIN release (Single Axle bodies only) | \$852.00 | \$852.00 |
|--|----------|----------|

| | | |
|--|------------|------------|
| 1 9904963 - Light Warning TMTE1SSM-3 PKG: 1/2 A 1/2 B, (2) SS 23H 3-light LED Micro-Edge, 2) 5M-400 Super-LED, (2) Side TIR3 LED, (2) 400 Max B-T-T LED, & (2) 400 LED BU Lights, in Stainless M Housings, (1) TIR3 LED Wing light, and (2) 4" LED work lights Installed. NOTE: Blue Lights positioned on RH Front & LH Rear, with flash pattern set to WIG-WAG. | \$5,111.00 | \$5,111.00 |
|--|------------|------------|

| | | |
|---|------------|------------|
| 1 9905130 - Light Turn & STT on Cabshield Corners | \$1,279.00 | \$1,279.00 |
|---|------------|------------|

| | | |
|--|----------|----------|
| 1 9900257 - Light acc'y LED LEVEL 1 (ie: Sander Type) work light with disconnect Installed Installed _____, for _____ usage. | \$436.00 | \$436.00 |
|--|----------|----------|

| | | |
|---|------------|------------|
| 1 9900266 - Fender set Minimizer MIN2261, for Single Axle, black Poly, Installed | \$1,195.00 | \$1,195.00 |
|---|------------|------------|

Accepted by _____

Date _____



TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355
 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517
 TOWMASTERTRUCK.COM

Reference No.
 QT 77610

**** QUOTATION ****

| | | | | |
|---|--------------------------------------|-------------------------------------|--|---|
| Ship To: NORWOOD YOUNG AMERICA, CITY OF 24 - 3RD AVE SE NORWOOD YOUNG AMERICA MN 55368 USA | Cust: 2934 MN 55368 | Phone: CITY OF USA | Bill To: NORWOOD YOUNG AMERICA, CITY OF P.O. BOX 59 310 ELM STREET W NORWOOD YOUNG AMERICA MN 55368 | Phone: MN 55368 |
|---|--------------------------------------|-------------------------------------|--|---|

ATTN: Randy Clay

| PO# | Salesman | Terms | Created | Last Revised | Appx Comp |
|------------|--|-------------|---------|--------------|------------|
| | JOSH PAULSON | NET 30 DAYS | 2/09/23 | 3/22/24 | 0/00/00 |
| Serial No. | | | | | |
| PO# | Salesman | Terms | Created | Last Revised | Appx Comp |
| | JOSH PAULSON | NET 30 DAYS | 2/09/23 | 3/22/24 | 0/00/00 |
| Serial No. | | | | | |
| 1 | 9900290 - Tool Box PRO-TECH Alum 18" x 18" x 24" tool box & Brackets Installed | | | \$1,317.00 | \$1,317.00 |
| 1 | 9904691 - INSTALLATION of (Initial) Single camera system **NOTE: MOUNTED ON RH STROBE TUBE, FOR WING VIEWING USAGE, WIRED AS DEFAULT | | | \$426.00 | \$426.00 |
| 1 | 9904692 - Camera System option, NORTECH 9100-2HC 120 degree night vision CCD weather-proof HEATED camera, only GEN 5 6100 | | | \$182.00 | \$182.00 |
| 1 | 9904693 - Camera System option, Harness, 65' Waterproof GEN 5 6100 | | | \$118.00 | \$118.00 |
| 1 | 9905501 - PreCise ARC Sensor Kit #1125402, Wired (No Display), for use w/existing RW Display or 6100 Display (Includes M8 cable) | | | \$715.00 | \$715.00 |

--- Continued ---

Price:
 Total Discounts:
 Net Cost:

Freight
 Total:

Price: Total
 Discounts:
 Net Cost:
 Freight
 Total:

Accepted by _____ Date _____



TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355
 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517
 TOWMASTERTRUCK.COM

Reference No.
 QT 77610

**** QUOTATION ****

| | | | | |
|--|----------------------|--------------------------|--|---------------|
| Ship To: NORWOOD YOUNG AMERICA, CITY OF 24 - 3RD AVE SE | Cust: 2934 | Phone: CITY OF | Bill To: NORWOOD YOUNG AMERICA, CITY OF P.O. BOX 59 310 ELM STREET W | Phone: |
| NORWOOD YOUNG AMERICA | MN 55368 | USA | NORWOOD YOUNG AMERICA | MN 55368 |

ATTN: Randy Clay

| | | |
|--|-------------|-------------|
| 1 9905502 - PreCise ARC Sensor Mount #1126929, only GEN 5 6100 | \$60.00 | \$60.00 |
| 1 9900299 - Pre-Wet Towmaster/Varitech LDS-TMR-110-EGF Body Side Mt Sys for Elliptical body. (2) 55 gal tanks, mtg hdwe, plumbing, Elec Gravity Feed valve | \$3,427.00 | \$3,427.00 |
| 1 9902483 - Installation of TMR pre-wet system (New Towmaster Body) | \$1,275.00 | \$1,275.00 |
| 1 9905480 - Pre-Wet SS Prewet Distribution Pipe Thru Sander | \$631.00 | \$631.00 |
| 1 9901834 - Hoist Towmaster 720DH, Double Acting, W/Solid block rear hinge point, & OSHA approved saftey props | \$5,526.00 | \$5,526.00 |
| 1 9901712 - Installation of SCISSORS TYPE double acting hoist | \$2,373.00 | \$2,373.00 |
| 1 9902928 - Scraper FALLS IBR-11A 1" MoldBoard LESS CUTTING EDGES | \$13,738.00 | \$13,738.00 |
| 1 9901707 - Installation of underbody REVERSIBLE scraper | \$4,375.00 | \$4,375.00 |
| 1 9904232 - Scraper FORCE Electric pressure transmitter to read on LCD screen, installed | \$429.00 | \$429.00 |
| 1 9900351 - Scraper FORCE reverse/Auto-Lift system, ADD-A-FOLD valve, installed | \$966.00 | \$966.00 |
| 1 9902941 - Wing Falls RHSDL9A-HYDPB Primed LESS CUTTING EDGES | \$14,180.00 | \$14,180.00 |
| 1 9900388 - Installation Falls SDL Series Wing - w/Bulkhead Couplers | \$6,426.00 | \$6,426.00 |
| 1 9901431 - Wing Falls RL (REAR LIFT) up charge SDL WING | \$626.00 | \$626.00 |
| 1 9904688 - Wing Falls POST-LESS Toe Lift in lieu of Std Front post/slide system | | |

Accepted by

Date



TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355
 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517
 TOWMASTERTRUCK.COM

Reference No.
 QT 77610

**** QUOTATION ****

Ship To: **Cust:** **2934 Phone:**
 NORWOOD YOUNG AMERICA, CITY OF
 24 - 3RD AVE SE

Bill To: **Phone:**
 NORWOOD YOUNG AMERICA, CITY OF
 P.O. BOX 59
 310 ELM STREET W

--- Continued ---

Accepted by

Date

Price: Total

Discounts:

Net Cost:

Freight

Total:



TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355
 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517
 TOWMASTERTRUCK.COM

Reference No.
 QT 77610

**** QUOTATION ****

Ship To: Cust: 2934 Phone:
 NORWOOD YOUNG AMERICA, CITY OF
 24 - 3RD AVE SE

Bill To: Phone:
 NORWOOD YOUNG AMERICA, CITY OF
 P.O. BOX 59
 310 ELM STREET W

NORWOOD YOUNG AMERICA MN 55368 USA

NORWOOD YOUNG AMERICA MN 55368

ATTN: Randy Clay

| PO# | Salesman | Terms | Created | Last Revised | Appx Comp |
|------------|--------------|---|---------|--------------|------------|
| | JOSH PAULSON | NET 30 DAYS | 2/09/23 | 3/22/24 | 0/00/00 |
| Serial No. | | | | | |
| 1 | 9900477 | - Wing Falls Hwy Orange - Paint Moldboard | | \$447.00 | \$447.00 |
| 1 | 9900567 | - Plow Hitch Falls 46XB2/STD/STD/SA/SPR-RET/HITCH | | \$3,195.00 | \$3,195.00 |
| 1 | 9900589 | - Installation Falls Plow Hitch - 40 Series 3Line/STDBLKHD | | \$2,532.00 | \$2,532.00 |
| 1 | 9900625 | - Plow Push Unit Falls 24/44 Series Std | | \$1,265.00 | \$1,265.00 |
| 1 | 9900637 | - Plow Falls High Visibility Marker Set | | \$151.00 | \$151.00 |
| 1 | 9900638 | - Plow Falls Level-Lift/Assembly | | \$259.00 | \$259.00 |
| 1 | 9900639 | - Plow Falls Rubber Belt Deflector Kit - Installed | | \$489.00 | \$489.00 |
| 1 | 9900641 | - Plow Falls Parking Stand - Screw Adj Style | | \$377.00 | \$377.00 |
| 1 | 9903057 | - Plow Falls PR1243/SPR-TRP/NOSHU/PRI-E1/10GA LESS CUTTING EDGES | | \$9,341.00 | \$9,341.00 |
| 1 | 9900682 | - Plow Falls Red Paint, Rev Flow, w/installation | | \$594.00 | \$594.00 |
| 1 | 9903276 | - VBL PolarFlex 3' Underchassis Complete System (includes bolts & nuts) | | \$865.00 | \$865.00 |
| 2 | 9903277 | - VBL PolarFlex 4' Underchassis Complete System (includes bolts & nuts) | | \$1,154.00 | \$2,308.00 |

Price: Total

Discounts:

Accepted by

Date

Net Cost:

Freight

Total:



TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355
 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517
 TOWMASTERTRUCK.COM

Reference No.
 QT 77610

**** QUOTATION ****

Ship To: Cust: 2934 Phone:
 NORWOOD YOUNG AMERICA, CITY OF
 24 - 3RD AVE SE

Bill To: Phone:
 NORWOOD YOUNG AMERICA, CITY OF
 P.O. BOX 59
 310 ELM STREET W

1 9904801 - VBL V45-PF-HFR Hard Faced Wrap-Around Curb Runner, RH \$243.00 \$243.00
 PolarFlex, New Style

1 9904802 - VBL V45-PF-HFL Hard Faced Wrap-Around Curb Runner, LH \$243.00 \$243.00
 PolarFlex, New Style

--- Continued ---

NORWOOD YOUNG AMERICA MN 55368 USA NORWOOD YOUNG AMERICA MN 55368

ATTN: Randy Clay

| PO# | Salesman | Terms | Created | Last Revised | Appx Comp |
|-----|--------------|-------------|---------|--------------|-----------|
| | JOSH PAULSON | NET 30 DAYS | 2/09/23 | 3/22/24 | 0/00/00 |

Serial No.
 3 9902827 - VBL PolarFlex 4' Front Mount Complete System (includes \$1,081.00 \$3,243.00
 bolts & nuts)

3 9902818 - VBL Vallite HIGHWEAR Fab Wing Blade, 5/8" x 6" x 3' \$233.00 \$699.00

1 9900757 - Hitch TMTE Heavy Duty plate assembly, \$723.00 \$723.00

1 9901716 - Hitch Installation of Pup Hitch (weld in style) & Mn Dot \$1,132.00 \$1,132.00
 Predrilled

****NOTE: HITCH PLATE FACE TO BE LOCATED:
 _____ IN REFERENCE TO REAR TIRE FACE.**

1 9900764 - Hitch PREMIER 2300 Air Cushion Pintle, installed \$1,235.00 \$1,235.00
****NOTE: _____ " Ground to saddle of hook.**

1 9902494 - Hitch 7 Contact RV (flat pin) socket installed \$230.00 \$230.00

Price: Total

Discounts:

Net Cost:

Freight

Total:

Accepted by

Date



TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355
 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517
 TOWMASTERTRUCK.COM

Reference No.
 QT 77610

**** QUOTATION ****

| | | | | |
|--------------------------------|--------------------------------|--------------------|--------------------------------|---------------|
| Ship To: | Cust: | 2934 Phone: | Bill To: | Phone: |
| NORWOOD YOUNG AMERICA, CITY OF | NORWOOD YOUNG AMERICA, CITY OF | | NORWOOD YOUNG AMERICA, CITY OF | |
| 24 - 3RD AVE SE | | | P.O. BOX 59 | |
| | | | 310 ELM STREET W | |

| | | |
|---|------------|------------|
| 1 9902495 - Hitch Electronic Brake controller w/wiring to rear socket, installed in cab of truck | \$640.00 | \$640.00 |
| 1 9900773 - Hitch Furnish and install gladhands on truck | \$270.00 | \$270.00 |
| 1 9906369 - Sander Falls MN91A-4P-1D-2SL-LM MNDOT 9", SS Unit, LH & RH Discharge, Dual HEIGHT ADJ Poly Spinner Ass'y extra salt shields, Mtg Hdwe, Complete | \$8,589.00 | \$8,589.00 |
| 1 9901722 - Sander Install dual spinner w/uni-directional reversible auger & dual manifolds RH & LH rear | \$1,608.00 | \$1,608.00 |
| 1 1917108 - Sander Towmaster Stainless Steel (optional) salt shield | \$57.00 | \$57.00 |
| 1 9906338 - LOWER CLIP ADDER FOR MN DOT FLOW PLATE FOR SINGLE AXEL PARTS #S 2025640 AND 2025641 | \$332.00 | \$332.00 |

--- Continued ---

| | | | | |
|-----------------------|----------|-----|-----------------------|----------|
| NORWOOD YOUNG AMERICA | MN 55368 | USA | NORWOOD YOUNG AMERICA | MN 55368 |
|-----------------------|----------|-----|-----------------------|----------|

ATTN: Randy Clay

| PO# | Salesman | Terms | Created | Last Revised | Appx Comp |
|-----|--------------|-------------|---------|--------------|-----------|
| | JOSH PAULSON | NET 30 DAYS | 2/09/23 | 3/22/24 | 0/00/00 |

| Serial No. | Description | Price | Total |
|---|-------------|-------------|-------|
| 1 9901348 - Sander TMTE Exterior Bolt-On Sander/Tailgate Spill Plates, Stainless Steel, Mill Finish | \$1,057.00 | \$1,057.00 | |
| 1 9900852 - Valve System, Force Add-A-Fold MCV-ISO Valve 10 Functions, INSTALLED HOIST, PLOW LIFT, PLOW STEER, SCRAPER LIFT, SCRAPER ANGLE, WING TOE, | \$19,617.00 | \$19,617.00 | |

Price: Total

Discounts:

Accepted by

Date

Net Cost:

Freight

Total:



TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355
 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517
 TOWMASTERTRUCK.COM

Reference No.
 QT 77610

**** QUOTATION ****

| | | | | |
|------------------------|------------------------|--------------------|------------------------|---------------|
| Ship To: | Cust: | 2934 Phone: | Bill To: | Phone: |
| NORWOOD YOUNG AMERICA, | NORWOOD YOUNG AMERICA, | CITY OF | NORWOOD YOUNG AMERICA, | CITY OF |
| 24 - 3RD AVE SE | | | P.O. BOX 59 | |
| | | | 310 ELM STREET W | |

WING HEEL, WING PUSH-BAR, AUGER R/L , SPINNER R/L, PRE-WET

| | | | |
|---|---|-------------|-------------|
| 1 | 9902497 - Control System Force ULTRA-4-6100 Commander control, Installed | \$15,168.00 | \$15,168.00 |
| 1 | 9906311 - Control Add-on Force Slurry Feedback, Harnesses | \$591.00 | \$591.00 |
| 1 | 9900882 - Reservoir TMTE 31 Gal Cabshield mt (stainless steel) w/intank filter for system, installed | \$4,641.00 | \$4,641.00 |
| 1 | 9900891 - Pump Force TXV92 (5.6 ci) Pump, 280 HOT SHIFT PTO for Allison Trans, w/Elec shut down installed | \$7,896.00 | \$7,896.00 |
| 1 | 9900936 - Valve Force ADDER for VERTICAL valve enclosure in lieu of standard | \$1,033.00 | \$1,033.00 |
| 1 | 9900871 - Switch TMTE BODY UP Installed (electric controls only) | \$258.00 | \$258.00 |
| 1 | 9900884 - Sensor Force Low oil indicator system, SLIM-LINE AND CABSHIELD MOUNTED w/light mounted in cab, installed | \$317.00 | \$317.00 |
| 1 | 9904927 - STAINLESS STEEL Hydraulic Piping (10) 1/2" pressure line KIT, w/short hose extensions, UPGRADE | \$4,141.00 | \$4,141.00 |
| 1 | 9905014 - Hydraulic Valve Hose Guard installed | \$389.00 | \$389.00 |

--- Continued ---

| | | | | |
|-----------------------|----------|-----|-----------------------|----------|
| NORWOOD YOUNG AMERICA | MN 55368 | USA | NORWOOD YOUNG AMERICA | MN 55368 |
|-----------------------|----------|-----|-----------------------|----------|

ATTN: Randy Clay

Price: Total

Discounts:

Net Cost:

Freight

Total:

Accepted by

Date



TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355
 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517
 TOWMASTERTRUCK.COM

Reference No.
 QT 77610

**** QUOTATION ****

Ship To: Cust: 2934 Phone:
 NORWOOD YOUNG AMERICA, CITY OF
 24 - 3RD AVE SE

Bill To: Phone:
 NORWOOD YOUNG AMERICA, CITY OF
 P.O. BOX 59
 310 ELM STREET W

| PO# | Salesman | Terms | Created | Last Revised | Appx Comp |
|------------|--------------|-------------|---------|--------------|-----------|
| | JOSH PAULSON | NET 30 DAYS | 2/09/23 | 3/22/24 | 0/00/00 |
| Serial No. | | | | | |

1 WARRANTY - TOWMASTER EXCLUSIVE WARRANTY: 5 yr Steel/Stainless Steel

Body Structure; 5 yr Whelen LED Light Systems;

4 yr SwapLoader Hoists; 1 year Swenson Spreaders, 2 yr Hyd, FALLS

Snow Equip, Tele/Scissor Hoists, and all other items.

| | | |
|--|----------|----------|
| 1 9903654 - LIGHT FORCE 170MM RMDL170HT 12V 12V 100w Xenophot Halogen (pair) | \$429.00 | \$429.00 |
|--|----------|----------|

| | | |
|--|----------|----------|
| 1 9903676 - LIGHT FORCE Installation of "PAIR" of lights as per spec 6.5 | \$284.00 | \$284.00 |
|--|----------|----------|

| | | |
|--|---------|---------|
| 1 9904917 - LIGHT FORCE BLUE COVER FBLUSWSFD | \$29.00 | \$29.00 |
|--|---------|---------|

| | | |
|--|------------|------------|
| 1 9906223 - Varitech Direct Slurry Closed Loop Power Unit Only (NO CONTROL), SEE HYDRAULICS FOR required extra valve section | \$3,675.00 | \$3,675.00 |
|--|------------|------------|

\$199,942.00

\$199,942.00

\$199,942.00

Price: Total

Discounts:

Net Cost:

Freight

Total:

Accepted by

Date

General Terms and Conditions for the Sale of Goods by Subsidiaries of ASH North America, Inc

1. SCOPE AND VALIDITY

1.1. These General Terms and Conditions for the Sale of Goods (these "Terms") govern the sale and delivery of all goods and products (the "Products"), and all transactions incidental thereto, by such subsidiary of ASH North America, Inc. identified on the respective Confirmed Order (as defined below) as the seller or supplier ("Seller") to any of its customers (each a "Customer"). The liability of each such subsidiary under these Terms or any Confirmed Order shall be several and not joint. Customer acknowledges and agrees that nothing in these Terms or any Confirmed Order shall be construed as implying joint liability in any case of ASH North America, Inc. or any of its subsidiaries. Each Seller shall be solely responsible for its own acts or omissions under the respective agreement with Customer.

1.2. No other terms or conditions shall be of any force or effect unless otherwise specifically agreed upon by Seller in a writing duly executed by an authorized officer of Seller. These Terms supersede any and all prior oral quotations, communications, agreements, or understandings of the parties in respect to the sale and delivery of the Products. The Seller may issue additional Terms and Conditions of Sale for certain products. These shall apply in addition to the present Terms. Any additional or different terms or conditions contained in Customer's Order (as defined below), response to Seller's confirmation, or any other form or document supplied by Customer are hereby expressly rejected and are rendered null, void, and of no effect. These Terms may not be modified, amended, waived, superseded, or rescinded, except by written agreement signed by an authorized officer of Seller. Delivery of the Products by Seller does not constitute acceptance of any of Customer's terms and conditions and do not serve to modify or amend these Terms.

1.3. The issuance of an Order (as defined below) by Customer to Seller or any communication or conduct of Customer which confirms an agreement for the delivery of Products by Seller, as well as acceptance in whole or in part by Customer of any delivery of Products by Seller, shall be construed as Customer's acceptance of these Terms.

2. OFFERS, ORDERS AND CONFIRMATION

2.1. Unless otherwise specified by Seller in writing, all offers made by Seller are not binding and may be revoked by Seller at any time without any liability to Customer.

2.2. Customer shall issue to Seller orders for the purchase of Products, in written form via the order process determined by Seller from time to time (each, an "Order"). By issuing an Order to Seller, Customer makes an offer to purchase the Products pursuant to these Terms and the terms set forth on such Order. Provided that the Order contains the same terms as in Seller's corresponding offer, the Order shall be binding on Customer for six (6) weeks after Seller's receipt of such Order.

2.3. Seller may refuse an Order for any or no reason. No Order is binding upon Seller until Seller's acceptance of the Order in writing, the issuance of any governmental permit, license, or authority to Seller, as may be required under applicable laws, rules and regulations, and the receipt by Seller of a resale license to be provided by Customer (a "Confirmed Order").

2.4. Specifications and other information on drawings, data sheets, pictures, plans, brochures, catalogs, or Seller's website shall not be binding on Seller unless such specifications and information have been agreed to in writing by Seller in a Confirmed Order. Notwithstanding a Confirmed Order, Seller shall have no obligation to deliver Products to Customer or otherwise fulfill any of its obligations set forth in a Confirmed Order if Customer is in breach of any of its obligations hereunder or any Confirmed Order.

2.5. Customer may submit to Seller written requests to change the terms of a Confirmed Order (each such request, a "Change Order Request"). Seller may, at its sole discretion, consider such Change Order Request, provided that Seller will have no obligation to perform any Change Order Request unless and until Seller has agreed in writing to adopt such Change Order Request. If Seller elects to consider such a Change Order Request, then Seller shall promptly notify Customer of any adjustment to the applicable purchase price for the Products.

2.6. In the event Customer cancels any Confirmed Order for any reason, Customer shall reimburse to Seller all of Seller's costs and

Status 2024

expenses associated with or incurred due to such cancellation, including but not limited to the cost of raw materials, labor, and storage if cancellation occurs before Seller's commencement of production. In the event Customer cancels any Confirmed Order for any reason and Seller has started the production of the Product on the respective Confirmed Order, Customer shall pay to Seller the full purchase price.

2.7. Each Confirmed Order shall be considered a separate agreement between the parties, and any failure to deliver the Products under any Confirmed Order shall have no consequences for other deliveries of Products.

3. PRICES

3.1. Unless otherwise agreed to by the parties in the applicable Confirmed Order, the prices of the Products shall be FCA (agreed delivery location on the applicable Confirmed Order), Incoterms 2022.

3.2. Unless otherwise agreed by the parties in a Confirmed Order, the price of the Products shall not include transportation, insurance, packaging, and Tooling (as defined below) and other materials used for the manufacturing and delivery, sales or Heavy Vehicle Use Tax (HVUT), other use tax or any other similar applicable federal, state or foreign taxes, duties, levies, or charges in any jurisdiction in connection with the sale or delivery of the Products ("Taxes"). Such Taxes shall be payable by Customer, and if Seller is responsible for the collection thereof, such Taxes shall either be added to the price invoiced or be separately invoiced by Seller to Customer. Any special requests concerning shipping, transportation, and insurance shall be communicated to Seller in a timely manner and subject to Seller's prior written approval. Customer shall bear all costs resulting from such requests. In case of lead delivery times of more than two (2) months, Customer hereby acknowledges and agrees that Seller, may, at its sole discretion, increase or decrease the agreed prices on any Confirmed Order in the event of material price changes in wages, materials, energy or raw material after the date of the Confirmed Order.

4. PAYMENT TERMS

4.1. Except as set forth in Section 4.2 or unless otherwise agreed in writing by Seller, the purchase price for the Products and all other amounts due under a Confirmed Order shall be due and payable in US dollars within thirty (30) days following the date of Seller's invoice for such Products without any discount, deduction or offset whatsoever. In no event shall any loss, damage, injury or destruction, Force Majeure (as defined below), or any other event beyond Customer's control release Customer from its obligation to make the payments required herein. Payment of all amounts due hereunder shall be made by bank transfer or in any other manner set forth on Seller's invoice. Customer shall be solely responsible for any bank fees, or other fees, incurred due to the wire transfer or any other selected payment method. If Seller agrees to payment by credit card, Seller shall charge an appropriate transaction fee, which the Customer shall also pay.

4.2. In the event Seller becomes aware of circumstances or has reason to believe that there are circumstances that may have an adverse effect on Customer's financial condition, Seller may require the Customer to pay the total amount of the purchase price or fees, or a portion thereof prior to the delivery of the Products. Seller may, without any liability to Customer, refuse the delivery of any Product in the event the Customer fails to make the payment as required under this Section 4.2.

4.3. Time is of the essence for the payment of all amounts due to Seller under any Confirmed Order. If Customer fails to make payments of any amount when due, Customer shall pay interest to Seller at the rate of one percent (1%) per month or such lesser amount as may be permitted by applicable law starting from the due date until payment to Seller of such amount in full. In addition to the interest, Seller may, at its sole discretion, charge the Customer a flat fee of \$40 for each reminder notice issued to Customer due to late payments. If Customer fails to comply with these Terms or a Confirmed Order, or if Customer becomes insolvent, all balances then due and owing to Seller shall become due immediately, notwithstanding any payment terms agreed by the parties. All costs and expenses incurred by Seller with respect to the collection of overdue payments (including, without limitation, reasonable attorney's fees, expert fees, and other expenses of litigation) shall be borne by Customer. Every payment by Customer shall first be

applied to pay for Seller's cost of collection, then interest owed by Customer, and then to the oldest outstanding claim.

4.4. Notwithstanding anything in the foregoing Section 4.3 or Section 5, if the parties agreed on installment payments in a Confirmed Order and Customer fails to make any installment payment when due, the remaining balance including accrued interest, and any expenses incurred by Seller shall be due

and payable to Seller promptly upon Customer's receipt of written notice of delinquency from Seller.

5. SECURITY INTEREST

5.1. If Seller extends credit to Customer for the purchase price for any Products (including but not limited to pursuant to Section 4.1.), or any other amounts due to Seller, Customer hereby grants to Seller as security for the timely payment and performance of all Customer's payment obligations to Seller, a first priority security interest (the "Security Interest") in all Products heretofore or in the future delivered to Customer and in the proceeds thereof for as long as such Products shall not have been sold by Customer in the ordinary course of business (the "Collateral"). Seller shall be entitled to file any and all financing, continuation, or similar statements under the Uniform Commercial Code in any jurisdiction and take any and all other action necessary or desirable, in Seller's sole and absolute discretion, to perfect its Security Interest in the Collateral and to establish, continue, preserve, and protect Seller's Security Interest in the Collateral. Customer agrees to take any and all actions and provide Customer with all information necessary to enable Seller to perfect and enforce its Security Interest in all jurisdictions and vis-à-vis any of Customer's creditors, and hereby irrevocably grants to Seller a power of attorney to execute all necessary statements or documents in Customer's name for the perfection and enforcement of such Security Interest. The Security Interest shall remain in force until payment in full of the entire purchase price for such Products, and any other amounts due to Seller by Customer. Seller may, without notice, change or withdraw extensions of credit at any time.

6. OBLIGATIONS OF CUSTOMER

6.1. Customer shall use the Products solely for their intended purpose and pursuant to Seller's instructions, and agrees to use only qualified personnel for the handling of the Products. Customer shall ensure that its customers, employees, agents, and other representatives comply with this Section 6.1. and shall be responsible for their acts and omissions.

7. DELIVERY AND ACCEPTANCE

7.1. Unless otherwise agreed in writing by Seller, all deliveries of Products shall be made FCA (agreed delivery location) (Incoterms 2020) and title to and risk of loss for the Products shall pass to Customer upon delivery pursuant to this Section 7.1.

7.2. Any delivery and performance times or dates communicated by or on behalf of Seller are estimates and shall not be binding on Seller. Seller may make partial delivery of Products to be delivered under any Confirmed Order and invoice Customer separately for such partial deliveries or performance. If Customer has not received the Products after six (6) weeks from the estimated delivery date, Customer may make a written request to Seller for delivery. Customer hereby acknowledges and agrees that the actual delivery date of the Products is conditioned upon the complete, accurate and timely delivery of materials from Seller's vendors and suppliers. No delay in delivery of any Products shall relieve Customer of its obligation to accept the delivery or performance thereof and make payments of any amounts due in accordance with these Terms, including but not limited to delays caused by governmental restrictions on exports or imports and similar measures.

7.3. Customer's failure to accept the delivery of Products pursuant to a Confirmed Order shall not release or excuse Customer from its obligation to timely pay all amounts due in connection with such Confirmed Order. The Products shall be deemed delivered at the time they have been made available to Customer. If Customer rejects or revokes acceptance of Products, or fails to pay any amounts when due, Seller, in its sole and absolute discretion, may extend the period of delivery of Products by such period as Seller may deem reasonable with such period not exceeding three (3) months from the agreed delivery date, or withhold or cancel delivery of any Products, or cancel any or all Confirmed Orders without any further obligations to Customer whatsoever.

In such event, Customer shall be responsible for any and all costs and expenses incurred, or damages or losses suffered by Seller in connection with any such delay notwithstanding any action or inaction by Seller with regard to such delay. Any remaining Products that have not been accepted by Customer within the extended delivery period determined by Seller will be delivered and invoiced by Seller to Customer and Customer agrees to accept such delivery and pay for the purchase price and other amounts payable for the delivered Products.

8. EXAMINATION AND CONFORMITY TO ORDER

8.1. Promptly upon receipt of any Products, Customer shall conduct a full and complete inspection of such Products as to any defects and to confirm compliance

with all requirements of the applicable Confirmed Order. Customer shall notify Seller in writing of any packaging defects, apparent defects, or non-compliance of such Products with the applicable Confirmed Order that Customer has or could reasonably have discovered during such inspection within seven (7) days from the date of receipt of such Products, and Customer shall notify Seller in writing within three (3) days of the date on which Customer shall first have become aware of any hidden defect or non-compliance which could not reasonably have been discovered during Customer's initial inspection of the Products. Such notification shall include reasonable details (including images) on the alleged defects including lot, batch, or Order numbers.

8.2. If Customer fails to timely notify Seller of any defects or other non-compliance of any Products delivered or Customer (or its customers, employees, agents, or representatives) uses, destroys, or modifies any Products that Customer knows or should have known to be defective or non-compliant without Seller's prior written consent, Customer shall be deemed to have unconditionally accepted such Products and waived all of its claims for breach of warranty or otherwise in respect of such Products.

8.3. Customer may only return the Products to Seller with Seller's prior written approval. If the return has been approved by Seller, Customer shall return the Products to Seller at Customer's sole risk and expense to the destination directed by Seller.

8.4. Complaints of Customer in connection with the shipping or transport shall be directed to the carrier promptly upon receipt of the delivery or the freight documents.

9. LIMITED PRODUCT WARRANTY

9.1. Seller warrants to Customer that the Products will be free of defects in material and workmanship and conform with the requirements set forth in the applicable Confirmed Order for a period of twelve (12) months from the date of delivery for new business Products and ninety (90) days for after sales Products. (the "Limited Product Warranty").

9.2. Unless expressly agreed to in writing by Seller, Seller makes no warranty that the Products comply with applicable law, regulations, or specifications in any jurisdiction in which the Products may be used, integrated or incorporated. Any governmental or other approvals necessary in connection with the use, integration or incorporation of the Products shall be Customer's sole responsibility.

9.3. The Limited Product Warranty shall be void if the Defect (as defined below) resulted from (a) improper or inadequate use, storage, handling, operation, integration, incorporation, assembly, maintenance, or unauthorized alteration, modification, repair of the Products (including without limitation, the use, storage, handling, operation, or integration of the Products contrary to written instructions and/or recommendations of Seller or inadequate training of personnel), (b) changes to construction and materials pursuant to Customer's requests, (c) use of improper tools, resources, or accessories including those but not limited to any third party tools, resources, or accessories that are not approved by Seller or not in accordance with Seller's recommendations, instructions, or directions, (d) acts or omissions of Customer or third parties following delivery of the Product, (e) Customer's failure to properly communicate Seller's instructions and warnings to users of the Products, (f) Customer's, its employees, agents, representatives, customers or any third party's non-compliance with applicable laws, rules and regulation, (g) Force Majeure, or (h) ordinary wear and tear of the Products (e.g., sweep bristles).

9.4. In the event of an alleged breach of the Limited Product Warranty (a "Defect"), Customer shall, at Customer's sole expense, send the Product to Seller. Seller shall conduct the necessary tests on such Product within a reasonable period. If Seller confirms the Defect, Seller shall, at its sole option and discretion, repair or replace the Defective Product. If the repair or replacement of the Defective Product is commercially unreasonable to Seller, Seller may, at its sole discretion, issue a refund to Customer in the amount Seller deems adequate. Such repair, replacement, or refund shall be the sole liability of Seller and the sole remedy of Customer with respect to a Defect. In no event shall any warranty claims for a Defect be made after twelve (12) months from the date of Customer's receipt of the Products. Any Products or parts returned to Seller for removal or repair under this Section 9.4 shall be the property of Seller. Any applicable Limited Product Warranty period shall not start anew with the repair or replacement of the Defective Product (or any portion thereof).

9.5. Except for Limited Product Warranty, SELLER HEREBY EXPRESSLY EXCLUDES AND DISCLAIMS ANY AND ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. Seller makes no other warranties with respect to the Products, and no person is authorized to make any warranties on behalf of Seller that are inconsistent with the warranties set forth under this Section 9.

10. LIMITATION OF LIABILITY

10.1. IN NO EVENT SHALL SELLER BE LIABLE TO CUSTOMER, ITS CUSTOMERS, EMPLOYEES, AGENTS, AND OTHER REPRESENTATIVES FOR ANY INDIRECT, INCIDENTAL, PUNITIVE, SPECIAL OR CONSEQUENTIAL DAMAGES, INCLUDING BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFITS, REVENUE, GOODWILL, OR USE, WHETHER IN AN ACTION IN CONTRACT, TORT, STRICT LIABILITY, OR IMPOSED BY STATUTE, OR OTHERWISE, EVEN IF SELLER WAS ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. NOTWITHSTANDING ANY OF THE TERMS CONTAINED HEREIN, SELLER'S LIABILITY FOR ANY CLAIM WHETHER BASED UPON CONTRACT, TORT, EQUITY, NEGLIGENCE, OR ANY OTHER LEGAL CONCEPT SHALL IN NO EVENT EXCEED THE PURCHASE PRICE PAID BY THE CUSTOMER FOR THE PRODUCTS, GIVING RISE TO SUCH CLAIM. CUSTOMER HEREBY ACKNOWLEDGES AND AGREES THAT THE PROVISIONS OF THESE TERMS FAIRLY ALLOCATE THE RISKS BETWEEN SELLER AND CUSTOMER, THAT SELLER'S PRICING REFLECTS THIS ALLOCATION OF RISK, AND BUT FOR THIS ALLOCATION AND LIMITATION OF LIABILITY, SELLER WOULD NOT HAVE ENTERED INTO AN AGREEMENT WITH CUSTOMER FOR THE SALE OF THE PRODUCTS.

10.2. Seller shall not be liable for, and Customer assumes responsibility and shall indemnify, defend, and hold Seller harmless for any and all claims, including without limitation claims for personal injury or property damages, resulting from (a) the improper or inadequate use, storage, handling, operation, assembly, integration, incorporation, assembly, maintenance, or unauthorized alteration, modification, or repair of the Products (including without limitation, the use storage, handling, operation, or integration of the Products contrary to written instructions and/or recommendations of Seller or inadequate training of personnel), (b) changes to construction and materials pursuant to Customer's requests, (c) use of improper tools, resources, or accessories including those but not limited to any third party tools, resources, or accessories that are not approved by Seller or not in accordance with Seller's recommendations, instructions, or directions, (d) acts or omissions of Customer or third parties following the delivery of the Products, (e) Customer's failure to properly communicate Seller's instructions and warnings to users of the Products, or (f) Customer's, its employees, agents, representatives, customers or any third party's non-compliance with applicable laws, rules and regulation, (g) Force Majeure, or (h) ordinary wear and tear of the Products (e.g., sweep bristles).

10.3. In jurisdictions that limit or preclude limitations or exclusion of remedies, damages, or liability, such as liability for gross negligence or willful misconduct or do not allow implied warranties to be excluded, the limitation or exclusion of warranties, remedies, damages, or liability set forth in these Terms are intended to apply to the maximum extent permitted by applicable law, and these Terms shall be deemed amended to comply with such limitations or exclusions. Customer may also have other rights that vary by state, country or other jurisdiction.

11. CONFIDENTIALITY

11.1. "Confidential Information" means: (i) any know-how, trade secrets, and other business or technical information of Seller that is confidential or proprietary or due to its nature or under the circumstances of its disclosure the Customer knows or has reason to know should be treated as confidential or proprietary, including but not limited to quotations, drawings, project documentation, samples and models.

11.2. Confidential Information does not include information that: (i) is or becomes generally known to the public through no fault or breach of these Terms by the Customer; (ii) is rightfully known by the Customer at the time of disclosure without an obligation of confidentiality; (iii) is independently developed by the Customer without use of Seller's Confidential Information; (iv) is rightfully received by the Customer from a third party without restriction on use or disclosure; or (v) is disclosed with Seller's prior written approval.

11.3. Customer shall not use Seller's Confidential Information except as necessary to use the Products and will not disclose such Confidential Information to any third party except to those of its employees, agents, subcontractors, or representatives who have a bona fide need to know such Confidential Information to enable Customer to use the Products; provided that each such employee, agent, subcontractor, and/or representative is/are bound by a written agreement that contains use and nondisclosure restrictions not less stringent than the terms set forth in this Section 11.3. The Customer will employ all reasonable steps to protect Seller's Confidential Information from unauthorized use or disclosure, including, but not limited to, all steps that it takes to protect its own information of like importance. The foregoing obligations will not restrict the Customer from disclosing Seller's Confidential Information: (i) pursuant to the order or requirement of a court, administrative agency, or other governmental body, provided that the Customer gives reasonable

notice to Seller to contest such order or requirement; (ii) to its legal or financial advisors; and (iii) as required under applicable securities regulations.

11.4. In the event of a violation or threatened violation of Customer's obligations under this Section 11, Seller shall be entitled to seek equitable relief, including in the form of a restraining order, orders for preliminary or permanent injunction, specific performance and any other relief that may be available from any court, without the requirement to secure or post any bond, or show actual monetary damages in connection with such relief. These remedies shall not be deemed to be exclusive but in addition to all other remedies available under these Terms, at law, or in equity.

12. INTELLECTUAL PROPERTY

12.1 Seller reserves the sole and exclusive ownership of the intellectual property rights in the Products (including but not limited to the technology used to manufacture the Products) and any improvements thereof regardless of inventorship or authorship. Customer shall not (and shall cause its employees, agents, representatives and customers to not) reverse engineer, decompile, disassemble, or decode any of Seller's intellectual property embedded or used in any of the Product.

13. FORCE MAJEURE

13.1. Seller shall not be responsible for any failure or delay in its performance under these Terms due to causes beyond its reasonable control, including, but not limited to, disruptions of the public power supply, communications, and transportation infrastructure, governmental measures, malware or hacker attacks, fire, extraordinary weather events, epidemics, pandemics (or any government restrictions implemented as a result thereof), nuclear and chemical accidents, earthquakes, war, terrorist attacks, labor disputes, strikes, lockouts, shortages of or inability to obtain labor, energy, raw materials or supplies, or other acts of God.

14. MISCELLANEOUS

14.1. If any provision contained in these Terms or any Confirmed Order is held by final judgment of a court of competent jurisdiction to be invalid, illegal, or unenforceable, such invalid, illegal, or unenforceable

provision shall be severed from the remainder of these Terms or such Confirmed Order, and the remainder of these Terms or such Confirmed Order shall be enforced. In addition, the invalid, illegal, or unenforceable provision shall be deemed to be automatically modified, and, as so modified, to be included in these Terms, such modification being made to the minimum extent necessary to render such provision valid, legal, and enforceable.

14.2. Seller may assign its rights and/or delegate its liabilities under any Confirmed Order at any time. Customer may not assign its rights or delegate its responsibilities under a Confirmed Order without Seller's prior written consent.

14.3. Seller's waiver of any breach or violation of these Terms or the provisions of any Confirmed Order by Customer shall not be construed as a waiver of any other present or future breach or breaches by Customer.

14.4. The parties hereto are independent contractors and nothing in these Terms will be construed as creating a joint venture, partnership, employment, or agency relationship between the parties.

14.5. Notices by a party regarding the exercise of rights and obligations under these Terms must be signed by authorized representatives of such party, and delivered via courier, mail, or e-mail to the other party's address indicated in the applicable Confirmed Order, provided that a notice by e-mail shall only be validly given if receipt thereof is acknowledged in writing by the recipient.

15. ENTIRE AGREEMENT; CONFLICTS.

15.1. These Terms, including the applicable Confirmed Order, constitute the entire and exclusive agreement of the parties regarding the subject matter hereof and supersede any and all prior or contemporaneous agreements, communications, and understandings (both written and oral) regarding such

subject matter. In the event of a conflict between the provisions of these Terms and the provisions of a Confirmed

Order, the provisions of the Confirmed Order will govern and control. Seller may amend or modify these Terms from time to time. Seller may, at its sole discretion, provide Customer with written notice of any such changes, revisions, amendments, or modifications, provided, however that any such changes, revisions, amendments, or modifications shall become effective without any further action by any party and that they shall not apply to any Confirmed Order prior to the effective date of such changes, revisions, amendments, or modifications.

16. APPLICABLE LAW AND JURISDICTION

16.1. These Terms and the Confirmed Orders shall be governed by and construed in accordance with the laws of the State of Wisconsin without giving effect to any choice or conflict of law provision or rule that would defer to or cause the application of the substantive laws of any jurisdiction other than Wisconsin. The parties hereby expressly exclude the application of the 1980 United Nations Convention on Contracts for the International Sale of Goods.

16.2. Any dispute, controversy, or claim arising out of or relating to these Terms and any Confirmed Order, including but not limited to the execution, performance, or termination thereof or to any issue of liability arising out of the performance of these Terms or any Confirmed Order, which the parties have not been able to settle amicably shall be submitted to the exclusive jurisdiction of the state or federal courts with jurisdiction in the County of Calumet, Wisconsin, provided that notwithstanding the foregoing, Seller shall be entitled to seek specific performance and injunctive relief in any court of competent jurisdiction. Each party hereby waives any and all claims, pleas, or defenses (including without limitation a plea for forum non conveniens) that would permit such party to seek the jurisdiction of any courts or arbitration tribunals other than those set forth in the preceding sentence.

16.3. EACH PARTY HEREBY WAIVES, TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW, ANY RIGHT IT MAY HAVE TO A TRIAL BY JURY IN ANY LEGAL PROCEEDING DIRECTLY OR INDIRECTLY ARISING OUT OF OR RELATING TO THESE TERMS.